

2018  
SOLID BRASS COLLECTION



*Ashley Norton*  
ARCHITECTURAL HARDWARE

# OUR FINISHES

Items sold in finishes other than Satin Nickel (4), and Dark Oil Rubbed (8) are made to order and as such are not returnable. See Returns Policy on page 5 for details. See our website or catalog for representations of our finishes.

FINISH	ASHLEY	US	BHMA
Satin Nickel	4	15	619
Dark Oil Rubbed	8	10B	613
Polished Chrome	9	26	625
Polished Nickel	4B	14	618
Satin Chrome	2	26D	626
Polished Brass	3	3	605
Light Oil Rubbed	6	-	-
Satin Brass	3S	4	606



**Meridian (3100) lever**



**Bauhaus (1250) lever**



**Vallea (1910) lever**



**Hampton (4000) lever**



**Apollo (4500) lever**



**Challenger (6000) lever**



**Chesterfield (1700) lever**



**Centaur (3490) lever**



**Bellagio (1550) lever**



**Geo (1460) lever**



**Shropshire (8000) lever**



**Century (1950) lever**



**Claros (1970) lever**



**Churchill (5000) lever**



**Chiltern (1600) lever**



**Volo (1951) lever**



**Atlas (3750) lever**



**Chester (2000) lever**



**Everest (7100) lever**



**Colonial (4900) lever**



**Windsor (9000) knob**



**Carlisle (6600) knob**



**Ascot (9200) knob**

# WARRANTY

## Mechanical Warranty

Ashley Norton Inc. extends a 10 year mechanism warranty to the original residential purchaser, providing the product has been installed in strict accordance with our installation instructions. The only obligation of Ashley Norton Inc. will be to repair or replace the defective product or parts upon presentation, together with proof of purchase dated within the warranty period. We assume no liability for any labor charges regarding the removal or reinstallation of the products; nor will we cover any freight, postage, or handling expense. This warranty does not cover damage caused by accident, misuse, abuse, tampering, extreme climatic conditions, improper installation or products used in commercial applications.

## Finish Warranty - Internal Use

When used internally, Ashley Norton Inc. extends warranties as indicated below to the original residential purchaser and limited to the location where the product was originally installed. The finish warranty does not cover scratches, abuse, mis-use, accident, external use, or where the product has been used in a commercial application.

FINISH CODE	FINISH	WARRANTY (INTERIOR USE ONLY)
2	Satin Chrome	10 years
3	Polished Brass	10 years
3S	Satin Brass	10 years
4	Satin Nickel	10 years
4B	Polished Nickel	No warranty
6	Light Oil Rubbed	No warranty
8	Dark Oil Rubbed	No warranty
9	Polished Chrome	10 years

Our Dark Oil Rubbed (8) and Light Oil Rubbed (6) patinas are 'living finishes' and may lighten, highlight, oxidize or rub off in places due to frequency of use; therefore, such events do not constitute a defect. Our Polished Nickel (4B) finish is not lacquered and may tarnish due to environmental exposure. Thus Ashley Norton Inc., cannot guarantee our Dark Oil Rubbed (8), Light Oil Rubbed (6) or Polished Nickel (4B) finishes and therefore, Ashley Norton Inc. will not have any obligation to repair or replace such finishes under this warranty.

## Finish Warranty - External Use

Lacquered finishes will deteriorate when exposed to the atmosphere, particularly salt air, direct sunlight and pollution. Plated finishes will endure these conditions longer than lacquered finishes, however even these will not remain unaffected by the environment. Our oil rubbed finishes are living finishes and will age naturally. Ashley Norton cannot guarantee finishes where used externally.

## Exclusion of Incidental and Consequential Damages

In no event shall Ashley Norton be liable for any incidental or consequential damages arising from the sale or use of our products. We assume no liability for any labor charges regarding the removal or reinstallation of the products; nor will we cover any freight, postage, or handling expense related to the product. The only obligation upon Ashley Norton Inc. will be to repair or replace the defective product or parts upon presentation, together with proof of purchase dated within the warranty period.


## Our Finishes

Ashley Norton

### Standard



.4 Satin Nickel



.8 Dark Oil Rubbed

Our numerous finishes allow our clients to express individuality. From trendy polished nickel to a more traditional satin nickel or oil rubbed bronze... the choice is yours.

Dark and light oil rubbed bronze are dynamic. These "living" surfaces will take on unique hues as age, climate and touch work their charm, creating an ever-changing patina.


Our standard finishes are dark oil rubbed (.8) and satin nickel (.4). Seven additional finishes are custom manufactured to order.

The photos shown in this brochure give a close representation of the true appearance of these finishes, but a visit to a local dealer will allow you to appreciate the true appearance and feel of our hardware.

### Custom



.2 Satin Chrome




.9 Polished Chrome




.4B Polished Nickel




.7 Pewter



.3 Polished Brass



.3U Unlacquered Brass



.6 Light Oil Rubbed

*Please note that products ordered in our custom finishes are manufactured to order.*

### GUIDE TO FINISH CODES

US	BHMA	ASHLEY	FINISH
26D	626	2	Satin Chrome
3	605	3	Polished Brass
3NL	605NL	3U	Unlacquered Brass
15	619	4	Satin Nickel
14	618	4B	Polished Nickel
~	~	6	Light Oil Rubbed
15A	620	7	Pewter
10B	613	8	Dark Oil Rubbed
26	625	9	Polished Chrome

# ORDERING GUIDE

Most combinations of lever, knob, escutcheon and finish may be combined to create a unique piece for your home or project. Our staff will be delighted to assist if you have any questions regarding compatibility of levers/escutcheons or other technical questions. Some frequently requested information is presented below.

## Product Code Construction

We have provided guides throughout the catalog which explain how to construct part numbers for specific combinations of levers, plates and finishes. Should you require any assistance, please contact us.

## Handing Guide

Door handing is always determined from outside of the room or home. The side of the door that the hinges are on determines the handing of the door. For mortise sets, we need to know the swing direction of the door. Most doors swing in, but if the door swings outwards, designate this as reverse swing.

**L** = Left Hand  
**R** = Right Hand  
**LHR** = Left Hand Reverse (needed for mortise sets only)  
**RHR** = Right Hand Reverse (needed for mortise sets only)

## Backset, Strike, Door Thickness


Our hardware is supplied with accessories to suit a typical door. However, a number of options are available to suit particular circumstances.

	Standard	Option
Please call to verify suitability for any doors thicker than 2 1/2"		
<b>Tubular Passage / Privacy Sets</b>		
Door thickness	1 3/8" - 1 3/4" (a)	Up to: 3" (passage); 2 1/2" (privacy)
Backset	2 3/8"	2 3/4"
Strike	Full Lipped Strike	T Strike
<b>Deadbolts</b>		
Door thickness	1 3/4"	Up to: 3" (standard); 2 1/4" (double-keyed)
Backset	2 3/8"	2 3/4"
<b>Tubular Entrysets</b>		
Door thickness	1 3/4"	Up to 3" - see footnote (b) below
Backset	2 3/8"	2 3/4"
Strike	Full Lipped Strike	T Strike
<b>Mortise Entrysets</b>		
Door thickness	1 3/4"	Up to 3" (upcharge applies)
Backset	2 1/2"	2 3/4"
Strike	Mortise strike	Mortise strike
<b>Multipoint Trim</b>		
Door thickness	1 3/4"	Up to 2 1/4" (inquire for thicker doors)
Strike	Not included	Not included


(a) Flat plates require a minimum of 1 3/4" door thickness

(b) Max. thickness for double keyed entryset is 2 1/4".  
 Max. thickness for tubular gripset is 2 1/2"


OUTSIDE VIEW



OUTSIDE VIEW - OUTSWING DOOR




VIEWED FROM THE TOP




# LEVER OPTIONS




**Meridian (3100) lever**




**Apollo (4500) lever**




**Bellagio (1550) lever**





**Claros (1970) lever**




**Atlas (3750) lever**




# LEVER OPTIONS




**Bauhaus (1250) lever**




**Challenger (6000) lever**



**Geo (1460) lever**








**Churchill (5000) lever**



**Chester (2000) lever**




# LEVER OPTIONS







# LEVER OPTIONS




**Hampton (4000) lever**




**Centaur (3490) lever**



**Century (1950) lever**



**Volo (1951) lever**




**Colonial (4900) lever**


# KNOB OPTIONS




**Windsor (9000) knob**



**Carlisle (6600) knob**



**Ascot (9200) knob**



## Levers


*Ashley Norton*

Contemporary	8 - 13
Traditional	14 - 17
Knobs	18



## Levers


*Ashley Norton*



Meridian – 3100 Series

Shown on RE square rose

Shown in Satin Nickel





Meridian – 3100 Series

Shown on AN round rose

Shown in Satin Nickel

## Levers

*Ashley Norton*



### Centaur – 3490 Series

Recommended with AN round rose

Shown in Satin Chrome




### Atlas – 3750 Series

Recommended with AN round rose

Shown in Satin Nickel

## Levers

*Ashley Norton*



### Apollo – 450 Series

Recommended with AN round rose

Shown in Satin Nickel






### Myron – 6300 Series

Recommended with AN round rose

Shown in Satin Nickel

## Levers


*Ashley Norton*



**Challenger – 6000 Series**

Recommended with AN round  
rose

Shown in Polished Chrome



**Volo – 1951 Series**



Recommended with AN round  
rose

Shown in Polished Chrome



## Levers


*Ashley Norton*



Elios – 5300 Series

Recommended with AN round rose

Shown in Satin Nickel






Geo – 1460 Series

Recommended with AN round rose

Shown in Satin Chrome

## Levers


*Ashley Norton*



Wing – 1121 Series

Recommended with AN round rose

Shown in Satin Chrome





Adelphia – 2590 Series

Recommended with AN round rose

Shown in Satin Chrome

## Levers


*Ashley Norton*



### Chesterfield - 1700 Series

Recommended with TA round rose or choice of escutcheon

Shown in Satin Nickel





### Churchill - 500 Series

Recommended with TA round rose or choice of escutcheon

Shown in Satin Nickel

## Levers



*Ashley Norton*



**Chester – 2000 Series**

Recommended with TA round rose or choice of escutcheon

Shown in Satin Nickel




**Hampton – 400 Series**

Recommended with AN round rose or choice of escutcheon

Shown in Satin Nickel

## Levers


*Ashley Norton*



### Shropshire – 800 Series

Recommended with TA round rose or choice of escutcheon

Shown in Satin Nickel





### Chiltern – 1600 Series

Recommended with TA round rose or choice of escutcheon

Shown in Light Oil Rubbed

## Levers


*Ashley Norton*



### Vallea – 1910 Series

Recommended with TA round rose or choice of escutcheon

Shown in Satin Nickel









### Everest – 7100 Series

Recommended with AN round rose or choice of escutcheon

Shown in Satin Nickel

## Knobs

*Ashley Norton*



### Windsor – 900 Series

Recommended with choice of escutcheon

Shown in Dark Oil Rubbed

Windsor knob is not available with AN, TA or AR rose

### Carlisle – 6600 Series

Recommended with choice of escutcheon

Shown in Satin Nickel

Carlisle knob is not available with AN or TA rose

### Ascot – 9200 Series

Recommended with choice of escutcheon

Shown in Light Oil Rubbed

Ascot knob is not available with AN, TA or AR rose



Rectangular Suite

*Ashley Norton*



## Rectangular Suite - Interior

*Ashley Norton*

The 5 x 2 1/2" SQ escutcheon is ideal for interior application, available with any lever or knob in your choice of finish.



SQ Escutcheon  
5 x 2 1/2"

Shown with Churchill lever  
(500) in Dark Oil Rubbed



SQ Escutcheon  
5 x 2 1/2"

Shown with Hampton lever  
(400) in Dark Oil Rubbed



SQ Escutcheon  
5 x 2 1/2"

Shown with Carlisle knob  
(6600) in Satin Nickel



SQ Escutcheon  
5 x 2 1/2"

Shown with Windsor knob  
(900) in Polished Brass

## Rectangular Suite - Interior

*Ashley Norton*

The grand 11 x 2 1/2" SE escutcheon is ideal for larger interior doors and available with any lever or knob in your choice of finish.



SE Escutcheon  
11 x 2 1/2"  
Shown with Ascot knob  
(9200) in Satin Nickel



SE Escutcheon  
11 x 2 1/2"  
Shown with Hampton lever  
(400) in Light Oil Rubbed



SQTB Escutcheon

Shown with Chesterfield  
lever (1700) in  
Dark Oil Rubbed



SQES Escutcheon

Shown with Chiltern  
lever (1600) in  
Dark Oil Rubbed



DB4150 Deadbolt

Shown in Satin Nickel



SQMR Escutcheon

Shown with Chesterfield  
lever (1700) in  
Satin Nickel

SQML Escutcheon

Shown with Volo  
lever (1951) in  
Polished Chrome







NP3 Escutcheon

Shown with Churchill lever  
(500) in Dark Oil Rubbed



CB3 Escutcheon

Shown with Centaur lever  
(3490) in Polished Chrome



NMW Escutcheon

Shown with Hampton lever  
(400) in Satin Nickel



SQQD Escutcheon

Shown with offset Hampton  
pull in Light Oil Rubbed

Arched Suite

*Ashley Norton*





## Arched Suite - Interior

*Ashley Norton*

The 7 x 2 1/2" SR escutcheon is ideal for interior application, available with any lever or knob in your choice of finish.



SR Escutcheon  
7 x 2 1/2"  
Shown with Chesterfield lever  
(1700) in Dark Oil Rubbed



SR Escutcheon  
7 x 2 1/2"  
Shown with Churchill lever  
(500) in Dark Oil Rubbed



SR Escutcheon  
7 x 2 1/2"  
Shown with Chiltern lever  
(1600) in Satin Nickel



SR Escutcheon  
7 x 2 1/2"  
Shown with Ascot knob  
(9200) in Light Oil Rubbed

## Arched Suite - Interior

*Ashley Norton*

The  $2\frac{3}{8} \times 2\frac{1}{4}$ " AR escutcheon is suited for interior application, available with any lever or Carlisle knob in your choice of finish.



AR Escutcheon

$2\frac{3}{8} \times 2\frac{1}{4}$ "

Shown with Chester lever  
(2000) in Satin Nickel



AR Escutcheon

$2\frac{3}{8} \times 2\frac{1}{4}$ "

Shown with Carlisle knob  
(6600) in Light Oil Rubbed

## Arched Suite - Tubular Entry

*Ashley Norton*



SPTB Escutcheon

Shown with Churchill  
lever (500) in  
Satin Nickel



SPES Escutcheon

Shown with Churchill  
lever (500) in  
Satin Nickel



DB4165

Shown in Light Oil Rubbed



SPMR Escutcheon

Shown with Windsor  
knob (900) in  
Dark Oil Rubbed

SPML Escutcheon

Shown with Carlisle  
knob (6600) in  
Satin Nickel



## Arched Suite - Multipoint Hardware

*Ashley Norton*



SP3 Escutcheon

Shown with Chester lever  
(2000) in Satin Nickel



AB3 Escutcheon

Shown with Shropshire lever  
(800) in Dark Oil Rubbed



SMW Escutcheon

Shown with Chesterfield lever  
(1700) in Light Oil Rubbed



SHP Escutcheon

Shown with offset Hampton  
pull in Dark Oil Rubbed



Traditional Rose & Oval

*Ashley Norton*



## Traditional Rose & Oval

*Ashley Norton*

The 2<sup>3</sup>/<sub>8</sub>" diameter TA traditional rose is ideal for interior application, available with any lever in your choice of finish. Featuring concealed screws on both sides of door, the TA rose complements almost all of our traditional levers.



TA Traditional Rose  
2<sup>3</sup>/<sub>8</sub>" diameter  
Shown with Chesterfield lever  
(1700) in Satin Nickel



TA Traditional Rose  
2<sup>3</sup>/<sub>8</sub>" diameter  
Shown with Vallea lever  
(1910) in Satin Nickel



TA Traditional Rose  
2<sup>3</sup>/<sub>8</sub>" diameter  
Shown with Chiltern lever  
(1600) in Light Oil Rubbed



TA Traditional Rose  
2<sup>3</sup>/<sub>8</sub>" diameter  
Shown with Churchill lever  
(500) in Dark Oil Rubbed



DB4100  
Shown in Polished Brass



DB4190  
Shown in Dark Oil Rubbed



## Traditional Rose & Oval

*Ashley Norton*

The 5 x 2½" OV escutcheon is ideal for interior application, available with any lever or knob in your choice of finish.



OV Escutcheon  
5 x 2½"

Shown with Chester lever  
(2000) in Polished Nickel



OV Escutcheon  
5 x 2½"

Shown with Chesterfield lever  
(1700) in Polished Brass



OV Escutcheon  
5 x 2½"

Shown with Chiltern lever  
(1600) in Light Oil Rubbed



DB4140

Oval deadbolt  
Shown in Polished Nickel



## Contemporary Suite

*Ashley Norton*

The  $2\frac{3}{8}$ " diameter AN round rose and  $2\frac{1}{2}$ " RE square rose are ideal for interior application, available with any lever in your choice of finish. Featuring concealed screws on both sides of door, these roses complement our contemporary levers.



RE Square Rose

$2\frac{1}{2} \times 2\frac{1}{2}$ "

Shown with Meridian lever  
(3100) in Satin Nickel



RE Square Rose

$2\frac{1}{2} \times 2\frac{1}{2}$ "

Shown with Apollo lever  
(450) in Satin Nickel



AN Rose

$2\frac{3}{8}$ " diameter

Shown with Challenger lever  
(6000) in Polished Chrome



AN Rose

$2\frac{3}{8}$ " diameter

Shown with Centaur lever  
(3490) in Polished Chrome



DB4130

Shown in Satin Nickel



DB4120

Shown in Satin Chrome





## Deadbolts

Deadbolts are available in keyed, double-keyed or patio function

*Ashley Norton*



**DB4100** Round deadbolt  
2 1/2" diameter  
Shown in Polished Brass



**DB4140** Oval deadbolt  
3 1/8" x 2 1/2"  
Shown in Polished Nickel



**DB4190** Traditional Round Deadbolt  
2 1/2" diameter  
Shown in Dark Oil Rubbed



**DB4165** Arched Deadbolt  
4" x 2 1/2"  
Shown in Dark Oil Rubbed



**DB4120** Contemporary Round Deadbolt  
2 1/2" diameter  
Shown in Satin Chrome



**DB4150** Rectangular Deadbolt  
3" x 2 1/2"  
Shown in Satin Nickel



**DB4130** Contemporary Square Deadbolt  
2 1/2" x 2 1/2"  
Shown in Polished Chrome


## Lever by Lever Tubular Entry Sets

*Ashley Norton*

### ORDERING GUIDE

**SPES 1700 .50 .R .4**


Plate | Lever | Function | Hand | Finish



SPES

SPES Escutcheon

Shown with  
Churchill lever (500)  
in Satin Nickel




SQES






Inside Outside


Entry .50




Full Dummy .42



Patio .43



Double Entry .52



## SQES Escutcheon


Shown with  
Chiltern lever (1600)  
in Dark Oil Rubbed






Tubular Gripsets

ORDERING GUIDE				
<b>SPTB</b>	<b>500</b>	<b>.50</b>	<b>.L</b>	<b>.8</b>
Plate	Lever	Function	Hand	Finish



SPTB



SQT



SPTB Escutcheon


Shown with  
Churchill lever (500)  
in Satin Nickel




*Ashley Norton*

Outside    Inside

Entry .50



Full Dummy .42



SQTB Escutcheon

Shown with  
Chesterfield lever (1700)  
in Dark Oil Rubbed




## Lever by Lever Mortise Entry Sets

*Ashley Norton*


### ORDERING GUIDE

<b>SPML</b>	<b>6600</b>	<b>.12</b>	<b>.R</b>	<b>.4</b>
Plate	Lever	Function	Hand	Finish



SPML

SPML Escutcheon




SQML

Shown with  
Carlisle knob (6600)  
in Satin Nickel




Inside Outside

Entry .12



Full Dummy .22



## SQML Escutcheon

Shown with  
Volo lever (1951)  
in Polished Chrome



A full range of  
commercial functions  
is available for project  
orders. Please enquire  
for details.

# Multi-Point Trim for G-U Locks




Multi-Point Locks are unsuitable for use with knobs.

ORDERING GUIDE				
<b>NP3</b>	<b>500</b>	<b>.55</b>	<b>.L</b>	<b>.8</b>
Plate	Lever	Function	Hand	Finish

Multipoint trim with 92mm center-to-center between lever and American cylinder.

Suitable for doors using G-U or similar locks with 92mm distance between lever and American tailpiece. For Ashland locks, see pages 50 - 51.



For further details refer to [www.ashleynorton.com/multipoint/](http://www.ashleynorton.com/multipoint/)



**NP3 Escutcheon**  
Shown with Churchill lever (500) in Dark Oil Rubbed

## Wide Escutcheon Option


The full range is also available in a wide escutcheon option.



Inside Outside


**Entry .55**

Keyed with  
American Cylinder




**Patio .53**

Non-keyed,  
American style  
thumbturn inside



**Full Dummy .42**


Lever high full  
dummy for  
inactive door.



**Lever Low Dummy .47**

Lever low full  
dummy for inactive  
door.

**For Eagle and Hurd  
doors only**




**Passive .39**

Non-keyed. Both  
levers free to rotate  
**For interior use only**



**Half Passive .38**

Non-keyed. Fixed  
lever outside,  
operating lever  
inside



**SP3 Escutcheon**

Shown with  
Chester lever (2000)  
in Satin Nickel



## Multi-Point Trim for Hoppe Locks

*Ashley Norton*

Multi-Point Locks are unsuitable for use with knobs.


### ORDERING GUIDE

<b>CB3</b>	<b>3490</b>	<b>.58</b>	<b>.L</b>	<b>.9</b>
Plate	Lever	Function	Hand	Finish

Multipoint trim with 92mm center-to-center between lever and Profile cylinder.

Suitable for doors using Hoppe or similar locks with 92mm distance between lever and Profile cylinder.

For further details refer to [www.ashleynorton.com/multipoint/](http://www.ashleynorton.com/multipoint/)




### CB3 Escutcheon

Shown with Centaur lever (3490) in Polished Chrome

### Wide Escutcheon Option

The full range is also available in a wide escutcheon option.






Inside Outside


Entry .57

Keyed with Profile Cylinder




Patio .58

Non-keyed,  
Profile style  
thumbturn inside




Full Dummy .42

Lever high full  
dummy for  
inactive door.




Passive .39

Non-keyed. Both  
levers free to  
rotate.  
**For interior use  
only**



Half Passive .38

Non-keyed. Fixed  
lever outside,  
operating lever  
inside



AB3 Escutcheon

With Shropshire  
lever (800) in Dark  
Oil Rubbed



# Multi-Point Trim for Ashland Locks




Multi-Point Locks are unsuitable for use with knobs.


ORDERING GUIDE				
<b>NMW</b>	<b>400</b>	<b>.53</b>	<b>.L</b>	<b>.4</b>
Plate	Lever	Function	Hand	Finish

Multipoint trim for doors using Ashland locks only.  
For trim to suit G-U locks refer to pages 48 - 49.

For further details refer to [www.ashleynorton.com/multipoint/](http://www.ashleynorton.com/multipoint/)



SMW



NMW

## NMW Escutcheon


Shown with Hampton lever (400) in  
Satin Nickel



Inside Outside


Entry .55

Keyed with  
American Cylinder




Patio .53

Non-keyed,  
American style  
thumbturn inside




Full Dummy .47

Lever low full  
dummy for inactive  
door.




Passive .39

Non-keyed. Both  
levers free to  
rotate.




Half Passive .38

Non-keyed. Fixed  
lever outside,  
operating lever  
inside



SMW Escutcheon

Shown with  
Chesterfield lever  
(1700) in  
Light Oil Rubbed





C1820 Flush Pull

Available 4x2"  
6x2"  
Shown in Satin Nickel



C1165 Edge Pull

3 <sup>7</sup>/<sub>8</sub>" x <sup>3</sup>/<sub>4</sub>"  
Shown in Dark Oil Rubbed



Patio Sliding Door Trim Set  
SLDPULL Series

8 <sup>3</sup>/<sub>8</sub>" x 1"

Fixed 'D' handles with active turnpiece  
Handing not required

Suitable for mortise locks with mounting holes  
100mm (3.94") apart. Thumbturn located 31mm  
above lower screw position (19mm offset from  
center)

Available in keyed, patio and dummy functions

See [www.ashleynorton.com/multipoint/](http://www.ashleynorton.com/multipoint/) for  
further details



### Sliding Door Trim with American Cylinder

Fixed levers, active thumbturn

Available for Hoppe HLS 9000 lock and certain Ashland locks.

Available in keyed, patio and full dummy functions.

See [www.ashleynorton.com/multipoint/](http://www.ashleynorton.com/multipoint/) for further details



### Sliding Door Trim with Profile Cylinder

Operating levers (8mm spindle) with profile cylinder  
122mm center-to-center (lever to cylinder)

Available in keyed, patio and full dummy functions.

See [www.ashleynorton.com/multipoint/](http://www.ashleynorton.com/multipoint/) for further details