



CATALOG
2019



*San Francisco
Vancouver
Toronto*





PREMIER SQUARE DEADBOLT, BERGEN LEVER, MODERN HOUSE NUMBERS, MODERN DOOR KNOCKER & 180° PEEPHOLE IN SATIN NICKEL

Exterior Hardware


Making a great first impression is easy, with the right exterior hardware. Whether you need to design a lobby, corridor, or just want to refresh common areas; we have a range of products and styles that coordinate to make your renovation or new construction project simple. From high-quality door knockers to house numbers, door pulls, and door stops; Taymor hardware allows you to harmonize design throughout the entire home and complete your projects seamlessly.



MODERN HOUSE NUMBERS

EXTERIOR HARDWARE DOOR KNOCKERS

Modern Door Knocker



Notes

Durable metal construction
 Concealed screw mount

Weather resistant
 Easy to follow installation instructions

Includes strike plate, mounting hardware

MODERN DOOR KNOCKER

DIMENSIONS W x H	2-1/4" x 5-1/2" (57 mm x 140 mm)
SATIN NICKEL 15	25-D4810SN
BLACK 19	25-D4810BLK
CASE QTY. 5 PKG. CARDED	

Large Door Knocker with Peephole



Notes

Peephole has 180° field of vision

Adjustable from 1-3/8" to 2-3/8" (35 mm to 60 mm)
 Bore size 9/16" (14 mm)

Includes mounting screws in matching finish

Door Knocker with Peephole



Notes

Peephole has 160° field of vision


Adjustable from 1-3/8" to 2-1/4" (35 mm to 57 mm)
 Bore size 1/2" (12 mm)

Includes mounting screws in matching finish

	LARGE DOOR KNOCKER WITH PEEPHOLE	DOOR KNOCKER WITH PEEPHOLE
DIMENSIONS W x H	2-1/2" x 5-1/2" (63.5 mm x 140 mm)	2" x 4" (51 mm x 102 mm)
SATIN NICKEL 15	-	37-4827SN
SATIN CHROME 26D	37-4806SC	-
CASE QTY. 10 PKG. POLY BAG w/UPC		




160° Fire Rated



- › Fire rated for 20 minutes
- › 160° field of vision
- › Adjustable from 1-3/8" to 2" (35 mm to 50 mm)
- › Bore size 1/2" (12 mm)
- › Solid brass
- › Glass & plastic lenses



160°



- › 160° field of vision
- › Adjustable from 1-3/8" to 2-1/4" (35 mm to 57 mm)
- › Bore size 1/2" (12 mm)
- › Zinc diecast construction
- › Plastic lenses


180° Fire Rated



- › Fire rated for 20 minutes
- › 180° field of vision
- › Adjustable from 1-3/8" to 2" (35 mm to 50 mm)
- › Bore size 9/16" (14 mm)
- › Solid brass
- › Glass & plastic lenses



180°



- › 180° field of vision
- › Adjustable from 1-3/8" to 2-1/4" (35 mm to 57 mm)
- › Bore size 9/16" (14 mm)
- › Zinc diecast construction
- › Plastic lenses

	160° FIRE RATED 20 MINUTES	160°	180° FIRE RATED 20 MINUTES	180°
OIL RUBBED BRONZE 10B	-	-	-	37-P4846ORB
SATIN NICKEL 15	37-P4820SN	37-P4841SN	37-P4825SN	37-P4846SN
NICKEL	-	37-P4841N	-	37-P4846N
MATTE BLACK 19	-	-	37-P4825BLK	-
SATIN CHROME 26D	37-P4820SC	37-P4841SC	37-P4825SC	37-P4846SC
POLISHED BRASS 3	-	-	-	37-P4846B

CASE QTY. 25 PKG. BUILDER PACK

0 1 2 3 4 5 6 7 8 9

4"

A. Modern

Solid metal
Easy to install
Flush mount or pin-mount for a floating effect
Concealed screw mount
Mounting hardware included

0 1 2 3 4 5 6 7 8 9

4", 6"

B. Elegant

Solid brass
Easy to install
Mounting hardware included

0 1 2 3 4 5 6 7 8 9

4"

C. Classic

Solid metal
Easy to install
Mounting hardware included

0 1 2 3 4 5 6 7 8 9

5-1/2"

D. Script

Durable resin
Easy to install
Mounting hardware included

0 1 2 3 4 5 6 7 8 9

4"

E. Contemporary Textured

Solid metal
Easy to install
Mounting hardware included

WHEN ORDERING, ADD DESIRED HOUSE NUMBER 0-9 AT THE END OF THE ITEM NUMBER(____)
 FOR EXAMPLE, 27-PMSN4(9) = 4" SATIN NICKEL MODERN "9" HOUSE NUMBER

A. MODERN HOUSE NUMBERS

4" (102 mm)

SATIN NICKEL 15

27-PMSN4__

CASE QTY. 5 PKG. POLY BAG w/UPC LABEL

B. ELEGANT HOUSE NUMBERS

4" (102 mm)

6" (152 mm)

OIL RUBBED BRONZE 10B

25-ORBN4__

25-ORBN6__

CASE QTY. 5 PKG. POLY BAG w/UPC LABEL

C. CLASSIC HOUSE NUMBERS

4" (102 mm)

BRUSHED ALUMINUM

25-ANC4__

CASE QTY. 5 PKG. CARDED

D. SCRIPT HOUSE NUMBERS

5-1/2" (140 mm)

BLACK RESIN

25-PN5__

CASE QTY. 5 PKG. POLY BAG w/HEADER CARD

E. Contemporary Textured House Numbers

4" (102 mm)

BLACK ZINC

25-NZP4__

CASE QTY. 5 PKG. POLY BAG w/UPC LABEL



METRA & BARCELONA CLOSET/CABINET KNOBS

Interior Hardware



A. 3-1/8" Spring Door Stop

› Steel construction › Complete with screw and metal base › Principal diameter 5/16" (8 mm) › Length 3-1/8" (79 mm) › Diameter of base 15/16" (24 mm)



B. 3-1/8" Spring Door Stop

› Steel construction › Complete with screw and metal base › Principal diameter 3/8" (10 mm) › Length 3-1/8" (79 mm) › Diameter of base 15/16" (24 mm)



C. 3-3/4" Spring Door Stop

› Steel construction › Complete with screw and metal base › Principal diameter 3/8" (10 mm) › Length 3-3/4" (95 mm) › Diameter of base 15/16" (24 mm)

	A.	B.	C.
OIL RUBBED BRONZE 10B	25-S4671ORB	-	25-4674ORB
OIL RUBBED BRONZE 10B (Black Tip)	-	25-4672ORB	25-4673ORB
SATIN NICKEL 15	25-S4671SN	-	25-4674SN
NICKEL	25-S4671N	-	25-4674N
ANTIQUÉ NICKEL 17A	-	-	25-4674AN
ANTIQUÉ NICKEL 17A (Black Tip)	-	25-4672AN	-
BLACK 19	25-S4671BLK	-	25-4674BLK
POLISHED CHROME 26	-	25-4672CH	25-4674CH
SATIN CHROME 26D	25-S4671SC	-	25-4674SC
POLISHED BRASS 3	25-S4671B	-	25-4674B
CASE QTY. 50	PKG. BULK PACK	PKG. POLY BAG w/UPC	PKG. BULK PACK



D. 2-7/8" Diecast Door Stop with Fixed Screw
 › Zinc die-cast construction › White tip › Length 2-7/8" (73 mm)
 › Diameter of base 13/16" (21 mm)



E. 3" Spring Door Stop with Fixed Screw
 › Steel construction › White tip › Length 2-7/8" (73 mm)
 › Diameter of base 3/4" (19 mm)

	D.	E.
OIL RUBBED BRONZE 10B	25-4679ORB	25-4675ORB
SATIN NICKEL 15	25-4679SN	25-4675SN
SATIN CHROME 26D	25-4679SC	-
CASE QTY. 50	PKG. POLY BAG w/UPC	PKG. BULK PACK



F. Door Saver Door Stop
 › Zinc die-cast construction
 › Complete with rubber stop
 › 1-7/8" (48 mm) wide



G. Heavy Duty Jumbo Hinge Pin Door Stop
 › Zinc die-cast construction
 › Complete with rubber stops
 › 2-7/16" (62 mm) wide



H. Wide Angle Heavy Duty Hinge Pin Door Stop
 › Zinc die-cast construction
 › Complete with rubber stop
 › 2-7/16" (62 mm) wide



I. Hinge Pin Door Stop
 › Zinc die-cast construction
 › Complete with rubber stops
 › 2-3/16" (55 mm) wide

	F.	G.	H.	I.
OIL RUBBED BRONZE 10B	25-P4614SPORB	25-P4624ORB	25-B4634ORB	25-B4614ORB
OIL RUBBED BRONZE 10B BLACK TIP	25-P4615SPORB	25-P4625ORB	25-B4635ORB	-
SATIN NICKEL 15	25-P4614SPSN	25-P4624SN	25-B4634SN	25-B4614SN
MATTE BLACK 19	-	-	-	25-B4614BLK
NICKEL	-	25-P4624N	-	25-B4614N
POLISHED CHROME 26	25-P4614SPPC	-	-	-
SATIN CHROME 26D	-	-	-	25-B4614SC
POLISHED BRASS 3	-	-	-	25-B4614B
PKG. POLY BAG w/UPC	CASE QTY. 50	CASE QTY. 50	CASE QTY. 50	CASE QTY. 50



J. Heavy Duty Gauge Steel Pin Door Stop
 › Steel construction › Complete with rubber stops › 2-5/16" (59 mm) high




K. Low Profile Floor Stop
 › Zinc die-cast construction › Complete with screw and expansion shield › 1-3/4" (45 mm) wide x 1" (25 mm) high



L. High Profile Floor Stop
 › Zinc die-cast › Complete with screw and expansion shield › 1-3/4" (45 mm) wide x 1-3/8" high (35 mm)

	J.	K.	L.
OIL RUBBED BRONZE 10B	25-4636ORB	-	-
DULL CHROME 26D	-	-	25-4610DC
SATIN NICKEL 15	25-4636SN	25-4609SN	-
POLISHED CHROME 26	25-4636PC	-	-
PKG. POLY BAG w/UPC	CASE QTY. 24	CASE QTY. 20	CASE QTY. 20

INTERIOR HARDWARE DOOR SECURITY



A. Door Guard

> Swings to lock or unlock and allows partial door opening while deterring forced access
> Solid metal construction > Easy to install > Includes mounting screws in matching finish



B. Door Frame Protector

> Protects door frame from open arm of door guard > Aluminum > 1-1/16" (27 mm) wide



C. Door Guard Shim

> Fits underneath door guard section to level with door jamb > For use with 25-3080 door guard
> Black Rubber > 2-9/16" (65 mm) high

	A.	B.	C.
DULL CHROME 26D	25-3080DC	25-B3082DC	
POLISHED BRASS 3	25-3080B	25-B3082B	-
BLACK RUBBER	-	-	25-3081
	CASE QTY. 10 PKG. POLY BAG w/UPC	CASE QTY. 50 PKG. POLY BAG w/UPC	CASE QTY. 50 PKG. BULK



A. PRIVACY



B. PASSAGE



C. PRIVACY



D. PASSAGE

A. & B. Square Sliding Door Hardware

> Solid brass construction > Fits Kwikset door prep
> 2-3/4" (70 mm) high x 2-1/2" (63.5 mm) wide
> Fully reversible

C. & D. Round Sliding Door Hardware

> Zinc die-cast construction > Fits 2-1/8" (54 mm) bore holes > Fits doors thickness of 1-3/8" (35 mm) to 1-3/4" (44 mm) > 2-3/8" (60 mm) fixed backset latch > Radius corner latch face plate

	A. Square Privacy Locks	B. Square Passage Locks	C. Round Privacy Locks	D. Round Passage Locks
AGED BRONZE 10B+	25-PH580ORB	25-PH590ORB	33-ORB680RD	33-ORB690RD
SATIN NICKEL 15	25-PH580SN	25-PH590SN	33-SN680RD	33-SN690RD
POLISHED CHROME 26	25-PH580PCH	25-PH590PCH	33-PC680RD	33-PC690RD
	CASE QTY. 50 PKG. BOX PACK	CASE QTY. 50 PKG. BOX PACK	CASE QTY. 30 PKG. BOX PACK	CASE QTY. 30 PKG. BOX PACK

Surface & Flush Bolts

> Solid brass and steel construction
> Keeper and mounting screws included



A.



B.



	A. 6" (152 mm) Radius End	B. 4" (102 mm)
OIL RUBBED BRONZE 10B	25-5316ORB	-
SATIN NICKEL 15	25-5316SN	25-4035100SN
	CASE QTY. 25 PKG. POLY BAG w/UPC	CASE QTY. 300 PKG. POLY BAG w/UPC

Barcelona Knob

- › Zinc die-cast construction
- › 1-1/16" (27 mm) round diameter
- › Includes 1-13/16" (46 mm) break-off screw
- › Coordinate with Taymor Barcelona knob (see pg. 25)



SATIN NICKEL 15	20-0800SN
MATTE BLACK 19	20-0800BLK
POLISHED CHROME 26	20-0800PC
SATIN CHROME 26D	20-0800SC
CASE QTY. 25 PKG. POLY BAG w/UPC	

Metra Knob

- › Zinc die-cast construction
- › 1" (25 mm)
- › Includes two 1-13/16" (46 mm) break-off screws



SATIN NICKEL 15	20-0700SN
MATTE BLACK 19	20-0700BLK
POLISHED CHROME 26	20-0700PC
SATIN CHROME 26D	20-0700SC
CASE QTY. 25 PKG. POLY BAG w/UPC	

Pedestal Knob Only

- › Zinc die-cast construction
- › 1-1/4" (32 mm) round diameter
- › Includes 2" (51 mm) break-off screw



SATIN NICKEL 15	20-B1048SN
CASE QTY. 25 PKG. POLY BAG w/UPC	

Pedestal Knob with Removable Back Plate

- › Zinc die-cast construction
- › 1-1/4" (32 mm) round diameter
- › 1-11/16" (43 mm) base
- › Includes 2" (51 mm) break-off screw



OIL RUBBED BRONZE 10B	20-B10500RB
SATIN NICKEL 15	20-B1050SN
DULL CHROME 26D	20-B1050DC
CASE QTY. 25 PKG. POLY BAG w/UPC	



- A. Adjustable Nylon Roller Bullet Catch**
- › Steel body with single plastic roller
 - › Steel stamped strike plate › Adjustable for door gap › Strike included › Complete with screws › 1-7/8" (46 mm) wide



- B. Drive-In Adjustable Bullet Catch with Full Lip Strike Plate**
- › Zinc die-cast body with steel ball
 - › Adjustable for door gap › Fits into 1" (25 mm) bore › Complete with screws



- C. Adjustable Bullet Catch with Full Lip Strike Plate**
- › Zinc die-cast body with steel ball › Steel stamped strike plate › Adjustable for door gap › Fits into 13/16" (21 mm) bore hole › Complete with screws

	A.	B.	C.
OIL RUBBED BRONZE 10B	-	20-14320RB	20-14120RB
SATIN NICKEL 15	20-1431SN	20-1432SN	20-1412SN
CASE QTY. 25 PKG. POLY BAG w/UPC			

INTERIOR HARDWARE CLOSET HARDWARE

Pole Socket Sets

> 35 mm (1-3/8") diameter > Complete with screws or nails > Sold in pairs



A. HIGH IMPACT POLYETHYLENE	25-2820
A. HEAVY DUTY HIGH IMPACT POLYETHYLENE	25-2830
B. WOOD	25-2840
C. STEEL - POLISHED BRASS	25-2820MPB
CASE QTY. 500 PKG. POLY BAG w/UPC	

Adjustable Metal Closet Rods

> Steel construction > Complete with screws > 1" (25 mm) diameter rod



	18"-30" (45.7 cm-76.2 cm)	30"-48" (76.2 cm-121.9 cm)	48"-72" (121.9 cm-182.9 cm)	72"-96" (182.9 cm-243.8 cm)	72"-120" (182.9 cm-304.8 cm)	96"-150" (243.8 cm-381 cm)
ZINC	25-MR1830	25-MR3048	25-MR4872	25-MR7296	25-MR72120	25-MR96150
WHITE	25-MR1830W	25-MR3048W	25-MR4872W	25-MR7296W	-	25-MR96150W
CASE QTY. 10 PKG. POLY BAG w/UPC						

2-1/8" Door Pulls

> Steel construction > For use on sliding doors and panels > Pressure fit/snap-in installation > 2-1/8" (54 mm) diameter, 9/32" (7 mm) deep



OIL RUBBED BRONZE 10B	20-L29000RB
SATIN NICKEL 15	20-L2900SN
MATTE BLACK 19	20-L2900BLK
POLISHED CHROME 26	25-L2900PC
SATIN CHROME 26D	20-L2900SC
POLISHED BRASS 3	25-L2900B


CASE QTY. 150 PKG. POLY BAG w/UPC

3/4" Door Pulls

> Steel construction > For use on sliding doors and panels > Pressure fit/snap-in installation > 3/4" (19 mm) diameter > 5/16" (8 mm) deep




OIL RUBBED BRONZE 10B	20-27000RB
SATIN NICKEL 15	20-2700SN
POLISHED CHROME 26	20-2700PC
CASE QTY. 100 PKG. BULK	




A. Heavy Duty Adjustable Shelf & Rod Bracket

> Steel construction > For shelf up to 12" (30.5 cm) wide and rod up to 1-1/2" (3.8 cm) diameter



B. Fixed Heavy Duty Shelf & Rod Bracket

> Steel construction > For shelf up to 12" (30.5 cm) wide and rod up to 1-1/2" (3.8 cm) diameter



C. Fixed Heavy Duty Shelf Bracket

> Steel construction > For shelf up to 12" (30.5 cm) wide

	A.	B.	C.
WHITE	25-2800	25-2810	25-2815
CASE QTY. 10 PKG. UPC LABEL			

INTERIOR HARDWARE



Hat & Coat Hook

- › Zinc die-cast construction › Projection from wall: 3" (76 mm)
- › Complete with screws › 2-3/16" high (55 mm)

SATIN NICKEL 15

25-6389SN

CASE QTY. 25 PKG. POLY BAG w/UPC



A. Standard Duty Handrail Bracket

- › Zinc die-cast construction
- › Complete with screws
- › Projection from wall: 3" (76 mm)



B. Deluxe Handrail Bracket

- › Zinc die-cast construction
- › Complete with screws
- › Projection from wall: 3-1/16" (78 mm)



C. Heavy Duty Handrail Bracket

- › Zinc die-cast construction
- › Complete with screws
- › Projection from wall: 3-1/16" (78 mm)

Handrail Brackets

	A.	B.	C.
OIL RUBBED BRONZE 10B	25-P6350ORB	25-6390ORB	-
SATIN NICKEL 15	25-P6350SN	25-6390SN	25-6370SN
NICKEL	25-P6350N	-	25-6370N
SATIN CHROME 26D	25-P6350SC	-	-

CASE QTY. 50 PKG. POLY BAG w/UPC

CRASH CHAINS



A. Crash Chain - Standard Duty

- › Steel construction › Single compression spring at one end
- › Complete with screws › With grey vinyl cover › 25" (63.5 cm)



B. Crash Chain - Heavy Duty

- › Steel construction › With grey vinyl cover › Solid twisted chain
- › Heavy duty compression springs at both ends › Complete with fully threaded wood screws › 30" (76 cm)

Crash Chains

	A.	B.
STEEL	25-4852U	25-4860U30
	CASE QTY. 100 PKG. POLY BAG w/UPC	CASE QTY. 35 PKG. POLY BAG w/UPC