



CREATIVE MINES



IF YOU'VE GOT TO KNOW THE RULES TO BREAK THEM!!!

—ALEXANDER McQueen



CONTEMPORARY MASONRY VENEER

Craft Board Form®	6
Craft Weathered Plank™	8
Craft Brick	12
Craft Paintgrade Brick™	12
Craft Paintgrade Block™	12
Craft Inner Piece	17
Craft Urban Strip	16
Craft Urban Kings	16
Craft Urban Rectangle	16
Craft Urban Squares	16
Craft Flamed Rectangle	17
Craft Chiseled Rectangle	18
Craft Carved Rectangle	19
Craft Split Modular	20
Craft Chop Ledge	24

TIMELESS MASONRY VENEER

Craft Orchard Limestone	30
Craft Peak Ledge	32
Craft Trail Ledge	33
Craft Foothill Rubble	34
Craft Farmhouse Ledge	36
Craft Broken Rubble	38

MIXOLOGY 39

ARCHITECTURAL TRIM 43





POWDER Craft Split Modular



WHITEGOLD Craft Orchard Limestone



PHOTO BY ERIC FIGGE

GRAYSCALE Craft Board Form



MODERN Craft Paintgrade Block (unpainted)



ALPACA Craft Orchard Limestone

IMAGINE Craft Inner Piece



WHITEGOLD Craft Orchard Limestone

PHOTO BY WINDY OSBORN



SYCAMORE Craft Board Form

CRAFT BOARD FORM®

Monsoon Craft Board Form®



Grayscale Craft Board Form®



Cedar Craft Board Form®



STOKED!
INSTALL IT
VERTICAL!

Saltspray Craft Board Form®



Sycamore Craft Board Form®

Barnwood Craft Board Form®



FLATS: 6.0 " High
36" Long
0.75" Avg. Thickness

CORNERS: None

SYCAMORE Craft Board Form



CRAFT WEATHERED PLANK™



Barrelstave Craft Weathered Plank™



Milkpaint Craft Weathered Plank™

FLATS:	3 SIZES
	High 2.5"
	5.0"
	7.5"
Long	18"-22"
	20"-24"
	20"-30"
Avg. Thickness	1.0"
CORNERS:	None



Redbarn Craft Weathered Plank™



Greenfield Craft Weathered Plank™



Blueskye Craft Weathered Plank™




CREATE
YOUR
OWN MIX!
SEE PAGE
40



MODERN Craft Paintgrade Block



Ghosed Craft Cannery Brick



Peppered Craft Cannery Brick



Mink Craft Warehouse Brick



Raincloud Craft Warehouse Brick



Brewery Craft Paintgrade Brick™



Loft Craft Paintgrade Brick™



Modern Craft Paintgrade Brick™

CANNERY BRICK FLATS: <i>High</i> 2.625"-2.75" <i>Long</i> 7.25"-7.5" <i>Avg. Thickness</i> 0.625" CORNERS: <i>High</i> 2.5"-2.75" <i>Long Return</i> 7.25"-7.5" <i>Short Return</i> 3.0"-3.5"	WAREHOUSE BRICK FLATS: <i>High</i> 2.25" <i>Long</i> 9.4375" - 9.5" <i>Avg. Thickness</i> 0.75" CORNERS: <i>High</i> 2.5" <i>Long Return</i> 9.5" <i>Short Return</i> 3.0"
BREWERY PAINTGRADE BRICK FLATS: <i>High</i> 2.375"-3.0" <i>Long</i> 7.75"-8.375" <i>Avg. Thickness</i> 0.625"	CORNERS: <i>High</i> 2.5"-2.75" <i>Long Return</i> 7.75" - 8.25" <i>Short Return</i> 3.25"-4.0"



DID YOU KNOW ?
Paintgrade Brick & Block Ships Unpainted So You Can Choose Your Favorite Color!

LOFT PAINTGRADE BRICK FLATS: <i>High</i> 2.25"-2.375" <i>Long</i> 8.25"-8.75" <i>Avg. Thickness</i> 0.625"	CORNERS: <i>High</i> 2.125"-2.5" <i>Long Return</i> 8.0" - 8.5" <i>Short Return</i> 4.0"-4.125"
MODERN PAINTGRADE BLOCK FLATS: <i>High</i> 3.625" <i>Long</i> 15.625" <i>Avg. Thickness</i> 0.9375"	CORNERS: <i>High</i> 3.625" <i>Long Return</i> 11.625" <i>Short Return</i> 3.625"
NOTE: Craft Paintgrade Brick & Block ships unpainted. If left unpainted, inconsistent surface coloration will be visible.	



IMAGINE Craft Inner Piece



CRAFT INNER PIECE



Enlighten Craft Inner Piece



Imagine Craft Inner Piece



Karma Craft Inner Piece



Nirvana Craft Inner Piece

FLATS:	5.625"	High
	13"-22"	Long
	1.0"	Avg. Thickness
CORNERS:	5.625"	High
	10"-12"	Long Return
	4.0"-6.0"	Short Return



Sandollar Craft Urban Kings



Winterfall Craft Urban Kings

“SAME
SAME
BUT
DIFFERENT”



Sandollar Craft Urban Rectangle



Winterfall Craft Urban Rectangle



Sandollar Craft Urban Squares



Winterfall Craft Urban Squares



Sandollar Craft Urban Strip



Winterfall Craft Urban Strip



Bisque Craft Flamed Rectangle

URBAN KINGS		
FLATS:	12"	High
	24"	Long
	1.125"	Avg. Thickness
CORNERS:	12"	High
	12"	Long Return
	4.125"	Short Return

URBAN RECTANGLE		
FLATS:	10"	High
	20"	Long
	1.25"	Avg. Thickness
CORNERS:	10"	High
	10"	Long Return
	4.0"-4.125"	Short Return

URBAN SQUARES		
FLATS:	12"	High
	12"	Long
	1.25"	Avg. Thickness
CORNERS:	12"	High
	12"	Long Return
	6.0"-6.125"	Short Return

URBAN STRIP		
FLATS:	4.0"	High
	22"	Long
	1.125"	Avg. Thickness
CORNERS:	4.0"	High
	12.125"	Long Return
	6.75"	Short Return

FLAMED RECTANGLE		
FLATS:	10"	High
	20"	Long
	1.125"	Avg. Thickness
CORNERS:	10"	High
	10"	Long Return
	4.0"	Short Return



Bluestone Craft Flamed Rectangle



Mist Craft Flamed Rectangle



Bluestone Craft Chiseled Rectangle



Sandollar Craft Chiseled Rectangle



Sandollar Craft Carved Rectangle



Bluestone Craft Carved Rectangle

CHISELED RECTANGLE

FLATS:	10"	High
	20"	Long
	1.125" Avg. Thickness	

CORNERS:	10"	High
	10"	Long Return
	4.0"	Short Return

CARVED RECTANGLE

FLATS:	10"	High
	20"	Long
	1.125" Avg. Thickness	

CORNERS:	10"	High
	10"	Long Return
	4.0"	Short Return



Knapsack Craft Chiseled Rectangle



Biscuit Craft Chiseled Rectangle



Knapsack Craft Carved Rectangle




Biscuit Craft Carved Rectangle



Bison Craft Split Modular



Fogbank Craft Split Modular



Greentea Craft Split Modular



Lunar Craft Split Modular



Blacktruffle Craft Split Modular



Friarcloth Craft Split Modular



Greypearl Craft Split Modular



Mountainlion Craft Split Modular

**DIFFERENT STONE HEIGHTS
CREATE DISTINCT LOOKS.**
Craft Split Modular is designed
to maximize modularity and
installation ease with 2.5" and 5"
pieces boxed separately. Order
in any combination you desire.
FAR LEFT: 2.5" height
LEFT: 5.0" height
ALL OTHER: 50/50 blend of sizes

CRAFT SPLIT MODULAR



Nirvana Craft Split Modular

FLATS:	2.5" - 5.0"	High
	4.0"-16"	Long
	1.125"	Avg. Thickness
CORNERS:	2.5" - 5.0"	High
	5.75"-12"	Long Return
	3.875"-4.0"	Short Return



Shadowplay Craft Split Modular



Tortoiseshell Craft Split Modular



Powder Craft Split Modular



Rustbelt Craft Split Modular



Timberwolf Craft Split Modular



Twine Craft Split Modular

BLACKTRUFFLE Craft Split Modular



PHOTO BY ERIC FIGGE

NIRVANA Craft Split Modular



POWDER Craft Split Modular



POWDER Craft Split Modular




LUNAR Craft Split Modular



CRAFT CHOP LEDGE

24

Flint Craft Chop Ledge




Muddywaters Craft Chop Ledge



Seapearl Craft Chop Ledge



Lighthouse Craft Chop Ledge



FLATS:	6.0"	High
	8.0"-20"	Long
	1.125"	Avg. Thickness
CORNERS:	6.0"	High
	7.625"-11.625"	Long Return
	3.5"	Short Return



FLINT Craft Chop Ledge



Detail
Matters

DETAIL MATTERS

Details
Matter

Pictured on overleaf:
POWDER Craft Split Modular and
ALPACA Craft Orchard Limestone (courtyard)




CONTEMPORARY
TIMELINESS



"THE
DETAILS
ARE NOT
THE DETAILS."
THEY
MAKE THE
PRODUCT!"

CHARLES AND RAY EAMES



TOASTED Craft Foothill Rubble

PHOTO BY ERIC FIGGE



Bison Craft Orchard Limestone



Butternut Craft Orchard Limestone



Greypearl Craft Orchard Limestone



Alpaca Craft Orchard Limestone



Greentea Craft Orchard Limestone



Timberwolf Craft Orchard Limestone



Whitegold Craft Orchard Limestone



Blacktruffle Craft Orchard Limestone



Tortoiseshell Craft Orchard Limestone

FLATS:	4.0"-13"	High
	6.625"-22.875"	Long
	1.625"	Avg. Thickness
CORNERS:	4.375"-10"	High
	7.25"-13.125"	Long Return
	2.875"-6.125"	Short Return



CRAFT PEAK LEDGE



Bison Craft Peak Ledge



Fogbank Craft Peak Ledge



Mountainlion Craft Peak Ledge



Timberwolf Craft Peak Ledge



Blacktruffle Craft Peak Ledge



Greentea Craft Peak Ledge



Greypearl Craft Peak Ledge



Shadowplay Craft Peak Ledge



Tortoiseshell
Craft Peak Ledge

FLATS:	1.25"-8.125"	High
	3.375"-25.875"	Long
	1.625"	Avg. Thickness
CORNERS:	1.0"-4.125"	High
	5.125"-12.625"	Long Return
	3.125"-5.875"	Short Return



CRAFT TRAIL LEDGE



Blacktruffle Craft Trail Ledge



Greentea Craft Trail Ledge



Greypearl Craft Trail Ledge



Shadowplay Craft Trail Ledge



Bison Craft Trail Ledge



Fogbank Craft Trail Ledge



Mountainlion Craft Trail Ledge



Timberwolf Craft Trail Ledge

Tortoiseshell
Craft Trail Ledge

FLATS:	1.125"-5.5"	High
	4.625"-20.875"	Long
	1.4375"	Avg. Thickness
CORNERS:	1.125"-4.25"	High
	4.75"-11.75"	Long Return
	3.125"-5.75"	Short Return



Bison Craft Foothill Rubble



Blacktruffle Craft Foothill Rubble



Coyote Craft Foothill Rubble



Fogbank Craft Foothill Rubble



Greentea
Craft Foothill Rubble



Greypearl Craft Foothill Rubble



Shadowplay Craft Foothill Rubble



Toasted Craft Foothill Rubble



Tortoiseshell Craft Foothill Rubble

FLATS:	1.875"-13.25"	High
	4.25"-16.25"	Long
	1.5"	Avg. Thickness
CORNERS:	2.5"- 15"	High
	5.25"-12.5"	Long Return
	3.5"-6.5"	Short Return

STONE
CUTS

PHOTO BY ERIC FIGGE



TOASTED Craft Foothill Rubble



CRAFT FARMHOUSE LEDGE




Bison Craft Farmhouse Ledge



Toasted Craft Farmhouse Ledge



Blacktruffle Craft Farmhouse Ledge



Coyote Craft Farmhouse Ledge



TOASTED Craft Farmhouse Ledge



Fogbank Craft Farmhouse Ledge



Greentea Craft Farmhouse Ledge



Greypearl Craft Farmhouse Ledge



Shadowplay Craft Farmhouse Ledge

Tortoiseshell Craft Farmhouse Ledge



FLATS:	1.625"-10.875"	High
	4.5"-26.5"	Long
	1.5"	Avg. Thickness
CORNERS:	1.875"-6.375"	High
	5.0"-12.125"	Long Return
	3.25"-6.625"	Short Return

CRAFT BROKEN RUBBLE



Timberwolf Craft Broken Rubble



Whalebone Craft Broken Rubble



Brownsugar Craft Broken Rubble

FLATS:	2.5"-13"	High
	5.0"-20.25"	Long
	1.25"	Avg. Thickness
CORNERS:	3.5"-14.75"	High
	3.75"-11"	Long Return
	2.75"-6.0"	Short Return



MIX AND MASH. BLEND IT. SHAPE IT. Create your own signature recipe. Creative Mines has the provisions to sate any discerning palette. We provide the ingredients. You provide the gusto. What you soon realize is how well we infuse nature's brilliance in all our profile colorways so that pairings are balanced and connected. Choose any of a number of colorways and profiles and mix virtually any concoction you can imagine.

YOU'RE THE MIXOLOGIST.


Craft Weathered Plank

SINGLE PROFILE / FIVE COLORWAYS




Equal Parts Greenfield, Blueskye, Redbarn, Milkpaint and Barrelstave Craft Weathered Plank

DOUBLE PROFILE / SINGLE COLORWAY



2 Parts Greypearl Craft Farmhouse Ledge to 1 Part Greypearl Craft Trail Ledge

Greypearl Craft Trail Ledge



Greypearl Craft Farmhouse Ledge

Timberwolf Craft Peak Ledge



Mountainlion Craft Peak Ledge

SINGLE PROFILE / DOUBLE COLORWAY



2 Parts Timberwolf to 1 Part Mountainlion Craft Peak Ledge

SINGLE PROFILE / DOUBLE COLORWAY




2 Parts Tortoiseshell to 1 Part Timberwolf Craft Peak Ledge

Tortoiseshell Craft Peak Ledge



Timberwolf Craft Peak Ledge

Greentea Craft Peak Ledge



Bison Craft Orchard Limestone


DOUBLE PROFILE / DOUBLE COLORWAY



4 Parts Greentea Craft Peak Ledge to 1 Part Bison Craft Orchard Limestone

MIXOLOGY: CRAFT THE PERFECT HOUSE BLEND

SINGLE PROFILE / DOUBLE COLORWAY




2 Parts Mountainlion to 1 Part Bison Craft Peak Ledge

Mountainlion Craft Peak Ledge

Bison Craft Peak Ledge

Greypearl Craft Peak Ledge


SINGLE PROFILE / DOUBLE COLORWAY



Greentea Craft Peak Ledge

2 Parts Greypearl to 1 Part Greentea Craft Peak Ledge

DOUBLE PROFILE / DOUBLE COLORWAY



Equal Parts Blacktruffle Craft Peak Ledge and Greypearl Craft Trail Ledge

Greypearl Craft Trail Ledge

Blacktruffle Craft Peak Ledge



MIXOLOGY: Bison, Greypearl and Greentea Craft Peak Ledge

ARCHITECTURAL TRIM

2 TEXTURES

Our Architectural Trim components enrich the stone and masonry veneer we make. Each piece is crafted with consummate respect for their historic tradition. The Flamed texture reproduces the surface of torched stone and Dressed — so named, because it combines a variety of textural techniques — has a refined, cultivated appearance.

HEADER

5.0" High
20" Long
2.625" thickness



WAINSCOT CAP / SILL (Dressed)

Length: 20"
Height: 3.0" (face) - 3.25" (back)
Depth: 2.625"



PEAK WALL CAP (Dressed)

Length: 20"
Height: 2.0" - 3.25" (at peak)
Width: 12"



FLAT WALL CAP (Dressed)

Length: 20"
Width: 12"
2.0" Thick



HEARTHSTONE (Dressed)

Length: 20"
Width: 20"
2.0" Thick



COLUMN CAP (Dressed)

Length: 24"
Width: 24"
2.0" Thick



WAINSCOT CAP / SILL (Flamed)

Length: 20"
Height: 2.875" (face) - 3.125" (back)
Depth: 2.625"



FLAT WALL CAP (Flamed)

Length: 20"
Width: 12"
2.0" Thick



HEARTHSTONE (Flamed)

Length: 20"
Width: 20"
2.0" Thick



COLUMN CAP (Flamed)

Length: 24"
Width: 24"
2.0" Thick



5 COLORWAYS

Creative Mines integral colors combine iron oxide pigments and polymers that bond to each Architectural Trim piece to remain steadfast.



DRESSED TEXTURE



FLAMED TEXTURE



BLACKTEA



BLUESTONE



BURLAP



CLOUDCOVER



SUGARSAND

ARCHITECTURAL TRIM



TRIM STONE

Width: 6.0"
Height: 8.0"
2.0" Thick

KEystone

Width: 8.0" (top) - 5.0" (bottom)
Height: 10.25"
2.0" Thick

DOORBELL / HOSE BIB

Width: 5.0"
Height: 5.0"
1.25" Thick
1.5" Opening

UTILITY / WALL LIGHT

Width: 8.0"
Height: 10"
1.25" Thick
4.0" Opening

UTILITY TRIM (SINGLE)

Width: 8.0"
Height: 8.0"
1.25" Thick
4.25" x 2.25" opening

UTILITY TRIM (DOUBLE)

Width: 8.0"
Height: 9.0"
1.25" Thick
4.25" x 4.25" opening

RIO GRANDE QUOIN

Height: 8.0"
Long return: 16"
Short return: 12"
1.5" Avg. thickness

ITALIAN QUOIN

Height: 9.0"–17.75"
Short Return: 9.0" – 11"
Long Return: 10.5" – 17.75"
1.5" Avg. Thickness

Our Keystone, Quoins, Trim and Utility Box components have a universal texture that complements both the Dressed and Flamed textures. Each are available in all 5 of the Dressed and Flamed texture colorways.

INDUSTRY TECHNICAL STANDARDS? WE’VE RAISED THE BAR AND SET NEW ONES.

TEST	ASTM STANDARD	REQUIREMENT	CREATIVE MINES
COMPRESSIVE STRENGTH	ASTM C39	Product strength must be greater than 1800 psi.	<u>Exceeds requirement.</u> Compressive Strength in excess of 3,800 psi.
COMPRESSIVE STRENGTH MORTAR	ASTM C109	Mortar used for Bond Strength Tests.	<u>Exceeds requirement.</u> Compressive Strength: Mortar in excess of 1,700 psi.
TENSILE STRENGTH	ASTM C190	The results for any one sample cannot vary by more than 10% from the average of all samples.	<u>Exceeds requirement.</u> Tensile Strength in excess of 250 psi.
FLEXURAL STRENGTH	ASTM C348	The results for any one sample cannot vary by more than 10% from the average of all samples.	<u>Exceeds requirement.</u> Flexural Strength in excess of 2.6 MPa.
SHEAR BOND STRENGTH	ASTM C482	The shear strength must be a minimum of 50 pounds per square inch.	<u>Exceeds requirement.</u> Shear Bond Strength: Mortar in excess of 65 psi for Type N mortar and in excess of 100 psi for high bond mortars.
WATER ABSORPTION	AC51 Section 4.6	Precast stone veneer units must comply with the water absorption requirements in Table 2 of AC51.	Meets requirement identified in Table 2 of AC51 for precast water absorption. <u>Absorption is less than 17.5%.</u>
FREEZE / THAW DURABILITY	ASTM C67	Test samples must not break or disintegrate and weight loss is limited to 3 percent of original weight after 50 Freeze / Thaw cycles.	<u>Exceeds Freeze / Thaw Durability</u> required for minimum weight loss. Zero (0%) disintegration and no visible cracks in stone.
WEIGHT	AC51 Section 4.1	The average saturated weight must not exceed 15 pounds per square foot.	<u>Below threshold allowable average</u> for saturated weight. Average saturated weight per unit is 10.6 lbs / ft. ² .

CREATIVE MINES CRAFT STONE VENEER IS SUBJECTED TO RIGOROUS TESTING TO ENSURE PRODUCT QUALITY. COLOR RETENTION: ONLY PERMANENT MINERAL OXIDE COLORS ARE USED TO ENSURE COLOR LONGEVITY.

INGREDIENTS:

Portland Cement	ASTM C150
Mineral Oxide Colors	ASTM C979
Light Weight Aggregate	ASTM C33 / C330



DEALERS AND DISTRIBUTORS

Visit www.creativemines.us for a current list of Dealers and Distributors.

INSTALLATION INSTRUCTIONS

Visit www.creativemines.us for product installation instructions.

DISCLAIMER

Creative Mines Craft Masonry Veneer is hand-designed and handcrafted. It looks like the real thing, so natural variations in color will occur. You should demand that of your crafted masonry veneer. Anything less would be unnatural. As always, request samples prior to ordering.

The product measurements listed are averages and individual product may vary in dimension and weight while maintaining accordance with ASTM specifications. For submittal information and test data please consult your Creative Mines Representative.

Creative Mines maintains the right to revise packaging and products inventoried.

© 2018 Creative Mines, Inc.

070118 50K DESIGN BY: STUDIOCONOVER.COM

