Cabinet Doors, Drawers and Tambour Systems

Cabinet Doors

Drawers

Tambour Systems

Section 15A








SECTION 15



SCREWS AND FASTENERS 1 **FURNITURE EQUIPMENT** 2 HINGES 3 **SLIDES** 4 **CASTERS AND LEGS** 5 KITCHEN SOLUTIONS 6 **CLOSET SOLUTIONS** 7 LIGHTING SOLUTIONS 8 **SINKS AND FAUCETS** 9 **OFFICE** 10 SLIDING DOORS SYSTEMS 11 **GLASS HARDWARE** 12 **PANELS AND SURFACES** 13 **EDGEBANDING** 14 **CABINET DOORS** 15 AND DRAWERS CORBELS, **FLOOR REGISTERS AND** 16 **WINE CELLARS GLUES, SILICONES,** 17 **CAULK AND INSULATING TOOLS AND SECURITY** 18 **FINISHING PRODUCTS, ABRASIVES AND** 19 **SHOP SUPPLIES COMMERCIAL DISPLAY** 20 **HARDWARE MOLDING, RAILING AND BATHROOM PARTITION** 21 **HARDWARE**

Cabinet Doors - Harmony







Cabinet Doors - Harmony



CUSTOM-BUILT ACRYLIC CABINET DOORS

Ultra gloss | Super matte | Metallic

DESCRIPTION

The **Harmony** collection offers a variety of doors and other custom-built components with unparalleled acrylic finishes. This collection will allow industry professionals to offer high-end acrylic products in a large selection of modern colors and finishes.

With their high resistance to heat, water, stains and discoloration, these products in the Harmony collection are ideal for all your kitchen projects, bathroom cabinets, storage units and other various furniture projects.

KEY FEATURES

- Excellent resistance to heat: does not retract
- Excellent resistance to moisture, water and stains
- Resistance to UV rays and discoloration
- Colors do not fade over time
- Matching edgebanding (ABS) with identical seemless finish

Doors with ultra gloss and metallic acrylic finish

- High-end glossy finish with 100% sheen level
- Mirror effect with fascinating visual
- Easy maintenance and resurfacing is possible

Doors with super matte acrylic finish

- Super-opaque lacquer effect with a silky smooth surface
- Super matte finish with no visible finger prints (
- Resistance to domestic cleaning products and stains to maintain a flawless look

RECOMMENDATIONS

The protective film must be removed after installation. For increased scratch resistance, doors and components must be cleaned with an all-purpose cleaner containing an anti-static agent (ex.: Pledge multi-surface). After cleaning, let stand for 24 hours before handling.

CCRMUS 2017

Page 15A3

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

17

18

19






Cabinet Doors - Harmony



CUSTOM-BUILT ACRYLIC CABINET DOORS

Ultra gloss | Super matte | Metallic



DOORS



Height	Height
minimum	maximum
3 3/4"	108 1/2"
(95 mm)	(2756 mm)
Width	Width
minimum	maximum
3 3/4"	49 1/2"
(95 mm)	(1257 mm)

EDGEBANDING



ABS **Ultra gloss**, thickness 1 mm



ABS Super matte, thickness 1 mm



ABS **Metallic gloss**, thickness 1 mm

- Doors of more than 50" (1270 mm) in height are not guaranteed (against warping or anything similar)
- Edgebanding is perfectly matched with the chosen color and finish
- All edgebanding is applied with a polyurethane (PUR) adhesive, for exceptional bond without any visible glue line

COMPONENTS AND SPECIALTY PANELS


Components and specialty panels are available, built in the size of your choice. They can be edgebanded on all sides or have designated edges unfinished to your specifications. These can be used as end panels, fillers, accessory parts, etc.

When ordering, please indicate which edges will need edgebanding.



PROFILE

Doors and other components are built with a 16mm particle board core (carb2). Each side is covered with a 1.4mm acrylic sheet of the same color and finish (ultra gloss, super matte or metallic), for a **total thickness of 18.8mm**.



CCRMUS 2017



Richelieu richelieu.com

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

SLIDES

5

6 KITCHEN SOLUTIONS

CASTERS AND LEGS

CLOSET

8 LIGHTING SOLUTIONS

9

SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

Cabinet Doors - Harmony

Harmony


CUSTOM-BUILT ACRYLIC CABINET DOORS

Ultra gloss | Super matte | Metallic

COMPLEMENTARY PRODUCTS



18.8 mm Panels 51" X 110" (1300 X 2800 mm)



1 mm Edgebandings (ABS) 0.906" X 246' (23 mm X 75 m)



1.4 mm Sheets 51 " X 110" (1300 X 2800 mm)

Please check availability of these products with your Richelieu distributor.

	18.8 mm PANELS 51» x 110» (1300 x 2800 mm)		1 mm EDGEBANDINGS 0.906" x 246' (23 mm x 75 m)		1.4 mm SHEETS 51" x 110" (1300 x 2800 mm)	
Colors	Ultra gloss	Super matte	Ultra gloss	Super matte	Ultra gloss	Super matte
Bianco M001	KM001GL18849	KM001MAT18849	KM001GLEDGE75	KM001MATEDGE75	KM001GL1449	KM001MAT1449
Tortora M021	KM021GL18849	KM021MAT18849	KM021GLEDGE75	KM021MATEDGE75	KM021GL1449	KM021MAT1449
Cappuccino M014	KM014GL18849	KM014MAT18849	KM014GLEDGE75	KM014MATEDGE75	KM014GL1449	KM014MAT1449
Fango M094	KM094GL18849	KM094MAT18849	KM094GLEDGE75	KM094MATEDGE75	KM094GL1449	KM094MAT1449
Grigio M060	KM060GL18849	KM060MAT18849	KM060GLEDGE75	KM060MATEDGE75	KM060GL1449	KM060MAT1449
Cammello M055	KM055GL18849	KM055MAT18849	KM055GLEDGE75	KM055MATEDGE75	KM055GL1449	KM055MAT1449
Gray London M6320	KM6320GL18849	KM6320MAT18849	KM6320GLEDGE75	KM6320MATEDGE75	KM6320GL1449	KM6320MAT1449
Grigio Reale M067	KM067GL18849	KM067MAT18849	KM067GLEDGE75	KM067MATEDGE75	KM067GL1449	KM067MAT1449
Rosso M006	KM006GL18849	į	KM006GLEDGE75	-	KM006GL1449	-
Red Mattone M039	KM039GL18849	KM039MAT18849	KM039GLEDGE75	KM039MATEDGE75	KM039GL1449	KM039MAT1449
Blue Laguna M089	KM089GL18849	KM089MAT18849	KM089GLEDGE75	KM089MATEDGE75	KM089GL1449	KM089MAT1449
Nero M012	KM012GL18849	KM012MAT18849	KM012GLEDGE75	KM012MATEDGE75	KM012GL1449	KM012MAT1449

Colors		Metallic	
Gray Pale Metallic M007	KM007MET18849	KM007METEDGE75	KM007MET1449
Cappuccino Metallic M041	KM041MET18849	KM041METEDGE75	KM041MET1449
Grigio Metallic M025	KM025MET18849	KM025METEDGE75	KM025MET1449
Nero Metallic M008	KM008MET18849	KM008METEDGE75	KM008MET1449

Three colors with a **super matte** finish are available with the **Zerobact** which offers an antibacterial action and is ideal for medical installations, laboratories, bathrooms, schools and day-care centers.

Look for this logo which identifies them:



ANTIBACTER

CCRMUS 2017

DOORS AND DRAWERS

> CORBELS AND FLOOI REGISTERS

17 GLUES, SILICONES, CAULK AND INSULATING

> 18 TOOLS AND

AND SECURIT

19
FINISHING
PRODUCTS
AND SHOP
SUPPLIES





Cabinet Doors - Harmony



BUILT-IN HANDLES

HANDLE Nº1


Completely Built-In Handle Width: 6 3/4" (171 mm)

Height: 2" (51 mm) Finish: 195 (Brushed Nickel)

HANDLES	DOORS		
POSITIONS	Width minimum	Height minimum	
A-B-C-G	8 9/16" (218 mm)	3 3/4" (95 mm)	
D-E-F-H	3 3/4" (95 mm)	8 9/16" (218 mm)	



Available Positions



In the A to F positions, the longer side of the handle is positioned at 7/8" (22 mm) from the edge of the door. In the A, C, D and F positions, the short end of the handle is placed at 7/8" (22 mm) from the edge of the door.

HANDLE Nº2

Peripheral Handle

Width: 5 7/16" (138 mm) Height: 1 1/8" (29 mm) Finish: 174 (Chrome Matte)

HANDLES	DOORS		
POSITIONS	Width minimum	Height minimum	
A-B-C	7 7/16" (189 mm)	3 3/4" (95 mm)	
D-E-F	3 3/4" (95 mm)	7 7/16" (189 mm)	




ATTENTION:

calculate enough

space.

The handle exceeds the door by 3/64" (1.2 mm). Please


Available Positions



In the A, C, D and F positions, the short end of the handle is placed at 1" (25 mm) from the edge of the door.



Cabinet Doors - Harmony



DISCOVER OUR WIDE SELECTION OF PRODUCTS

SEE OUR ONLINE BROCHURES AT: www.richelieu.com



CCRMUS 2017



Page 15A7

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

4

3

SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

7 CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

16 CORBELS AND FLOOR REGISTERS

17

18 TOOLS AND SECURITY

19


FINISHING PRODUCTS AND SHOP SUPPLIES 20

Cabinet Doors - Nature Plus





Thermo-structured surface













SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

5

6 KITCHEN SOLUTIONS

CASTERS AND LEGS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

17

18

19

COMMERCIAL DISPLAY HARDWARE

Cabinet Doors - Nature Plus



Our one-piece RIVIERA, three-piece SIENNA and five-piece BELLAGIO doors designed with our thermo-structured surface will enhance the appearance of any kitchen. Always at the leading edge, this collection is available in a variety of fashionable colors and textures.

These new models of RIVIERA, SIENNA and BELLAGIO European-design doors with 1 mm edgebanding allow for the creation of warm and contemporary designs.

Features:

- · Stiles, rails and center panels made with an engineered core and a thermally structured surface
- Three- or five-piece doors with an assembly similar to wooden doors
- · Exceptional resistance to heat, impact, scratch, stains, etc.
- · Easy maintenance
- · Five-year warranty

CCRMUS 2017

Page 15A9

Cabinet Doors - Nature Plus



NATURE -

Thermo-structured surface

Door style options

RIVIERA

One-piece door (slab)



Fabrication of the Euro Assembly consists of all components being edgebanded prior to assembly.

SIENNA

Three-piece Euro Assembly






BELLAGIO

Five-piece Euro Assembly





Models	Thickness	Width (stile)	Minimum Height	Minimum Width	Maximum Height	Maximum Width	Maximum (for warranty)	Minimum framed door
RIVIERA (SLAB) Horizontal grain	3/4" 19 mm	N/A	2 3/4" 70 mm	6 3/8" 162 mm	48" 1219 mm	96" 2438 mm	81" 2057 mm	N/A
RIVIERA (SLAB) Vertical grain	3/4" 19 mm	N/A	6 3/8" 162 mm	2 3/4" 70 mm	96" 2438 mm	48" 1219 mm	81" 2057 mm	N/A
SIENNA Horizontal grain	3/4" 19 mm	3" 76 mm	10" 254 mm	8 7/8" 225 mm	81" 2057 mm	48" 1219 mm	81" 2057 mm	N/A
BELLAGIO Door and frame	3/4" 19 mm	3" 76 mm	9" 229 mm	9" 229 mm	48" 1219 mm	48" 1219 mm	50" 1270 mm	9" 229 mm
BELLAGIO DRAWER	3/4" 19 mm	3" 76 mm	9" 229 mm	9" 229 mm	18" 457 mm	48" 1219 mm	50" 1270 mm	N/A
BELLAGIO DRAWER Reduced profile (rail)	3/4" 19 mm	2 1/4" 57 mm	6" 152 mm	9" 229 mm	18" 457 mm	48" 1219 mm	50" 1270 mm	N/A



Cabinet Doors - Nature Plus



NATURE

Thermo-structured surface

Speciality doors | Components



MULTIPLE PANELS



MODELS	Thickness	Width (stile-rail)	Minimum Height	Minimum Width	Maximum Height	Maximum Width	Maximum (for warranty)
BELLAGIO 2 PANELS Vertical and horizontal crosspiece	3/4" 19 mm	3" 76 mm	8 7/8" 225 mm	11 1/2" 292 mm	48" 1219 mm	94" 2388 mm	72" 1829 mm
BELLAGIO 3 PANELS Vertical and horizontal	3/4" 19 mm	3" 76 mm	8 7/8" 225 mm	15 1/2" 394 mm	48" 1219 mm	94" 2388 mm	72" 1829 mm

BELLAGIO

Reduced profile drawer



Frame door



Custom-made panels and components




Our custom-made panels and components are manufactured to your specifications. They can be edgebanded on all sides with 1 mm ABS matching edgeband or have designated edges unfinished.

These components are ideal for use as end panels, island panels, fillers, accessory parts, etc. They are offered in three different thicknesses (19 mm, 38 mm and 57 mm).

CUT-TO-SIZE PANELS AND COMPONENTS

Thickness	Minimum	Minimum	Maximum	Maximum	Maximum
	Height	Width	Height	Width	(for warranty)
3/4" / 19 mm	2 3/4"	6 3/8"	108"	48"	81"
(horizontal grain)	70 mm	162 mm	2743 mm	1219 mm	2057 mm
3/4" / 19 mm	6 3/8"	2 3/4"	108"	48"	81"
(vertical grain)	162 mm	70 mm	2743 mm	1219 mm	2057 mm
1 1/2" / 38 mm	4"	4"	108"	48"	81"
(vertical grain)	102 mm	102 mm	2743 mm	1219 mm	2057 mm

Maximum height varies depending on the wood grain direction (horizontal or vertical) on the length of the panel. Check specifications on color chart.



Specify which sides need to be edgebanded.

CCRMUS 2017

SCREWS AND FASTENERS 2

FURNITURE EQUIPMENT

3

SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8

LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14

17

18

TOOLS AND SECURITY

19



Cabinet Doors - Nature Plus





Our doors and drawer fronts have a standard vertical or horizontal wood grain for both sequencing methods.

TYPES OF SEQUENCING

Non-sequenced method

The production of doors is done randomly, they will be fabricated at random and each one will display its own characteristics (graining, shade, etc.). This method is the standard method of production in the industry.



Sequenced method*

The production of doors takes into account the exact position of each door relative to the next; each door becomes a visual extension of adjacent doors. This method results in a harmonious look for the entire project. A surcharge for this method is applied. Please use our WEB program to order. Production plan required.

- * Sequenced method is available in one cabinet only.
- * Available only for the Riviera (slab) model.

Column Column and row T Row assembly T Column assembly

COMPLEMENTARY PRODUCTS

Laminate sheets



Edgebanding



Panels



The finish texture of the panels may differ slightly from the laminate sheets. Please request product samples.

Check for product availability with your Richelieu distributor or at www.richelieu.com





SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

4 SLIDES

5

6 KITCHEN SOLUTIONS

CASTERS AND LEGS

CLOSET

8 LIGHTING SOLUTIONS

9

SINKS AND FAUCETS

10

11

SLIDING

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING


16

17

18 TOOLS AND SECURITY

19

Cabinet Doors - Nature Plus



DISCOVER OUR WIDE SELECTION OF PRODUCTS

SEE OUR ONLINE BROCHURES AT: www.richelieu.com



Tel.: 1 800 619.5446 • Fax: 1 800 876.7454



Page 15A13

Cabinet Doors - Brillanté









SCREWS AND FASTENERS



3

5 CASTERS AND LEGS

SLIDES

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING

12 GLASS HARDWARE

13 PANELS AND SURFACES

14

EDGE-RANDING

16

17

18

TOOLS AND SECURITY

19


COMMERCIAL DISPLAY HARDWARF

CCRMUS 2017 Page 15A15




on doors of 36" (914mm) and more.

Cabinet Doors - Brillanté



PROFILES



The door is made with a 18 mm thick MDF panel covered on both sides with a decorative paper and laminated. A high gloss finish is then applied to the outer side of the panel and a matte finish to the interior side. Edges are covered by the edgebanding of your choice.



Cabinet Doors - Brillanté

2 FURNITURE EQUIPMENT

SCREWS AND FASTENERS

3

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

17

18

19

COMMERCIAL DISPLAY HARDWARE

Page 15A17



Edgebanding

Each color goes perfectly with an identical (ABS Solid Color), two-tone (Acrylic 3D 2-Tone) or silver (ABS Acero) edgebanding.



ABS Solid Color, 1 mm thick




Acrylic 3D 2-Tone, 1 mm thick




ABS Acero*, 1 mm thick

Moldings and Light Shields




Moldings smaller than 4" (101.6mm) in height will only have edgebanding on 3 sides.

Visit www.richelieu.com under the Cabinet Doors/Brillanté Doors section to create moldings according to your needs.



^{*} This edge can be used with any colors and patterns of your choice.

Cabinet Doors - Brillanté




Custom-made panels and components

Our custom-made panels and components are manufactured to your specifications. They can be edgebanded on all sides with 1mm matching edgeband or have designated edges unfinished. These components are ideal for use as end panels, fillers, accessory parts, etc.

When ordering, please indicate which edges should be square and whether they should be edgebanded or not.


Note that minimum dimension for a component part without edgebanding is 1" (25 mm) on the width or the length.



Specify which sides need to be edgebanded.

Types of sequencing

Our doors can be manufactured either in a sequenced way or not. Our doors and drawer fronts have a standard vertical or horizontal wood grain for both types of sequencing methods.




Non-sequenced method

The production of doors is done randomly. That is, they will be fabricated at random and each one will display its own characteristics (graining, shades, etc.). This method is the standard method of production in the industry.



Sequenced method*

The production of doors takes into account the exact position of each door relative to the next; each door becomes a visual extension of adjacent doors. This method results in a harmonious look for the entire work, and a surcharge for this method applies (maximum 4' x 8' and built-in handles not available).





^{*} Production plan required.

Richelieu

Cabinet Doors - Brillanté

Section 15A

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

4

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12

13

PANELS AND SURFACES

14 EDGE-BANDING

16 CORBELS AND FLOOR REGISTERS

17

18 TOOLS AND SECURITY

19

20 COMMERCIAL DISPLAY HARDWARE

GLASS HARDWARE

SLIDES



High gloss quality product in a wide range of stylish colors and patterns















































Visit our website and try our step-by-step quick and simple web module under the Cabinet Doors section.



DISCOVER OUR WIDE SELECTION OF PRODUCTS

SEE OUR ONLINE BROCHURES AT: www.richelieu.com









Page 15A19



Cabinet Doors - Zenit



Cabinet Doors - Zenit





Doors and components

The European look of the super matte **Zenit** collection offers many opportunities for woodworking professionals to carry out any type of project. These doors are the result of applying state of the art lacquering technologies combined with the latest generation of materials which allows the creation of modern and elegant combinations for kitchens, bathrooms, and closet organizers.

> The **Zenit** collection includes intense and attractive super matte solid colors.

Key Features

- 18 mm (23/32 in) MDF substrate for all doors and custom-made components
- Edgebanding color match, super matte finish
- Doors are edgebanded using PUR adhesive
- Front and back of the components have a matching back in a matte (suede) finish
- High resistance to stain
- High resistance to abrasion
- High thermal resistance
- Easy maintenance

Recommendation

We recommend the installation of a third hinge on doors of 36" (914 mm) and more.

CCRMUS 2017

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

7 CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

16

17

18

19

Cabinet Doors - Zenit



Doors and components

One-Piece (Slab)



Hei	ght		
Minimum Maximum			
3 3/4"	106 1/2"		
95.25 mm	2705 mm		
Width			
Wie	dth		
	dth Maximum		
	 .		

Edgebanding

The Zenit doors are built with a 1 mm edgebanding. The edgebanding is glued with a PUR adhesive which makes it waterproof and highly durable.

Will cover 4 edges of the door.




Matching PVC super matte edgebanding 1 mm thickness

Custom-made panels and components

Our custom-made panels and components are manufactured to your specifications. They can be edgebanded on all sides with 1mm matching edgeband or have designated edges unfinished. These components are ideal for use as end panels, fillers, accessory parts, etc.

When ordering, please indicate which edges should be square and whether they should be edgebanded or not.




Specify which sides need to be edgebanded.

Profile

The door is made with a 18 mm (23/32 in) thick MDF panel covered on both sides with a decorative paper and laminated. A super matte polyester lacquer is then applied to the front side and a matte melamine finish to the back side of the panel. The edges are covered with a 1mm PVC edgebanding.



Complementary Products



18mm panels 48" x 108" (1220 mm X 2750 mm)




Super matte edgebanding 1 mm 7/8" X 450' (22 mm X 138 m)

Please check availability of these products with your Richelieu distributor.






Cabinet Doors - Zenit



DISCOVER OUR WIDE SELECTION OF PRODUCTS

SEE OUR ONLINE BROCHURES AT: www.richelieu.com









CCRMUS 2017

Page 15A23

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

7
CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING

12 GLASS HARDWARE

13
PANELS
AND
SURFACES

14 EDGE-BANDING



AND DRAWERS 16

CORBELS AND FLOOR REGISTERS

GLUES, SILICONES, CAULK AND INSULATING

18 TOOLS AND SECURITY

security

FINISHING PRODUCTS AND SHOP SUPPLIES

20 COMMERCIAL DISPLAY HARDWARE

21
MOLDING,
RAILING AND
BATHROOM
HARDWARE



Cabinet Doors - Aluminum



Aluminum Framed Doors



Cabinet Doors - Aluminum





IMAGINE

We believe in the power of clean design and innovative materials.

Our vision in bringing European influence to our market is shaped by these principles. With us, you will find a partner who shares your appreciation for design and inspires you to be limited only by your imagination.



INNOVATE

We are recognized for having clean and modern designs where tight tolerances and rigid specifications are a hallmark.

Our commitment to upholding these requirements has positioned us to provide innovative solutions and better serve our clients.

This enables us to achieve the highest quality standards with minimal lead times.



INSPIRE

We believe that inspiration should be contagious and last a lifetime. You will be inspired over and over again by the compilation of products within these pages.

We are excited about the opportunity to partner with you to create new and rewarding designs for your next projects.

innovative **Solutions** clean designs

European influence

CCRMUS 2017

Page 15A25

SCREWS AND FASTENERS

2

FURNITURE EQUIPMENT

3 HINGES

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

7 CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING



16

17

18

19



Cabinet Doors - Aluminum





SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11

SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

Cabinet Doors - Aluminum



5	Glass thickness	Glass subtract	Height min max.	Width min max.	Hinge cup option	Handle position
RICO	5/32"	1 1/16"	5"- 96"	5"- 96"	Narrow frame	1 1/2"
	4 mm	27 mm	127 - 2438 mm	127 - 2438 mm	Narrow frame	38 mm

Available finishes (See page 15A32 for more details) :

Anodized Gray

Stainless Steel

Anodized Black Matte



RIC27*






27	Glass thickness	Glass subtract	Height min max.	Width min max.	Hinge cup option	Handle position
RIC27	5/32"	1 5/8"	5"- 96"	5"- 96"	Standard	2"
	4 mm	41 mm	127 - 2 438 mm	127 - 2438 mm	35 mm	51 mm

Available finishes (See page 9 for more details) :

Anodized Gray Stainless Steel

Brushed Black Clear Polished Chrome



CCRMUS 2017

Page 15A27

PROFILES

17

16


18 TOOLS AND SECURITY

19

^{*} Built-in handle RIC99 and the Divider profile RIC20 can be installed on our RIC01 profile. For more information, see page 15A31.

^{*} Built-in handle RIC99 can be installed on our RIC27 profile. For more information, see page 15A31.

Cabinet Doors - Aluminum



90	Glass thickness	Glass subtract	Height min max.	Width min max.	Hinge cup option	Handle position
RIC06	5/32"	3 15/32"	5"- 96"	5"- 96"	Standard	2"
	4 mm	88 mm	127 - 2438 mm	127 - 2438 mm	35 mm	51 mm

20.5mm V 50.4mm Available finishes (See page 15A32 for more details) :

- Anodized Gray

 Stainless Steel


 Bright Stainless Steel

 Brushed Black
- eel Anodized Black Matte
 Clear Polished Chrome
- * Built-in handle RIC99 and the Divider profile RIC20 can be installed on our RIC06 profile. For more information, see page 15A31.









28	Glass thickness	Glass subtract	Height min max.	Width min max.	Hinge cup option	Handle position
RIC658	5/32"	3 15/32"	5"- 96"	5"- 96"	Standard	2"
	4 mm	88 mm	127 - 2438 mm	127 - 2438 mm	35 mm	51 mm

Available finishes (See page 15A32 for more details) :

- Anodized Gray
 Stainless Steel
- Bright Stainless Steel
 Brushed Black
- Anodized Black MatteClear Polished Chrome

ROFILES

Cabinet Doors - Aluminum




RIC12*



Available finishes (See page 15A32 for more details)

Anodized Gray Stainless Steel




RIC1258



Available finishes (See page 15A32 for more details)

Anodized Gray Stainless Steel




RIC15*



Available finishes (See page 15A32 for more details)

Anodized Gray Stainless Steel Brushed Black



RIC12 RIC1258 RIC15	Glass thickness	Glass subtract	Height min max.	Width min max.	Hinge cup option	Handle position
응한음	5/32"	3/32"	5"- 96"	5"- 96"	Standard	2"
æ	4 mm	2 1/2 mm	127 - 2438 mm	127 - 2438 mm	35 mm	51 mm

* Built-in handle RIC99 can be installed on our RIC12 and RIC15 profiles. For more information, see page 15A31.

PROFILES

CCRMUS 2017

Page 15A29

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING


16 CORBELS AND FLOOR REGISTERS

17

18 TOOLS AND SECURITY

19

Cabinet Doors - Aluminum



RIC03*




RIC03P





Available finishes (See page 15A32 for more details)

- Anodized Gray
 Stainless Steel
- Bright Stainless Steel
- Brushed Black
- Anodized Black Matte



- Anodized Gray
- Stainless Steel
- Bright Stainless Steel





RIC03	Glass thickness	Glass subtract	Height min max.	Width min max.	Hinge cup option	Handle position
	5/32"	9/32"	5"- 96"	5"- 96"	Standard	2"
	4 mm	7 mm	127 - 2438 mm	127 - 2438 mm	35 mm	51 mm


^{*} Built-in handle RIC99 can be installed on our RIC03 profile. For more information, see page 15A31.

ROFILE



Richelieu

Cabinet Doors - Aluminum





Built-in handle RIC99 can be installed on our RIC01, RIC03, RIC06, RIC12, RIC15, and RIC27 profiles.

Available finishes: Anodized Gray, Anodized Black Matte, and Stainless Steel.


Handle length size: 3" (76 mm), 4" (102 mm), 6" (152 mm), and 8" (203 mm).

(Visit our website for more details on our RIC01 profile with the built-in handle)














RIC06 with RIC99





























DIVIDER PROFILE

The RIC20 divider can be installed with our RIC01 and

Divider rails can be used

create a very nice design.

Available in all finishes.

especially with larger doors to

RIC₂₀

RIC06 profiles.

CCRMUS 2017

Page 15A31

Section 15A

3

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

7 CLOSET

8 LIGHTING SOLUTIONS

9

SINKS AND FAUCETS 10

OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

16

17

18

TOOLS AND SECURITY

19


COMMERCIAL DISPLAY HARDWARE





PROFILES

Cabinet Doors - Aluminum



PRE-DRILLED HOLES (GROMMET)

All glass inserts with pre-drilled holes are tempered or have a safety backing (back-painted and mirror glass). Always insert the grommets supplied with the doors into the 7 mm drilled holes before attempting to attach the door. Only a manual screwdriver with the appropriate bit should be used. Never over-tighten the screws.







PROFILES

Cabinet Doors - Aluminum

FURNITURE EQUIPMENT

SCREWS AND FASTENERS

2

3 HINGES

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

17

18

19

COMMERCIAL DISPLAY HARDWARE

BACK-PAINTED INSERT

COLOR INSERT

Our back-painted glass insert option is made with a high-quality water-based lacquer that provides a sense of depth with its high-gloss sheen or a warm look with its low-sheen solid colors. Heat fuses your color choice to the clear glass and achieves the perfect look for your project. Standard glass thickness is 5/32" (4 mm).


























Bordeaux Red







A special order option is also available to achieve any custom color.

security film.

All back-painted glass has a

See page 15A32 for information on pre-drilled holes.

When the inherent reflectivity of glass meets distinctive colors, the result is a **durable look** that is unmistakable in any environment.

NSERTS

Cabinet Doors - Aluminum


STANDARD GLASS INSERT

CLASSIC GLASS INSERT

We provide an array of innovative patterns and the ability to choose the best options to transform any interior environment without sacrificing design. The glass texture is found on the inside of the door to facilitate cleaning. In addition, the texture is always in a vertical position. Standard glass thickness is 5/32" (4 mm).




















Smoked Gray











Extra Clear Linen



Smoked Gray Linen









Smoked Gray Structure



Glass should be tempered if:

- The door is located less than 16" (406 mm) from the floor.
- The surface area exceeds 8 sq.ft.

See page 15A32 for information on pre-drilled holes.



CCRMUS 2017

NSERTS

Cabinet Doors - Aluminum

2 FURNITURE EQUIPMENT

SCREWS AND FASTENERS

3

4 SLIDES

HINGES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

> 9 SINKS AND FAUCETS

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-RANDING

18

19

COMMERCIAL DISPLAY HARDWARE

OTHER OPTIONS

MIRROR INSERT

For a more striking design, our mirror options are ideal for a touch of contemporary or transitional design. All of our mirrors have a safety backing to prevent shattering. Standard glass thickness is 5/32" (4 mm). See page 15A32 for information on pre-drilled holes.











MAGNETIC GLASS INSERT

Our insert comes with a metal backer and is fused in any color. The magnetic glass comes in two variations: a rounded corner for frameless application or enclosed with an aluminum frame. Magnets are required to hold items securely in place. Standard dry-erase markers may be used.

Ideal as an accent door in your home environment, for example your kitchen or home office.

MARKER-BOARD GLASS INSERT

Perfect for home environment, our glass marker-board is constructed with a thin-gauge steel backing. Durable and adaptable, you can easily write and erase with markers, put sticky notes, or use magnets.

Our glass marker-board is available in custom sizes for cabinet doors and wall mounting applications.



FACESTONE INSERT (Special Order Only)

The Facestone collection has a fine homogeneous grain generated by metamorphic rocks derived from original sedimentary stones made of clay and volcanic ash.

Panel Size: 48" x 96" (2.44 x 1.22 m) x 1/32" (1 mm).

FS914 Graphite thickness is also available in 3/32" (2 mm).





Facestone Graphite



FS915 **Facestone Slate**

DRILLING AND MECHANISMS

DRILLING FOR ALUMINUM FRAMED DOORS


Richelieu carries a wide range of hinges for various applications.

STANDARD PROFILE

- Minimum drilling clearance required is 3 1/4" (82 mm) for wide profiles:
 RIC03, RIC06, RIC658, RIC12, RIC1258, RIC15, and RIC27.
- For the RICO3P profile, the minimum drilling clearance required is 4 5/16" (110 mm) on the handle side.
- The drilling of our wide profiles allows the installation of most standard (35 mm) cup hinges.
- Cabinets with 3/4" (19 mm) gable require a 1/4" (6 mm) offset on wide profile.

NARROW PROFILE

• Minimum drilling clearance required is 2 3/8" (60 mm) for narrow profile: RIC01



OPENING SYSTEMS - SUSPENSION ARM

Aluminum framed doors are perfectly adapted for technologically advanced hardware. Their pure lines combined with sophisticated and innovative mechanisms create modern and stylish environments.

The choice of mounting brackets accommodates narrow or wide profiles.





SUSPENSION ARM - KRABY

Add a touch of elegance and functionality to your cabinets with the Kraby lid stays. For the Kimana hinge, visit our website for additional information.

For more details, download the spec sheet for narrow and standard frame hinges under the Aluminum Framed Door Section.

FUNCTIONAL HARDWARE



Cabinet Doors - Aluminum

2 FURNITURE EQUIPMENT

SCREWS AND FASTENERS

3

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

7 CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14

17

18

19

CCRMUS 2017

SL SYSTEMS

FOR CABINET DOORS



SL20 SYSTEM*

- · Adapts to all standard profile models
- . Installs on the inside of the cabinet
- · Choice of simple or double track
- Top and bottom roller wheel configuration
- . Uses the same aluminum track at top and bottom of the cabinet
- Adjustable roller height from 0 mm to + 5 mm
- Recommended for doors up to 48" (1219 mm) in height, maximum weight 20 kg. (44 lb) per door



SL35 SYSTEM*

- Adapts to all standard profile models
- . Installs on the inside of the cabinet
- Top-hung sliding system
- · Guide on bottom surface
- · Soft and quiet sliding
- Choice of simple or double track
- Recommended for doors over 48" (1219 mm) in height, maximum weight 35 kg. (77 lb) per door



SL60 SYSTEM*

True European styling aluminum frame doors with up to three different vertical profiles to fully customize the facing of the cabinet or closet.

Maximum height: 120" (3048 mm) Maximum width: 60" (1524 mm) Inserts 4 mm or 10 mm in thickness.

The maximum size of the door is also limited by the maximum weight supported by the sliding system.

Maximum weight: 60 kg. (132 lb) per door

* The SL20, SL35, and SL60 sliding systems for cabinet doors are included with your door order. They will be pre-drilled and ready to be installed. Use Richelieu's cabinet door website to place your orders.

For more details, download the spec sheet for sliding systems under the Aluminum Framed Door Section.



SLIDING SYSTEMS

Page 15A37


Tel.: 1 800 619.5446 • Fax: 1 800 876.7454

EDGE-BANDING

Cabinet Doors - Aluminum



FOLDING AND PIVOT SYSTEMS FOR INTERIOR DOORS



Our pivot door system is a functional and space-saving way to add modern design to your creation. The simple pivot door hardware system enables the door to be mounted in inset application.

Min. height: 10" (254 mm)
Min. width: 10" (254 mm)
Max. height: 102 3/8" (2600 mm)
Max. width: 29 29/32" (760 mm)
Inserts: 5/32" - 15/32" (4-12 mm)
Finishes: Anodized Gray, Lacquered Black

CONFIGURATIONS

To explore all of the custom configurations, please visit our website for more details.







BI-FOLD POCKET DOOR SYSTEMS



SWING POCKET
DOOR SYSTEMS

For more details, download the spec sheets under the Aluminum Framed Door Section.

CCRMUS 2017

Page 15A38



Tel.: 1 800 619.5446 • Fax: 1 800 876.7454

SLIDING SYSTEMS


Cabinet Doors - Aluminum



DISCOVER OUR WIDE SELECTION OF PRODUCTS

SEE OUR ONLINE BROCHURES AT: www.richelieu.com









CCRMUS 2017

Page 15A39

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

7 CLOSET

8 LIGHTING SOLUTIONS

9

SINKS AND FAUCETS

10

11 SLIDING

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING


16

17

18

TOOLS AND SECURITY

19





Cabinet Doors - Excelsius 5-piece





Description

The **Polyester 5-Piece Collection** doors offer countless possibilities for kitchen designs to professionals. Moreover, these doors are also offered with a complete line of complementary products in matching colors: melamine panels, high-pressure laminate, moldings, edgebanding and an array of components.

The **Polyester 5-Piece Collection** doors are offered in many designs and colors. These trendy products are synonymous with quality, beauty and durability for all your kitchen, bathroom, closet organizer and various furniture projects.


CHARACTERISTICS:

- Moldings made of polyester laminate on MDF with a 1/4" melamine center
- Built just like a wooden door (in 5 pieces- face and back)
- > The direction of the grain follows the direction of the molding
- > Perpendicular direction of grain available
- Back & front in relief with matching colors
- > Excellent thermal resistance
- Available in many models and colors
- > Can be matched perfectly to other materials (melamine panels, HPL, edgebanding, moldings.)
- Easy maintenance
- > Reduced profile is available for some models
- > The industry's best production lead-times

NOMENCLATURE:

Drawer front:

Panel where the woodgrain of the 1/4" melamine center is horizontal





Glass frame:

Frame only, no center. A vinyl molding to be inserted in the groove is supplied in order to hold the glass in place.



Panel where the woodgrain of the 1/4" melamine center is vertical



Door with Lumicor®:

Door for which the melamine center has been replaced by a 1/4" acrylic decorative panel.

Reduced profile:

A smaller width molding available for some models only.



We recommend the use of a third hinge (non-sprung) on doors measuring 36" and more in height.

CCRMUS 2017

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3 HINGES

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

7 CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14

17

18

19



Cabinet Doors - Excelsius 5-piece



Standard Reduced Glass frame* 2-7/8* MODEL Thickness Width Minimum Minimum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum

MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
C100	7/8"	2 7/8"	6 3/4"	5 7/8"	50"	72"	9 sq. ft.
\$100	22 mm	73 mm	171.5 mm	149 mm	1270 mm	1830 mm	0.83 sq. m.
S100-R	7/8"	2 1/4"	5 1/2"	4 5/8"	50"	72"	9 sq. ft.
Reduced	22 mm	57 mm	140 mm	117 mm	1270 mm	1830 mm	0.83 sq. m.

^{*}Glass size: Door size minus 4 13/16" (122 mm)



Richelieu **Section 15A**





Model S200


Options






For color availability, see the **POLYESTER 5-PIECE** COLLECTION color chart (tab).

Profiles



	Reduced
7/8"	
	2-1/4"



MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
C200	7/8"	2 7/8"	6 3/4"	5 7/8"	50"	72"	9 sq. ft.
S200	22 mm	73 mm	171.5 mm	149 mm	1270 mm	1830 mm	0.83 sq. m.
S200-R	7/8"	2 1/4"	5 1/2"	4 5/8"	50"	72"	9 sq. ft.
Reduced	22 mm	57 mm	140 mm	117 mm	1270 mm	1830 mm	0.83 sq. m.

*Glass size: Door size minus 4 13/16" (122 mm)

CCRMUS 2017

Page 15A43

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8

LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

17

18

19

Cabinet Doors - Excelsius 5-piece



Profiles

Standard

Reduced

Not available for Model 5300 Glass frame*

2-1/4"

MDDERNO COLLECTION

The exterior profile (chamfer) of the \$300 model is exactly the same as for the Angria model of the

MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
C200	3/4"	2 1/4"	5 1/2"	4 5/8"	50"	72"	9 sq. ft.
\$300	19 mm	57 mm	140 mm	117 mm	1270 mm	1830 mm	0.83 sq. m.

^{*} Glass size: Door size minus 3 9/16" (90.5 mm)



Richelieu **Section 15A**

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3 HINGES

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

LIGHTING SOLUTIONS

8

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14

EDGE-BANDING

17

18

19





Options

Matches with the models of the **MODERNO** COLLECTION.







Grooved center





Available in the same textured finishes as the **MODERNO** COLLECTION, for a perfect match.

For color availability, see the color chart (tab).

Profiles

Standard

Glass frame*



Glass frame Aluminum finish*



Reduced Profile not available for Model \$400


MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
C400	3/4"	2 1/4"	5 1/2"	4 5/8"	50"	72"	9 sq. ft.
\$400	19 mm	57 mm	140 mm	117 mm	1270 mm	1830 mm	0.83 sq. m.

Tel.: 1 800 619.5446 • Fax: 1 800 876.7454

CCRMUS 2017

^{*} Glass size: Door size minus 3 9/16" (90.5 mm)

Cabinet Doors - Excelsius 5-piece



MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
CEOO	3/4"	2 1/2"	6"	5 1/8"	50"	72"	9 pi²
\$500	19 mm	64 mm	152 mm	130 mm	1270 mm	1830 mm	0,83 m²

^{*} Glass size: Door size minus 4 1/16" (103 mm)



Richelieu **Section 15A**

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14

EDGE-BANDING


17

18

19








For color availability, see the **POLYESTER 5-PIECE** COLLECTION color chart (tab).

Profiles Standard Reduced Glass frame*




MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
5600	13/16"	3 9/16"	8 1/8"	7 1/4"	50"	72"	9 sq. ft.
\$600	20.6 mm	90.6 mm	207 mm	184 mm	1270 mm	1830 mm	0.83 sq. m.
S600-R	13/16"	2 9/32"	5 9/16"	4 11/16"	50"	72"	9 sq. ft.
Reduced	20.6 mm	58 mm	142 mm	119 mm	1270 mm	1830 mm	0.83 sq. m.

Glass size: Door size minus 3 19/32" (92 mm)

CCRMUS 2017

Page 15A47

Richelieu **Section 15A**




^{*} Glass size: Door size minus 3 19/32" (92 mm)

Richelieu **Section 15A**



Matches with the models of the **MODERNO** COLLECTION.









Available in the same textured finishes as the **MODERNO** COLLECTION, for a perfect match.

For color availability, see the color chart (tab).

Profiles

Standard (Vertical piece) Standard (Horizontal piece) Glass frame*







MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite height)	Minimum (definite width)	Maximum (for warranty)	Maximum (definite)	Maximum (combined W x H)
conn	3/4"	2 1/4"	5 1/2"	4 5/8"	6 3/4"	50"	72"	9 sq. ft.
\$800	19 mm	57 mm	140 mm	117 mm	171 mm	1270 mm	1830 mm	0.83 sq. m.

^{*} Glass size: Door size minus 3 9/16" (90.5 mm)

CCRMUS 2017

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

HINGES

SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8

LIGHTING SOLUTIONS 9

SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING


17

18

19



Cabinet Doors - Excelsius 5-piece



MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
5000	7/8"	3 1/4"	7 1/2"	6 5/8"	50"	72"	9 sq. ft.
S900	22 mm	82.5 mm	190.5 mm	168 mm	1270 mm	1830 mm	0.83 sq. m.

3-1/4"

^{*} Glass size: Door size minus 5 9/16" (141 mm)

Richelieu





Matches with the models of the **MODERNO** COLLECTION







Glass frame








Decorative metal




Available in the same textured finishes as the **MODERNO** COLLECTION, for a perfect match.

For color availability, see the color chart (tab).

Profiles







MODEL	Thickness	Width (frame)	Minimum height (for 1" centers)	Minimum (definite height)	Minimum (definite width)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
C1000	7/8"	3 1/4"	5 1/2"	4 5/8"	8 3/4"	50"	72"	9 sq. ft.
\$1000	22 mm	82.5 mm	140 mm	117 mm	222 mm	1270 mm	1830 mm	0.83 sq. m.

Door height minus 3 9/16" (90.5 mm) *Glass size: Door width minus 5 9/16" (141 mm)

CCRMUS 2017

Page 15A51

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3 HINGES

SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8

LIGHTING SOLUTIONS 9

SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE


13 PANELS AND SURFACES

14 EDGE-BANDING

17

18

19



*Glass size: Door height minus 3 19/32" (92 mm) Door width minus 5 9/16" (141 mm)

Richelieu **Section 15A**





Grooved center





The **5-Piece Collection** doors can also be made with a v-groove center. The grooves are made of two (2) micro "V" that are then dyed to bring out the beauty of the door (see list below). Using a manufacturing technique exclusive to *Excelsius*, each door has a central double groove with adjacent grooves every 1.5 inches.

These grooved center doors are available in all models and colors. A maximum height of 72 inches (1828 mm) and a maximum width of 48 inches (1219 mm) must be respected.



AVAILABLE MODELS	
All models	

Available colors	Available colors Maximum (height)		Maximum (Combined W x H)	
All colors	72"	48"	9 sq. ft.	
	(1828 mm)	(1219 mm)	(0.83 sq. m.)	

Also available

1/4" MELAMINE - 32" x 48" or 48" x 48" Dolomite finish or Rio and Medina textured finishes

CCRMUS 2017

Page 15A53

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

7 CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-RANDING

17

18

19







Models \$400 & \$800 with horizontal cross piece



The doors **S400** and **S800** with horizontal cross piece offer many possibilities. You can have different combinations of materials in the same door.

The position of the horizontal cross piece is decided by the customer. The height of the top section is measured from the top of the door to the center of the horizontal cross piece.

CHOICES FOR THE TOP SECTION

- Melamine
- Grooved center
- Glass frame
- ➤ Lumicor®
- Mullion glass frame *
- Decorative metal *

CHOICES FOR THE BOTTOM SECTION

- Melamine
- Grooved center
- Glass frame
- Lumicor®
- Mullion glass frame *
- Decorative metal *

MODEL	Minimum	Maximum	Minimum	Maximum**
	(width)	(width)	(height)	(height)
\$400	6 1/2"	24"	12"	72"
	(165 mm)	(610 mm)	(305 mm)	(1829 mm)
\$800	6 3/4"	24"	12"	72"
	(171 mm)	(610 mm)	(305 mm)	(1829 mm)

^{**} Doors measuring 50" and more in height are not covered by any warranty.



^{*} Must respect the size tolerance already established (see decorative metal p.14A43 and mullion glass frame p.14A41).

Richelieu **Section 15A**



D-02 D-01 D-03 D-04 D-05 D-07 D-08 (left) NUMBER OF PANES D-07 Height of the door **Panes** min. up to 23 31/32" 24" to 35 31/32" 6 D-06 36" to 50" 8

MODEL	Minimum	Maximum	Minimum	Maximum
	(width)	(width)	(height)	(height)
D-01, D-02, D-03, D-04, D-07, D-08	11 5/8" (295 mm)	21" (533 mm)	11 5/8" (295 mm)	50" (1270 mm)
D-05	14 1/4"	21"	14 1/4"	50"
	(362 mm)	(533 mm)	(362 mm)	(1270 mm)
D-06	13 1/4"	21"	13 1/4"	50"
	(337 mm)	(533 mm)	(337 mm)	(1270 mm)

* Available in door sizes indicated in the table above.

The 5-Piece Collection mullion glass frame is offered in custom sizes* and in eight different models. They are available in all the models** and colors of our program. The number of panes will vary between 4, 6 or 8 depending on the height of the door.

Made of 1/4" melamine, the mullions are attached to the frame with the same removable metal bracket used for the decorative metal inserts, which allows you to insert glass or not, according to your specific needs.

CCRMUS 2017

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3 HINGES

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

16

17

18

19



^{**} Mullion glass frame is not available for the model S600 but is available for its reduced profile (S600-R).

Cabinet Doors - Excelsius 5-piece



Decorative centers



The **5-Piece Collection** doors give you the possibility to order your doors with a regular acrylic decorative center (delivered not assembled to frame) or with a **Lumicor**® center, installed at the factory.



The Lumicor® acrylic center is fully integrated into the molding before the door is assembled.

The result is a decorative door with an impeccable finish.



The regular acrylic is held in place by a rubber support molding (supplied with the glass frame). Delivered not assembled.

Available models

Lumicor.



Angel Vine 26000



Coastal 22100



Meadow 22200



Clear Satin 3170 (green edge)



White Satin 3120



The \$400 aluminum finish glass frame is only available with acrylic center.



Silver Spun 01300




Zito (Autumn) 12600



Crystal Clear 2120 (clear edge)

The acrylics are available for all glass frames.





Richelieu **Section 15A**

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3 HINGES

4

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

7 CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13

PANELS AND SURFACES

14 EDGE-BANDING

16

17

18

TOOLS AND SECURITY

19

20

COMMERCIAL DISPLAY HARDWARE

SLIDES



Decorative metal



Available colors









Black (C-01)

Silver (C-02)

Bronze (C-03)

Rust (C-04)

MODEL	Minimum (width) F-01. F-02. F-03	Minimum (width) F-04	Maximum (width)	Minimum (height)	Maximum (height)
S100, S200	13" (330 mm)	10" (254 mm)	21" (533 mm)	F-01.	
\$100-R, \$200-R, \$300, \$400 \$600-R** \$700, \$800	11 3/4" (299 mm)	8 3/4" (223 mm)	19 3/4" (502 mm)	F-02. F-03 24" (610 mm) F-04 12 5/8"	50" (1270 mm)
\$900, \$1000 \$1100	13 3/4" (349 mm)	10 3/4" (274 mm)	21 3/4" (552 mm)	(321 mm)	

* Available in door sizes indicated in the table above.

Certain models may vary slightly from picture when ordered larger than 16".

Decorative metal option is not available for the model S600 but is available for its reduced profile (S600-R).

With a thickness of 3/16" (4.75 mm), our new decorative metal centers are offered custom-made* to add a decorative touch to all your projects. They are offered in 4 models and 4 colors.

The metal inserts are kept in place by a removable attachment (see picture below). This allows you to insert glass or not according to

your specific needs.



CCRMUS 2017

Page 15A57



Cabinet Doors – Excelsius 5-piece

Richelieu Section 15A



Components



Our specialty panels, manufactured in the size of your choice, have one or more square edges (not machined), optionally edgebanded with a broad selection of edgebanding. They are suitable as doors on a corner module (Lazy Susan), as end panels, fillers, etc.

When ordering, please indicate which edges should be square and whether they should be edgebanded or not. Laminate sheets, edgebanding, and different types of panels are also available.

Please consult the price list and check availability with Richelieu.



Richelieu







Production Lead-times

REGULAR ORDERS:

The maximum production lead-time (date leaving the factory) for a regular order is ten business days. To compute the business days, start counting from the day following reception of the signed order at our factory. Whenever possible, we will produce the orders as soon as possible. If, for reasons beyond our control, production time should exceed ten business days, we will notify the customer immediately.

SPECIAL ORDERS: ADDITION*

ADDITION (1 to 5 units)

- Order received before 10:30 AM: Leaves the factory the same day**
- > Order received after 10:30 AM: Leaves the factory the following business day

ADDITION (6 units and more)

> Orders of more than 5 units that are marked "ADDITION" will be processed as normal orders with a maximum production time of ten business days.

SPECIAL ORDERS: REMAKE**

REMAKE (1 to 5 units)

- Order received before 10:30 AM: Leaves the factory the same day
- > Order received after 10:30 AM: Leaves the factory the following business day

REMAKE (6 to 10 units)

- Order received before 10:30 AM: Leaves the factory the following business day
- Order received after 10:30 AM: Leaves the factory on the second business day

REMAKE (11 units and more)

- Order received before 10:30 AM: Leaves the factory on the second business day
- Order received after 10:30 AM: Leaves the factory on the third business day

The time given is the reception time of the order by email at Note: our factory and NOT at Richelieu.

*ADDITION: Error or omission on the part of the cabinet maker on an order already produced and delivered during the previous 30 days.

**REMAKE: Error or omission on the part of the manufacturer, remakes involve no cost for the cabinet maker.

 † This delay could be of 2 business days during winter time.

EXPRESS ORDERS:

We offer an Express service for your door orders from 1 to 5 business days depending on your needs (the business days start from the day after the order is confirmed).

CCRMUS 2017

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3 HINGES

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

7 CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13

14


17

18

19



Cabinet Doors – Excelsius 5-piece



Warranty

All doors from the 5-Piece Collection are covered by a 5-year limited warranty against all manufacturing defects.

INCLUDED:

- Wrong size (tolerance ± 1/32" or ± 0.8 mm)
- Out of square (tolerance ± 1/32" or ± 0.8 mm out of square)
- > Warping greater than tolerance (see General Rules)
- Loosening of polyester paper from MDF substrate
- > Delamination of MDF substrate

For such inclusions to be covered, the door must not have suffered any shocks, exposure to a source of heat, contact with water or any other liquid substances. Moreover, it must have been installed according to recognized industry practices.

GENERAL RULES:

- All claims must be lodged before the expiration of the warranty period, i.e., 5 years from the delivery date of the doors. Replacement or repair of a door may in no case extend the original 5-year warranty.
- Both invoice and defective door must be returned to Lecxeco inc. for expert examination.
- The doors to be replaced will be invoiced at 100% and a credit will be produced following examination of the defective doors.
- If, at the time the warranty is being used, the color and/or model of the doors in question are no longer available for reasons beyond our control, we reserve the right to replace (or credit) the defective door(s) with another equivalent color or model without compensation for the balance of the doors of the same order.
- > Transportation costs for the delivery of the replacement doors are subject to the same coverage percentages as the doors being replaced.
- The warranty is limited to the replacement or repair of the defective door without any compensation for labour and/or loss of use of the product.
- > The warping warranty only applies to doors 32" or less with a 1/8" tolerance (measured at center, with the door flat on a very straight surface, e.g., panel saw).
- Warping problems must be detected and reported within 10 days following reception of the order, and the defective door(s) must not have been altered in any way (drilled for hinges, handles installed, etc).
- Door claims that involve breakage at the reception of the order with no damaged box must be made within five days following reception of the order, and the defective door(s) must not have been altered in any way (drilled for hinges, handles installed, etc). The door(s) in question must be returned to Lecxeco inc.
- Doors measuring 50" and more are not covered by any warranty.
- The warranty coverage is prorated as follows:
 - . 100% for the first two years
 - 75% for the third year
 - 50% for the fourth year • 25% for the fifth year

NOT INCLUDED:


- > Polyester, melamine, joint and assembly breaks following shock, negligence, misuse, exposure to a source of excessive heat (over 300° F) or contact with water or other liquid substance (swelling of material)
- All defects that result from misuse and/or use not in accordance with recognized industry practices
- Deterioration of a door that was exposed to abnormal temperature and/or humidity conditions
- > Burns on one of the materials
- Stains on one of the door components
- > Degradation of the product due to material aging or normal wear and tear

DOORS DAMAGED DURING TRANSPORTATION:

When you receive the boxes, always make sure they have not been damaged during transportation before signing the delivery document. If any of the boxes have been damaged, write "Damaged Box" or "Damaged Boxes" on the waybill. You must keep the box(es) in question as well as the doors to be replaced for our claim to the transportation company. Notify us immediately about the problem so that repaired doors or replacement doors may be shipped to you as soon as possible.

MISSING BOXES:

When you receive the boxes, please make sure the number of boxes delivered matches the number shown on the delivery document. If some boxes are missing, write "Missing Boxes" on the document before signing it, indicating the number of missing boxes. Notify us immediately about the problem so that a search can be made to locate the missing package(s).



Cabinet Doors – Excelsius 5-piece



Custom-Built Doors Web Module



CCRMUS 2017

Page 15A61

Richelieu

SCREWS AND FASTENERS

2 FURNITURE EOUIPMENT

3

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

16

17

18

19

Cabinet Doors – Excelsius 5-piece



5-Piece COLOR

Available colors

Printed colors may differ from reality. For more accuracy, check the sample with Richelieu.

													For	nore	accı	ıracy	, che	ck th	e sar	nple	with	Ric	nelie
							TE.	ΧT	UR	ED	FINISHI	ES											
Authentick (Arauco, Flakeboard)	2100	5200	5300	2400	5500	S700	5800	2900	51000	51100	Brushe (Uniboa			5100	5200	5300	2400	5500	<i>S</i> 700	5800	2900	51000	51100
Tobacco gre W	F391			•	•		•						Silva H50				•	•		•			
Licorice green W	DOVZ F392			•	•		•						Zahara H51				•	•		•			
Concrete green W	DOVZ F393			•	•		•						Riva H52				•	•		•			
Arctic gra	DOVZ F394			•	•		•				0		Ember H53				•	•		•			
Coffee gre	DOVZ F395			•	•		•						Sky e H54				•	•		•			
Sawcut (Arauco, Flakeboard)													Mystic H55				•	•		•			
Weathered N	/ ane F407			•								ı	Driftwood H70				•	•		•			
Hays W	tack F408			•									Luxe H71				•	•		•			
Ranch (Gate F409			•																			
Rio (Uniboard) Also available for all models of the Moderno Collection	\$100	5200	5300	2400	2600	S700	5800	2900	\$1000	51100	Medina Also availab the Moderna	le for all m		5100	5200	5300	5400	2600	S700	5800	2900	51000	51100
G Panval	rigio 'G17		•	•			•	•	•			Fla	White akeboard/ W100			•	•			•	•	•	
Caran Panval			•	•			•	•	•				que White akeboard/ SF210			•	•			•	•	•	
Bia Richelieu	anco /711		•	•			•	•	•		0		Zambukka rd/WF226			•	•			•	•	•	
M Richelieu	lielle /712		•	•			•	•	•				/anilla stix rd/WF294			•	•			•	•	•	
Richelieu	Terra /713		•	•			•	•	•				Mochatini rd/WF296			•	•			•	•	•	
Tos Richelieu	cana /714		•	•			•	•	•			Ash Flakeboa	pinstripe rd/WF118			•	•			•	•	•	
												Flakeboa	Verismo rd/WF202			•	•			•	•	•	







Richelieu **Section 15A**

POLYESTER COLORS/ MOLDINGS






Complementary **Products**



1 Only available in Rio and Medina Textured Finishes (Angria, Ravenna, Calabria-PVC)



CCRMUS 2017

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3 HINGES

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

16 CORBELS AND FLOOR REGISTERS

17

18

TOOLS AND SECURITY

19



NOTES



Drawers - Sides






PRE-FINISHED **BIRCH DRAWER SIDES**

QUICK ASSEMBLING

"A" GRADE "B" GRADE "C" GRADE

FORMATS:

5/8" (16.9 mm) Thickness: Groove depth: 1/4" (6.5 mm) 1/4" (6.5 mm) Groove width:



BIRCH DRAWER SIDES, PRE-FINISHED WITH AN ULTRAVIOLET-CURED LACQUER. PERFECT FOR RABBET JOINT, KREG JIG AND DOVETAIL ASSEMBLIES.

- **Nordic Birch**
- · Low labor cost when using a pre-finished drawer bottom
- Specific heights to accomodate 1" (25 mm) center to center dovetailing
- Drawer sides are grooved to insert a bottom drawer of 7/32" (5.2 mm) (in a 1/4" (6.5 mm) groove)
- Fits with Blum Tandem runners, as well as Richelieu and most other brands of undermount soft-closing slides

LENGTH HEIGHT	20 9/16" (522 mm)	22" (559 mm)	30" (762 mm)	36" (914 mm)	42" (1.07 m)	82" (2.08 m)
3 3/8" (86 mm)	1033820916 ABNF	-	-	-	1033842 ABNF	1033882 ABNF 1033882 BCWF
4 1/8" (105 mm)	1041820916 ABNF	1041822 ABNF	1041830 ABNF	-	1041842 ABNF	1041882 ABNF 1041882 ABSF 1041882 BCWF
5 3/8" (136 mm)	1053820916 ABNF	-	-	-	1053842 ABNF	1053882 BCWF
6 1/4" (159 mm)	1061420916 ABNF	-	-	1061436 ABNF	1061442 ABNF	1061482 ABSF 1061482 BCWF
7 1/8" (180 mm)	1071820916 ABNF	-	-	-	1071842 ABNF	1071882 ABSF 1071882 BCWF
8 1/4" (210 mm)	1081420916 ABNF	1081422 ABNF	-	-	1081442 ABNF	1081482 ABSF 1081482 BCWF
10 1/4" (260 mm)	10101420916 ABNF	-	-	10101436 ABNF	10101442 ABNF	10101482 ABSF 10101482 BCWF

PRODUCT CODE DEFINITION

GRADE:

A/B: "A" grade on the outside of drawer B/C: "B" grade on the outside of drawer

"B" grade on the inside of drawer

"C" grade on the inside of drawer

Tel.: 1 800 619.5446 • Fax: 1 800 876.7454

CONSTRUCTION:

NF: No finger joint WF: With finger joints SF: Skip finger joints Please consult our website for more information on grades and product construction.



CCRMUS 2017



Page 15B1

SCREWS AND FASTENERS

2

FURNITURE EQUIPMENT 3

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

PANELS AND SURFACES

13

14 EDGE-RANDING

16

17

18

TOOLS AND SECURITY

19

Drawers - Sides

Richelieu

FULLY ASSEMBLED CUSTOM DRAWERS

FAST & EASY!





Tambour Systems



Tel.: 1 800 619.5446 • Fax: 1 800 876.7454

Quick Installation requires no cutting

- ✓ Slat width of 1"
- ✓ Stainless steel or aluminum finish
- ✓ Various door widths available
- ✓ Door height of 48"
- ✓ C3 mechanism, heavy-duty roller system

For more information ask your representative



No.	Exterior width	Color
KITAMB18ALU25MM	18"	Aluminum
KITAMB18SS25MM	18"	Stainless steel
KITAMB24ALU25MM	24"	Aluminum
KITAMB24SS25MM	24"	Stainless steel
KITAMB30ALU25MM	30"	Aluminum
KITAMB30SS25MM	30"	Stainless steel
KITAMB36ALU25MM	36"	Aluminum
KITAMB36SS25MM	36"	Stainless steel

Note: Sizes for C3 kits are calculated as outside cabinet dimensions and prepared for Note: Sizes for Cs. atis are calculated as outside cabinet animensions and prepared to a three-sided cabinet. A notch in the track is necessary for four-sided cabinet use. Using a 5/8" (16 mm) board thickness will leave a flush result. Using a 3/4" (19 mm) board thickness will leave a result. We recommend that you edge the face of the cabinet before you apply the face track.

CCRMUS 2017

Page 15C1



CLOSET 8

KITCHEN SOLUTIONS

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

5 CASTERS AND LEGS

LIGHTING SOLUTIONS

SINKS AND FAUCETS 10

11 SLIDING

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-RANDING

16

CORBELS AND FLOOR REGISTERS

17

18

TOOLS AND SECURITY

19

Tambour Systems



Tambour doors provide a stylish, high-quality accent in many interior design settings such as kitchens and offices.





Do your measurements differ from our selection?

Ask your sales representative to help you find the perfect solution for your project.





Tambour Systems

Tambour Door Kit with Exact Widths - 25 mm

Tambour doors provide a unique and high quality detail in interior planning, especially in kitchens and offices. The dimensions of the set are based on the external dimensions of cabinets and are suitable for a three-sided cabinet. A notch in the rail is required for a four-sided cabinet. Using a panel with a thickness of 5/8" (16 mm) gives a precise finish between the panel and rail, while the use of a panel with a thickness of 3/4" (19 mm) gives a finish that reveals 3 mm of panel.

Specification(s):

· Does not require cutting

Sold by unit

PRODUCT	FINISH	SLAT WIDTH	EXTERIOR WIDTH	EXTERIOR HEIGHT	QTY/BOX
KITAMB18ALU25MM	Aluminum	1" (25 mm)	18" (460 mm)	48" (1219 mm)	1
KITAMB24ALU25MM	Aluminum	1" (25 mm)	24" (610 mm)	48" (1219 mm)	1
KITAMB30ALU25MM	Aluminum	1" (25 mm)	30" (760 mm)	48" (1219 mm)	1
KITAMB36ALU25MM	Aluminum	1" (25 mm)	36" (920 mm)	48" (1219 mm)	1
KITAMB18SS25MM	Stainless Steel	1" (25 mm)	18" (460 mm)	48" (1219 mm)	1
KITAMB24SS25MM	Stainless Steel	1" (25 mm)	24" (610 mm)	48" (1219 mm)	1
KITAMB30SS25MM	Stainless Steel	1" (25 mm)	30" (760 mm)	48" (1219 mm)	1
KITAMB36SS25MM	Stainless Steel	1" (25 mm)	36" (920 mm)	48" (1219 mm)	1

Tambour Door Kit – 20 mm

This Metallic Line tambour door kit, includes all of the components required for a vertically opening tambour door application. All included components can be cut to the correct dimensions. Modern look blends well with stainless steel appliances. Can be installed at the level of your counter. Smooth, lightweight, and quiet operation.

Sold by unit

PRODUCT	FINISH	SLAT WIDTH	MIN. INTERIOR WIDTH	MAX. INTERIOR WIDTH	MIN. EXTERIOR HEIGHT	MAX. EXTERIOR HEIGHT	QTY/ BOX
KITAMB36ALU	Aluminum	25/32 " (20 mm)	29-17/32" (750 mm)	37-9/16" (954 mm)	23-5/8" (600 mm)	39-3/8" (1000 mm)	20
KITAMB30ALU	Aluminum	25/32 " (20 mm)	21-21/32" (550 mm)	29-11/16" (754 mm)	23-5/8" (600 mm)	39-3/8" (1000 mm)	20
KITAMB36SS	Stainless Steel	25/32 " (20 mm)	29-17/32" (750 mm)	37-9/16" (954 mm)	23-5/8" (600 mm)	39-3/8" (1000 mm)	20
KITAMB30SS	Stainless Steel	25/32 " (20 mm)	21-21/32" (550 mm)	29-11/16" (754 mm)	23-5/8" (600 mm)	39-3/8" (1000 mm)	20

Suggested Product(s):

416000 - Strike Plate for Single Tambour Door, 4164151 - Tambour Door Lock, 416540 - Tambour Door Lock Rosette

Richelieu **Section 15C**



SLIDES CASTERS AND LEGS

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

HINGES

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9

10



GLASS HARDWARE 13

12

14

17

18

19



Tel.: 1 800 619.5446 • Fax: 1 800 876.7454

Tambour Systems

Metallic Line Tambour Slats – Stainless Steel Finish

Metallic Line tambour slats for a genuine metallic look with a stainless steel finish. Slats are composed of a metal extrusion on a polymer base. Consult a blade specialist to determine the blade requirements for cutting both the plastic and metal components. Extensions should be cut with a hand saw only! If you have chosen the heavy-duty roller system, requires #560510 PVC slats as starter slats (total interior length of slats 315 mm, or 7 pieces with 3 chambers each) to join the metallic slats to the heavy-duty system for smooth opening and closing of your mechanism. This also saves on the total cost of your system. We strongly recommend that you order the products TUBECART and CAP (two CAPs per TUBECART) to package this product.

Sold by unit

PRODUCT	LENGTH	WIDTH	THICKNESS	QTY/BOX
560925	98-27/64" (2500 mm)	1" (25 mm)	5/16" (8 mm)	168
78172170	98-27/64" (2500 mm)	25/32" (20 mm)	5/16" (8 mm)	240

Suggested Product(s): 560510 – PVC Tambour Slats – Aluminum Finish, 868500 – Tape

Richelieu Section 15C





Metallic Line Tambour Slats – Aluminum Finish

Metallic Line tambour slats for a genuine metallic look with an aluminum finish. Slats are composed of a metal extrusion on a polymer base. Consult a blade specialist to determine the blade requirements for cutting both the plastic and metal components. Extensions should be cut with a hand saw only! If you have chosen the heavy-duty roller system. Requires #560510 PVC slats as starter slats (total interior length of slats 315 mm, or 7 pieces with 3 chambers each) to join the metallic slats to the heavy-duty roller system for smooth opening and closing of your mechanism. This also saves on the total cost of your system. We strongly recommend that you order the products TUBECART and CAP (two CAPs per TUBECART) to package this product.

Sold by unit

PRODUCT	LENGTH	WIDTH	THICKNESS	QTY/BOX
560825	98-27/64" (2500 mm)	1" (25 mm)	5/16" (8 mm)	168
560710	98-27/64" (2500 mm)	25/32" (20 mm)	5/16" (8 mm)	240

Suggested Product(s): 868500 - Tape, 560790 - Tambour Slat Glider

PVC Tambour Slats – Aluminum Finish

PVC tambour slats, aluminum color, which can be applied on a vertical or horizontal tambour system. Each slat is composed of three chambers intertwined to form a single slat. The total size of each piece is 45 mm in width and 2.5 m in length (see technical drawing). Slats can be easily cut with a radial arm saw blade. Note: PVC starter slats must be installed together with your metallic tambour slats. The interior length to be wound on the roller mechanism should total 315 mm, or 7 PVC pieces, in order to ensure smooth opening and closing of your mechanism. This also saves on the total cost of your system. We strongly recommend that you order the products TUBECART and CAP (two CAPs per TUBECART) to package this product.

Sold by unit

PRODUCT	LENGTH	WIDTH	THICKNESS	QTY/BOX
560510	98-27/64" (2500 mm)	1-49/64" (45 mm)	5/16" (8 mm)	88
560612	98-27/64" (2500 mm)	1-49/64" (45 mm)	5/16" (8 mm)	240

Suggested Product(s): 592410 - PVC Mid-Grip Profile, Aluminum finish, 868500 - Tape







Tambour Systems

Tambour Slat Glider

Tambour slat glider in black PVC for a horizontal (left-to-right opening) recessed system. For use with Metallic Line. Place one piece in the bottom of every second slat for better sliding and quiet running in the track.

Sold by unit

PRODUCT	QTY/BOX
560790	1000

Suggested Product(s): Metallic Line Tambour Slats - Aluminum Finish, 560710 - Metallic Line Tambour Slats - Aluminum Finish, 78172170 – Metallic Line Tambour Slats – Stainless Steel Finish

Heavy-Duty Roller System (Rehau C3 System)

Heavy-duty roller system for vertical application (bottom-to-top opening) system. PVC or Metallic line.

PRODUCT	LENGTH	MAX. INTERNAL WIDTH	QTY/BOX
4403600	23-5/8" (600 mm)	21-21/32 to 23" (550 to 584 mm)	1
4403800	31-1/2" (800 mm)	Min. 29-17/32" (750 mm)	1
44031000	39-3/8" (1000 mm)	37-13/32 to 38-47/64" (950 to 984 mm)	1
44031200	47-1/4" (1200 mm)	45-9/32 to 46-39/64" (1150 to 1184 mm)	1

Suggested Product(s): Metallic Line Tambour Slats - Stainless Steel Finish, 868310 - 16 mm (5/8") - Face-Mounted Track, 779320001 - Heavy-Duty Roller Extension for C3 System, Metallic Line Tambour Slats - Aluminum Finish, 560510 - PVC Tambour Slats - Aluminum Finish, 560612 - Translucent Tambour Slats,

Heavy-Duty Roller Extension for C3 System

This heavy-duty roller extension provides an additional 170 mm of internal cabinet width coverage.

Sold by unit

PRODUCT	QTY/BOX
779320001	50

Suggested Product(s): 44031000 - Heavy-Duty Roller System (Rehau C3 System), Heavy-Duty Roller System (Rehau C3 System)


Metallic Cover Profile, Stainless Steel Finish

Sold by unit

PRODUCT	LENGTH	QTY/BOX
78067170	98-27/64" (2500 mm)	8

8065170 - 16 mm (5/8") - Face-Mounted Track

Richelieu **Section 15C**











CCRMUS 2017

FURNITURE EQUIPMENT

SCREWS AND FASTENERS

2

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9

10

11

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

16

17

18

19



Tambour Systems

Metallic Cover Profile, Aluminum Finish

PVC or Metallic line.

Sold by unit

PRODUCT	LENGTH	QTY/BOX
580410	98-27/64" (2500 mm)	40
580510	98-27/64" (2500 mm)	8

PVC L-Shaped Cover Profile, Aluminum Color

Use with PVC line (E23 line). We strongly recommend that you order the products TUBECART and CAP (two CAPs per TUBECART) to package this product. Please note that if you do not, returns or claims for packaging defects will not be accepted. Feel free to contact us at info@richelieu.com with questions.

Sold by unit

PRODUCT	LENGTH	QTY/BOX
570210	98-27/64" (2500 mm)	8

Metallic Line Tambour Slats – Stainless Steel Finish for Metallic or PVC Line

Face-mounted track for panels 16 mm thick (5/8"). We strongly recommend that you order the products TUBECART and CAP (two CAPs per TUBECART) to package this product.

Sold by unit

PRODUCT	MATERIAL	FINISH	LENGTH	QTY/BOX
78065170	Plastic	Stainless Steel	90-35/64" (2300 mm)	8

Suggested Product(s): 289969170 – Stainless Steel Surface—Mounted Track End Caps, 78067170 – Metallic Cover Profile, Stainless Steel Finish, 580410 – Metallic Cover Profile, Aluminum Finish, Heavy–Duty Roller System (Rehau C3 System), 8683101 – Aluminum Surface—Mounted Track End Caps

19 mm (3/4 po) – Surface-Mounted Track

Surface-mounted track for panels 19 mm (3/4") thick. We strongly recommend that you order the products TUBECART and CAP (two CAPs per TUBECART) to package this product.

Sold by unit

PRODUCT	FINISH	LENGTH	QTY/BOX
878310	Stainless Steel	98-27/64" (2500 mm)	20
878210	Aluminum	98-27/64" (2500 mm)	20

Suggested Product(s): 8688100 - End Cap for Surface-Mounted Track - Stainless Steel















Tambour Systems

16 mm (5/8") - Face-Mounted Track

Face-mounted track for panels 16 mm thick (5/8").

Sold by unit

PRODUCT	FINISH	LENGTH	QTY/BOX
868410	Aluminium	98-3/8" (2500 mm)	40

Richelieu **Section 15C**



SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

SLIDES

CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9

10

11

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

16

17

18

19

COMMERCIAL DISPLAY HARDWARE

End Cap for Surface-Mounted Track (16 mm) – Stainless Steel and Aluminum

Use with Metallic line.

Sold by unit

PRODUCT	QTY/BOX
289969170	250

Required Product(s):

868410 - Facemounted, Track78065170 - Facehounted Track

End Cap for Surface-Mounted Track (19 mm) – Stainless Steel and Aluminum

Sold by unit

PRODUCT	QTY/BOX
8688100	1000

Suggested Product(s): 878310 - 3/4 po (19mm) - Surface-Mounted Track, 878210 - 3/4 po (19mm) - Surface-Mounted Track

Tel.: 1 800 619.5446 • Fax: 1 800 876.7454

Non-Locking Metallic Handle Profile, Stainless Steel Finish

For use with Metallic Line systems.

Specification(s):

· Handle Type: Standard Handle (Whitout Locking)

Sold by unit

PRODUCT	LENGTH	QTY/BOX
78060170	98-3/8" (2500 mm)	8

Suggested Product(s): 593090 - Grip Handle Stopper, 5928100- Gliders



CCRMUS 2017

Tambour Systems

Non-Locking Metallic Handle Profile, Aluminum Finish

Tambour handle profile, aluminum finish. For both vertical and horizontal tambour systems. For use with Metallic Line.

Specification(s):

• Handle Type: Standard Handle (Whitout Locking)

Sold by unit

PRODUCT	LENGTH	WIDTH	HEIGHT	QTY/BOX
592610	98-3/8" (2500 mm)	2-3/64" (52 mm)	5/16" (8 mm)	8

Suggested Product(s): Sealing Profile 5929100 – Sealing Profile (250 Meter Roll), 593090 – Grip Handle Stopper, 5928100 – Gliders

Metallic Handle for Lock Installation, Aluminum Finish

This handle is compatible with the locking system (Door lock (#4164151), Strike (#416000), Rosette (#416540), Cylinder (#4162500)).

Specification(s):

• Handle Type: Handle Compatible with Locking System

Sold by unit

PRODUCT	LENGTH	WIDTH	HEIGHT	QTY/BOX
593210	98-3/8" (2500 mm)	1-13/16" (46 mm)	1-7/64" (28 mm)	20

Suggested Product(s): 4162500 – Tambour Door Lock Cylinder, Strike Plate for Single Tambour Door, 593290 – Gliders, 416000 – Strike Plate for Single Tambour Door, 4164151 – Tambour Door Lock, 416540 – Tambour Door Lock Rosette

PVC Locking Handle Profile, Aluminum Color

PVC handle profile in a matte silver color. This is one of the required PVC Line system components. This handle is compatible with the locking system (Door lock (#4164151), Strike (#416000), Rosette (#416540), Cylinder (#4162500)). We strongly recommend that you order the products TUBECART and CAP (two CAPs per TUBECART) to package this product.

Specification(s):

Handle Type: Handle Compatible with Locking System

Sold by unit

PRODUCT	LENGTH	WIDTH	HEIGHT	QTY/BOX
592710	98-3/8" (2500 mm)	1-13/16" (46 mm)	1-7/64" (28 mm)	8

Suggested Product(s): 592410 – PVC Mid–Grip Profile, Aluminum finish, 416000 – Strike Plate for Single Tambour Door, 4164151 – Tambour Door Lock, 416540 – Tambour Door Lock Rosette, 592890 – Gliders

Richelieu Section 15C









Tambour Systems

PVC Mid-Grip Profile, Aluminum Color

Mid-grip profile and adapter in aluminum-colored PVC. This product is designed to help you lift heavy tambour doors. Use with PVC line (E23 series). We strongly recommend that you order the products TUBECART and CAP (two CAPs per TUBECART) to package this product.

Sold by unit

PRODUCT	LENGTH	QTY/BOX
592410	98-3/8" (2500 mm)	8

Grip Handle Stopper

For vertical (bottom-to-top) application. PVC or Metallic Line.

Sold by unit

PRODUCT	QTY/BOX
593090	500

Suggested Product(s): 592610 - Non-Locking Metallic Handle Profile, Aluminum Finish, 5928100 - Gliders

Gliders

Left and right gliders for aluminum and stainless steel non-locking handles. For use with Metallic Line systems.

Sold by unit

PRODUCT	QTY/BOX
5928100	250

Suggested Product(s): 78060170 - Non-Locking Metallic Handle Profile, Stainless Steel Finish, 592610 - Non-Locking Metallic Handle Profile, Aluminum Finish, 593090 - Grip Handle Stopper, 5929100 - Sealing Profile (250 Meter Roll), 59295100 -Sealing Profile (5 x 1 m)

Gliders

PVC Gliders for aluminum-finish locking handle. For use with Metallic Line systems. Black.

Sold by unit

PRODUCT	QTY/BOX
593290	25

Suggested Product(s): 416000 - Strike Plate for Single Tambour Door, 4164151 -Tambour Door Lock, 416540 - Tambour Door Lock Rosette, 593110 - HANDLE FOR LOCK ALU METAL LINE, 593210 - Metallic Handle for Lock Installation, Aluminum Finish

Tel.: 1 800 619.5446 • Fax: 1 800 876.7454



Richelieu **Section 15C**



SCREWS AND FASTENERS

2

5

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

16

17

18

19

COMMERCIAL DISPLAY HARDWARE

CCRMUS 2017

Tambour Systems

Gliders

Gliders for aluminum-colored PVC locking handle. For use with PVC Line (E23 series).

Sold by unit

PRODUCT	QTY/BOX
592890	20

Suggested Product(s): 592710 - PVC Locking Handle Profile, Aluminum finish

Sealing Profile

Sealing profile for vertical application (bottom-to-top opening). PVC or Metallic Line.

PRODUCT	MATERIAL	FINISH	LENGTH	QTY/BOX
59295100	Plastic	White	5 x 1 m	5

Recessed Spiral Track - Maximum Height 670 mm

Two-way recessed spiral track in black PVC for vertical application with brakes (opening from top to bottom). Maximum winding capacity of 670 mm for a single door and 1340 mm for a double door.

Sold by pair

PRODUCT	LENGTH	WIDTH	QTY/BOX
4402290	14-3/8" (365 mm)	4-3/32" (104 mm)	40

Suggested Product(s): RHA4PVCALU – VERT.RECES.TRACK BRAKE PVC ALU, 845490 – 90° Elbow Track (Recessed), 845390 – Recessed Straight Track, 845590 – Center Stop (Recessed), 3547100 – CADDY BREAK RIGHT BLACK, 354790 – Left and Right Brake

Recessed Spiral Track - Maximum Height 1280 mm

Four-way recessed spiral track in black PVC for vertical application with brakes (opening from top to bottom). Maximum winding capacity of 1280 mm for a single door and 2560 mm for a double door.

Sold by pair

PRODUCT	LENGTH	WIDTH	QTY/BOX
4402490	14-3/8" (365 mm)	2-33/64" (64 mm)	25

Suggested Product(s): 845490 – 90° Elbow Track (Recessed), 845390 – Recessed Straight Track, 845590 – Center Stop (Recessed),354790 – Left and Right Brake, 3547100 – CADDY BREAK RIGHT BLACK

Richelieu Section 15C











Tambour Systems

Recessed Spiral Track – Maximum Height 1590 mm

Five-way recessed spiral track in black PVC for vertical application with brakes (opening from top to bottom). Maximum winding capacity of 1590 mm for a single door and 2560 mm for a double door.

Sold by pair

PRODUCT	LENGTH	WIDTH	QTY/BOX
4402590	14-3/8" (365 mm)	4-31/64" (114 mm)	20

Suggested Product(s): 845490 – 90° Elbow Track (Recessed), 845390 – Recessed Straight Track, 845590 – Center Stop (Recessed), 354790 – Left and Right Brake, 3547100 – CADDY BREAK RIGHT BLACK

Center Stop (Surface-Mounted Track)

Horizontal application (left-to-right). Surface-mounted running track. PVC or Metallic line.

Sold by unit

PRODUCT	FINISH	QTY/BOX
4830100	Black	40

Suggested Product(s): 8681100 - Surface Mounted Track

Center Stop (Recessed)

Horizontal application (left-to-right). Recessed running track. PVC or Metallic line.

Sold by unit

PRODUCT	FINISH	QTY/BOX
845590	Black	40

Suggested Product(s): 845490 - 90° Elbow Track (Recessed), 845390 - Recessed Straight Track

90° Elbow Track (Surface Mount)

90° elbow track (surface-mounted) in light gray, one of the required components for PVC or Metallic Line systems. 4 units required for U-shape. Light gray tracks are solid-colored and do not completely match the aluminum surface of Metallic Line products.

Sold by unit

PRODUCT	QTY/BOX
4829100	40

Suggested Product(s): 8681100 - Surface Mounted Track





SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8

LIGHTING SOLUTIONS 9

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

16

17

18

19

COMMERCIAL DISPLAY HARDWARE

CCRMUS 2017



Tel.: 1 800 619.5446 • Fax: 1 800 876.7454

Tambour Systems

90° Elbow Track (Recessed)

For PVC or Metallic Line.

Sold by unit

PRODUCT	FINISH	LENGTH	QTY/BOX
845490	Black	3-1/2" (89 mm)	40

Suggested Product(s): 845590 - Center Stop (Recessed), 845390 - Recessed Straight Track

Richelieu **Section 15C**







Surface Mounted Track for Metallic or PVC Line Tambour Doors

Light gray tracks are solid-colored and do not completely match the aluminum surface of Metallic Line products. We strongly recommend that you order the products TUBECART and CAP (two CAPs per TUBECART) to package this product.

Sold by unit

PRODUCT	LENGTH	QTY/BOX
8681100	98-3/8" (2500 mm)	20

Suggested Product(s): 90° Elbow Track (Surface Mount), 4830100 - Center Stop (Surface-Mounted Track)

Recessed Straight Track for Metallic or PVC Line

PVC recessed straight track, black, for vertical application with elastic or brake slowing systems. We strongly recommend that you order the products TUBECART and CAP (two CAPs per TUBECART) to package this product.

Sold by unit

PRODUCT	LENGTH	QTY/BOX
845390	98-3/8" (2500 mm)	20

Suggested Product(s): 845590 – Center Stop (Recessed), 845490 – 90° Elbow Track (Recessed)



Flexible Recessed Track

Tambour cabinets don't have to be square! With the introduction of the Flexible Track System, creative curved cabinet designs are now possible. This unique running track can achieve multiple angles, making it the optimal choice for curved cabinet configurations. This track can be used with any tambour door profile.

Sold by unit

PRODUCT	FINISH	LENGTH	QTY/BOX
845300	Black	98-3/8" (2500 mm)	20







Tambour Systems

Slowing System Elastics (Rehau C6)

Slowing system with elastics for vertical application (bottom-to-top opening). For PVC or Metallic Line products. See attached assembly instructions.

Sold by unit

PRODUCT	QTY/BOX
440190	5

Left and Right Brake

Left and right PVC brake for vertically opening (top-to-bottom) tambour systems with recessed spiral tracks only. Typically, only one pair of brakes is required per cabinet. Two pairs may be necessary for larger cabinets. Use with PVC Line (E23 series). See attached assembly instructions.

Sold by unit

PRODUCT	QTY/BOX
354790	30

Suggested Product(s): RHA4PVCALU - VERT.RECES.TRACK BRAKE PVC ALU,

4402290 - Recessed Spiral Track - Maximum Height 670 mm, 4402490 - Recessed Spiral Track - Maximum Height 1280 mm,

4402590 - Recessed Spiral Track - Maximum Height 1590 mm

Tape

PRODUCT	FINISH	LENGTH	QTY/BOX
868500	White	50 linear meter	1

Tel.: 1 800 619.5446 • Fax: 1 800 876.7454

Suggested Product(s): 560612 - Translucent Tambour Slats, Metallic Line Tambour Slats - Aluminum Finish, Metallic Line Tambour

Slats – Stainless Steel Finish, 560510 – PVC Tambour Slats – Aluminum Finish

Richelieu **Section 15C**



HINGES

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET

8 LIGHTING SOLUTIONS

9

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14

16

17

18

19

COMMERCIAL DISPLAY HARDWARE

CCRMUS 2017



Tambour Systems

Solid Wood Tambour Doors

Functional solid wood tambour door, sanded and unfinished. Starter strip with a width of 32 mm (1-1/4").

Specification(s):

• Backing: Cloth

PROD.	FINISH	SPECIES	WIDTH	WIDTH OF STARTING SLATS	THICKNESS	SLAT LENGTH	SLAT WIDTH	SLAT SHAPE	QTY/ BOX
375108	Natural	Maple	18" (457 mm)	1-3/16" (30 mm)	5/16" (8 mm)	60" (1524 mm)	3/4" (19 mm)	Flat	1
381108	Natural	Maple	18" (457 mm)	1-1/4" (32 mm)	3/16" (5 mm)	60" (1524mm)	3/4" (19 mm)	Half- Round	1
383108	Natural	Maple	18" (457 mm)	1-1/4" (32 mm)	5/16" (8 mm)	60" (1524mm)	3/4" (19 mm)	Half- Round	1
381258	Natural	Red Oak	18" (457 mm)	1-1/4" (32 mm)	3/16" (5 mm)	60" (1524 mm)	3/4" (19 mm)	Half- Round	1
381368	Natural	Cherry	18" (457 mm)	1-1/4" (32 mm)	3/16" (5 mm)	60" (1524 mm)	3/4" (19 mm)	Half- Round	1
390108	Natural	Maple	18" (457 mm)	1-1/4" (32 mm)	3/4" (19 mm)	60" (1524mm)	3/4" (19 mm)	Flat	1

Suggested Product(s):

Spiral Tracks, Tambour Roller, L-Shaped Rail, P-Shaped Rail, Track System without Spring, Track System with Spring, Corner, Track, 27492030 – FACE FRAME TAMBOUR KIT 24" WHT, 27492040 – FACE FRAME TAMBOUR KIT 24" ALM, 274242430 – U-Shaped Rail

Wood Veneer Tambour Doors

Functional tambour door with real wood veneer on high-density pine fiber (MDF), sanded and unfinished. Starter strip with a width of 32 mm (1-1/4").

Specification(s):

- Backing: Cloth
- Slat shape: Flat

PRODUCT	SPECIES	WIDTH	WIDTH OF STARTING SLATS	THICKNESS	SLAT LENGTH	SLAT WIDTH	QTY/BOX
3001012	Maple	36" (914 mm)	1-1/4" (31 mm)	3/16" (4 mm)	47-1/2" (1206 mm)	1/2" (12 mm)	1
3002512	Red Oak	36" (914 mm)	1-1/4" (31 mm)	3/16" (4 mm)	47-1/2" (1206 mm)	1/2" (12 mm)	1
3002912	Birch	36" (914 mm)	1-1/4" (31 mm)	3/16" (4 mm)	47-1/2" (1206 mm)	1/2" (12 mm)	1
300368	Cherry	36" (914 mm)	1-1/4" (31 mm)	3/16" (4 mm)	47-1/2" (1206 mm)	1/2" (12 mm)	1

Suggested Product(s):

Spiral Tracks, Tambour Roller, L-Shaped Rail, P-Shaped Rail, Track System without Spring, Track System with Spring, Corner, 27492030 — FACE FRAME TAMBOUR KIT 24" WHT, 27492040 — FACE FRAME TAMBOUR KIT 24" ALM, 274242430 — U-Shaped Rail

Richelieu Section 15C









Tambour Systems Accessories for Wooden Tambour

Track System with Spring

Roller kit for standard kitchen tambours

Sold by unit

PRODUCT	LENGTH	FINISH	QTY/BOX
27490030	16" (41 cm)	White	10
27490040	16" (41 cm)	Almond	10
27494030	36" (91 cm)	White	10

P-Shaped Rail

P-shaped rail for systems without springs.

Sold by unit

PRODUCT	FINISH	QTY/BOX
274231060	Brown	15
274231030	White	15

U-Shaped Rail

U-shaped rail for systems without springs.

Sold by unit

PRODUCT	FINISH	QTY/BOX
274242430	White	30


L-Shaped Rail

L-shaped rail for systems without springs.

Sold by unit

PRODUCT	FINISH	LENGTH	QTY/BOX
274222260	Brown	22" (558 mm)	30
274222230	White	22" (558 mm)	30

Richelieu **Section 15C**



SCREWS AND FASTENERS

2

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9

10

11 SLIDING DOORS

12 GLASS HARDWARE

13 PANELS AND SURFACES

14 EDGE-BANDING

16

17

18

19

COMMERCIAL DISPLAY HARDWARE

CCRMUS 2017



Tambour Systems Accessories for Wooden Tambour

Track System without Spring

Straight rail for systems without springs.

Sold by unit

PRODUCT	FINISH	QTY/BOX
2744830	White	10

Tambour Roller

White tambour roller kit for Euro kitchens.

Sold by unit

PRODUCT	WIDTH	QTY/BOX
274100030	16" (410 mm)	10
274103030	24" (610 mm)	10
274104030	36" (920 mm)	10

Spiral Tracks

Pair of plastic spiral tracks.

Sold by unit

PRODUCT	FINISH	QTY/BOX
2160	Brown	30
2130	White	30

Track

Plastic track.


Sold by unit


PRODUCT	FINISH	QTY/BOX
9690	Black	30
9660	Brown	30
9630	White	30


Suggested Product(s):


5130 - Corner, 5160 - Corner, 5190 - Corner

Richelieu Section 15C











Tambour Systems Accessories for Wooden Tambour

Corner

Plastic corner.

Sold by unit

PRODUCT	FINISH	QTY/BOX
5190	Black	30
5160	Brown	30
5130	White	30

Suggested Product(s):

9630 - Track, 9660 - Track, 9690 - Track

Tambour Unit

Tambour unit for kitchen.

Specification(s):

• Type: Prefabricated Garage Unit

Sold by unit

PRODUCT	FINISH	LENGTH	WIDTH	HEIGHT	QTY/BOX
274250E	Oak	11-7/8" (301 mm)	24" (609 mm)	18" (457 mm)	1
274280E	Cherry	11-7/8" (301 mm)	24" (609 mm)	18" (457 mm)	1
274300E	White	11-7/8" (301 mm)	24" (609 mm)	18" (457 mm)	1

Corner Garage

Pre-mounted. Easy to install. Delivered in a box with all hardware.

Specification(s):

· Backing: Cloth

Sold by unit

PRODUCT	FINISH	MATERIAL	WIDTH	DEPTH	HEIGHT	ТҮРЕ	QTY/ BOX
274150	Maple	Maple	17" (431 mm)	4-39/64" (117 mm)	18-3/8" (466 mm)	Wood Corner Tambour Unit with High-Quality Solid Wood Door	1
274250	Oak	Oak	17" (431 mm)	4-39/64" (117 mm)	18-3/8" (466 mm)	Wood Corner Tambour Unit with High-Quality Solid Wood Door	1
274280	Cherry	Cherry	17" (431 mm)	4-39/64" (117 mm)	18-3/8" (466 mm)	Wood Corner Tambour Unit with High-Quality Solid Wood Door	1
274300	White	Pine Fiber	17" (431 mm)	4-39/64" (117 mm)	18-3/8" (466 mm)	Wood Corner Tambour Unit with High-Quality Solid Wood Door	1
274660	Alder	Alder	17" (431 mm)	4-39/64" (117 mm)	18-3/8" (466 mm)	Wood Corner Tambour Unit with High-Quality Solid Wood Door	1
275150	Maple	Pine Fiber	17" (431 mm)	4-39/64" (117 mm)	18-3/8" (466 mm)	Wood Corner Tambour Unit with High-Quality Solid Wood Door	1

Tel.: 1 800 619.5446 • Fax: 1 800 876.7454





6 KITCHEN SOLUTIONS

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

HINGES

4 SLIDES

5 CASTERS AND LEGS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

PANELS AND SURFACES

13

14 EDGE-BANDING

16 CORBELS AND FLOOR REGISTERS

17

18 TOOLS AND SECURITY

19

20 COMMERCIAL DISPLAY HARDWARE



Richelieu Section 15C

NOTES

