


Gas Log Sets

For Hearth Systems



The convenience of
gas meets the
experience of an
open hearth.



HEAT & GLO
No one builds a better fire

The Best of Both Worlds

How would you like to enjoy a full, flickering fire in your existing wood-burning fireplace, without any effort and with absolutely no mess? You can with a Heat & Glo gas log set.

Now you can have it all. The look of a traditional, open-hearth fireplace plus the clean simplicity of gas—with just the touch of a button or the press of a remote control. A gas log set doesn't overheat the room or require any change in the appearance or structure of your fireplace. Instead it delivers a realistic, room-enhancing fire, at any moment, any day of the year.


Each gas log set is designed to team with a compatible hearth kit. Campfire Logs are sold with the hearth kit. All other gas log sets require a hearth kit sold separately.



As Easy as 1-2-3

1 Step 1 Measure Carefully

If you already have a Heat & Glo wood-burning fireplace, or are purchasing a new model, simply refer to the sizing chart in this brochure to find your specific model. Otherwise, take measurements of your fireplace floor (front width, depth and back width; refer to the drawing at right). Then bring the dimensions to your nearest Heat & Glo dealer.



2 Step 2 Select a Hearth Kit/Burner

Hearth kits go hand-in-hand with your gas log set to complete your fireplace conversion. They include the burner assembly, ember bed materials, clamps, connectors, and other hardware. All gas log sets must be used with appropriately sized hearth kits, sold separately (a hearth kit is included with the Campfire log sets). Choose a hearth kit that fits your firebox, keeping in mind the three types of burner lighting systems.

The three different types of burner lighting systems are:

- Matchlight (natural gas only): requires manual lighting each time you start a fire; the absence of valves or controls allows for use of the largest log set possible (no remote available)
- Safety pilot: provides a standing pilot ready for lighting (optional remote kits and log switch kits are available for these units)
- IntelliFire™ ignition system: when gas logs are turned on, the pilot lights first then ignites the main burner; when the gas logs are not operating, the pilot also shuts down; uses two D size batteries for operation with remote control option
- Grand Oak hearth kits are compatible only with Grand Oak logs
- Duzy hearth kits are compatible only with Duzy logs

3 Step 3 Select Your Gas Log Set

Pick your favorite design and ask your Heat & Glo dealer to help you make sure it's available in a size that's compatible with your hearth kit.

Gas Log Sets

Six different log set designs let you achieve the look you want, in sizes that fit almost any firebox. For the most realistic appearance, we recommend selecting the largest logs your fireplace will accommodate (refer to sizing guide on back of brochure).



Fireside Grand Oak

18", 24" & 30" (2 and 3-tiered burners, 18" only available in 3-tier)

Specifically designed to fill larger fireplaces, this log set easily fills generous hearths.

- 11 authentic-looking logs, molded from real oak timber (12 logs on 30")
- State-of-the-art, tiered burner system creates a multi-level fire
- Hidden controls are easily accessible, won't detract from the fire's authenticity, and allow the log set to fit perfectly centered
- Works with two types of burners: Matchlight (NG only) and IntelliFire
- Compatible only with Grand Oak hearth kits



Fireside Supreme Oak

18", 24" & 30" (See-through set in 18" and 24")

Realistically-detailed logs with the appeal of a fully charred, mature fire.

- 12 authentic-looking logs, molded from real oak timber
- Works with two types of burners: Matchlight (NG only) and Safety Pilot
- Hearth kit/burner sold separately



Fireside Realwood

18" and 24"

A good look at a great value.

- Eight richly-detailed logs
- Works with two types of burners: Matchlight (NG only) and Safety Pilot
- Hearth kit/burner sold separately



Campfire

18", 24" and 30"

Recreates the natural look of a traditional campfire.

- Front log conceals and insulates the controls so that the log set can burn with fireplace doors closed
- 18" and 24" sets have 10 fiber logs, 30" set has 11 fiber logs
- 24" see-through version has 13 fiber logs to accommodate multi-sided fireplaces
- All sizes available in Standing Pilot, 24" also available in IntelliFire
- Includes hearth kit



Duzy 2

24" and 30"

Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces.

- Four ceramic fiber logs
- Patented Natural Flame™ stainless steel burner
- Up to 17,000 BTUs of radiant heat
- Expertly engineered design prevents heat stress to controls



Duzy 3

24" and 30"

Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces.

- Six refractory cement logs
- Patented Natural Flame stainless steel burner
- Up to 17,000 BTUs of radiant heat
- Expertly engineered design prevents heat stress to controls



Duzy 5

24" and 30"

Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces.

- Eight ceramic fiber logs
- Patented Natural Flame stainless steel burner
- Up to 17,000 BTUs of radiant heat
- Expertly engineered design prevents heat stress to controls

| Select the gas log set that's right for you. For Heat & Glo wood-burning fireplaces, see sizing information provided. Otherwise, measure your fireplace. Next choose a hearth kit that fits. Finally, select your favorite gas log set design. | Heat & Glo Fireplace Models | | | | | | | | | | | | | | Minimum Fireplace Floor Dimensions | | | BTU/Hour Input | | | |
|--|-----------------------------|-------|--------|---------|------------|------------|------------|--------|-----------------|---------|---------------|---------------|---------------|---------------|------------------------------------|------------|------------|----------------|------------|-------|-------------|
| | RH-36 | RH-42 | EM-415 | EM-485T | EXCLAIM-36 | EXCLAIM-42 | EXCLAIM-50 | BAY 40 | HST-42D/Pier 40 | HST-48A | RUTHERFORD-36 | RUTHERFORD-42 | RUTHERFORD-50 | ODCASTLEWD-42 | ODVILLA-36 | ODVILLA-42 | MONTANA-36 | MONTANA-42 | Back Width | Depth | Front Width |

| Fireside Grand Oak Log Sets | Choose your hearth kit model † (doors are required to be open when burning) (hearth kit includes grate, burner assembly, sand/vermiculite, glowing ember material) | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|--|--|--|--|--|---|---|---|---|---|--|---|---|---|--|--|--|--|--|--|--|-----|-----|-----|-------------------|
| GO24 | GO24MTCH-HK | | | | | ● | ● | ● | | | | | | | | | | | | | | 21" | 20" | 32" | 73,000NG |
| GO30 | GO30MTCH-HK | | | | | | | ● | ● | | | | | | | | | | | | | 27" | 20" | 38" | 80,000NG |
| GO24 | GO24-IPI-NG-HK/GO24-IPI-LP-HK | | | | | | | | | | | | | | | | | | | | | 21" | 20" | 32" | 73,000NG/73,000LP |
| GO30 | GO30-IPI-NG-HK/GO30-IPI-LP-HK | | | | | | | ● | ● | | | | | | | | | | | | | 27" | 20" | 38" | 80,000NG/73,000LP |
| GO318 | GO318-IPI-NG-HK/GO318-IPI-LP-HK | | | | | ● | | | | | | ● | | | | | | | | | | 21" | 20" | 32" | 88,000NG/80,000LP |
| GO324 | GO324-IPI-NG-HK/GO324-IPI-LP-HK | | | | | | | ● | | | | | ● | | | | | | | | | 22" | 23" | 34" | 88,000NG/80,000LP |
| GO330 | GO330-IPI-NG-HK/GO330-IPI-LP-HK | | | | | | | | | ● | | | | ● | | | | | | | | 29" | 23" | 40" | 92,000NG/82,000LP |

| Campfire Log Series – includes gas log set and hearth kit (doors can be open or closed when burning) | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|---------|---------|---------|-------------------|
| CFL-18-NG/LP-C | | ● | ● | ● | ● | ● | ● | ● | | | | | | | | | | | | | | 19-1/2" | 13-1/2" | 23-1/2" | 60,000NG/60,000LP |
| CFL-24-NG/LP-C & CFL-24-IPI-NG/LP | | | ● | | | ● | ● | ● | | | | | | | | | | | | | | 22-1/2" | 15-1/2" | 27-1/2" | 60,000NG/60,000LP |
| CFL-30-NG/LP-C | | | ● | | | | ● | ● | | | | | | | | | | | | | | 24" | 15-1/2" | 30" | 60,000NG/60,000LP |

| Duzy Log Sets | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-----------------------------------|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|-----|---------|-----|-------------------|
| Choose your hearth kit model † (doors are required to be open when burning) (hearth kit includes grate, burner assembly, sand/vermiculite, glowing ember material) | | | | | | | | | | | | | | | | | | | | | | | | | |
| VDY24/18D2A, VDY24/18D3R, VDY24/18D5 | VDY24/18NVP (NG) VDY24/18PVP (LP) | ● | ● | ● | ● | ● | ● | ● | | | | | | | | | | | | | | 17" | 13-1/2" | 26" | 50,000NG/50,000LP |
| VDY30D2A, VDY30D3R, VDY30D5 | VDY30NVP (NG) VDY30PVP (LP) | ● | ● | ● | ● | ● | ● | ● | | | | | | | | | | | | | | 18" | 13-1/2" | 32" | 65,000NG/65,000LP |

| Choose from styles and sizes of log sets below* | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------|-----------------|---|---|---|---|---|---|---|---|--|--|--|--|--|---|---|---|---|---|--|-----|-----|-----|-----------|-----------|
| Choose your hearth kit Model † (Doors are required to be open when burning) (hearth kit includes grate, burner assembly, sand/vermiculite, glowing ember material) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fireside Supreme Oak FSO18, FSO24, FSO30 | Matchlight | MHK18NG | ● | ● | ● | ● | ● | ● | ● | | | | | | | | | | | | | 16" | 14" | 28" | 74,000 NG | |
| | | MHK24NG | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | | | | | | | 18" | 16" | 34" | 84,000 NG |
| Fireside Realwood FRW118 FRW124 | Safety Pilot | SP18NG | ● | ● | ● | ● | ● | ● | ● | | | | | | | | | | | | | 16" | 14" | 28" | 60,000 NG | |
| | | SP18LP | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | | | | | | | 16" | 14" | 28" | 40,000 LP |
| | | SP24NG | | ● | | ● | | ● | ● | | | | | | | | | | | | | | 18" | 16" | 34" | 67,000 NG |
| | | SP24LP | | ● | | ● | | ● | ● | | | | | | | | | | | | | | 18" | 16" | 34" | 40,000 LP |
| | | SP30NG | | | | | | ● | ● | | | | | | | | | | | | | | 24" | 16" | 42" | 80,000 NG |
| Fireside Realwood Outdoor FRW118 FRW124 | Outdoor | OD-18NG | | | | | | | | | | | | | | ● | | ● | | | | 16" | 14" | 28" | 62,000 NG | |
| | | OD-24NG | | | | | | | | | | | | | | | | ● | | ● | | 18" | 16" | 34" | 69,000 NG | |
| | | ODSP-18LP | | | | | | | | | | | | | | | ● | | ● | | | 16" | 14" | 28" | 55,000 LP | |
| | | ODSP-24LP | | | | | | | | | | | | | | | | ● | | ● | | 18" | 16" | 34" | 61,000 LP | |
| Outdoor Grand Oak Gas Logs GO324 | Outdoor GO | OGO324-MTCH-HK | | | | | | | | | | | | | | ● | | | | | | 22" | 23" | 34" | 86,000 NG | |
| | | OGO324-IPING-HK | | | | | | | | | | | | | | | ● | | | | | | 22" | 23" | 34" | 88,000 NG |
| | | OGO324-IPILP-HK | | | | | | | | | | | | | | | ● | | | | | | 22" | 23" | 34" | 80,000 LP |

† 18" log sets fit 18" hearth kits, 24" log sets fit 24" hearth kits, 30" log sets fit 30" hearth kits. *Control (sold separately) must be ordered for operation

| See-through hearth kits (doors are required to be open when burning) | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| See-through Fireside Supreme Oak STFS018 STFS024 | STSP18NG | | | | | | | | | | | | | | | | | | | | | | | | |
| | STSP18LP | | | | | | | | | | | | | | | | | | | | | | | | |
| | STSP24NG | | | | | | | | | | | | | | | | | | | | | | | | |
| | STSP24LP | | | | | | | | | | | | | | | | | | | | | | | | |

KEY: MHK or MTCH=Matchlight—requires manual lighting (NG only), SP=Safety Pilot—provides standing pilot for easy lighting, IPI=IntelliFire Ignition System



800-927-6841 | fireplaces.com



1. The IntelliFire Ignition System (IPI) is an advanced intermittent pilot ignition system. IPI constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs.

The information provided in this literature is for planning purposes only. Please consult the installation manual for actual installation. Actual product appearance, including flame, may differ from product images. Product information provided is not complete and is subject to change without notice. Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury. Limited Lifetime Warranty - For full warranty details, go to fireplaces.com. ©2018 Hearth & Home Technologies Inc.

HNG-1023U-0219