


**ALPHA®**

TOOLS FOR  
**HARDSCAPE  
CONTRACTORS**

PATENT PENDING  
Made in Italy



PROVIDING BETTER  
SOLUTIONS  
TO THE  
PROFESSIONAL



VERSION 3



## COMPANY INFORMATION

**103 Bauer Drive  
Oakland, NJ 07436**

**Hours of Operation:**  
8:30 a.m. – 5:00 p.m. EST

**Telephone Number:** 201-337-3343  
**Toll-Free Number:** 800-648-7229  
**Fax Number:** 201-337-2216

**Customer Service Fax Number:** 800-286-0114  
**Tool Department Fax Number:** 201-337-2265  
**Accounting Department Fax Number:** 201-337-2262

**E-mail orders to:** [orderdesk@alpha-tools.com](mailto:orderdesk@alpha-tools.com)  
**E-mail Spare Parts orders to:** [tooldesk@alpha-tools.com](mailto:tooldesk@alpha-tools.com)  
**Technical Support:** [technicalsupport@alpha-tools.com](mailto:technicalsupport@alpha-tools.com)

### SALES CONTACTS BY TERRITORY:

Caribbean	201-337-3343	<a href="mailto:Sales-Caribbean@alpha-tools.com">Sales-Caribbean@alpha-tools.com</a>
Canada	519-505-7900 / 226-931-4166 / 519-546-9861	<a href="mailto:Sales-Canada@alpha-tools.com">Sales-Canada@alpha-tools.com</a>
Central Plains	800-648-7229	<a href="mailto:Sales-CentralPlains@alpha-tools.com">Sales-CentralPlains@alpha-tools.com</a>
Florida	786-570-4350	<a href="mailto:Sales-Florida@alpha-tools.com">Sales-Florida@alpha-tools.com</a>
International	201-337-3343	<a href="mailto:Sales-International@alpha-tools.com">Sales-International@alpha-tools.com</a>
Mid-Atlantic	804-382-5357	<a href="mailto:Sales-Mid-Atlantic@alpha-tools.com">Sales-Mid-Atlantic@alpha-tools.com</a>
Midwest	630-849-7105	<a href="mailto:Sales-Midwest@alpha-tools.com">Sales-Midwest@alpha-tools.com</a>
Mountain	480-283-3729 / 602-337-3393	<a href="mailto:Sales-Mountain@alpha-tools.com">Sales-Mountain@alpha-tools.com</a>
New England	860-933-6626	<a href="mailto:Sales-NewEngland@alpha-tools.com">Sales-NewEngland@alpha-tools.com</a>
Northern CA	800-648-7229	<a href="mailto:Sales-NorthernCA@alpha-tools.com">Sales-NorthernCA@alpha-tools.com</a>
Northwest	925-428-1292	<a href="mailto:Sales-Northwest@alpha-tools.com">Sales-Northwest@alpha-tools.com</a>
NY Metro	973-830-7681	<a href="mailto:Sales-NYMetro@alpha-tools.com">Sales-NYMetro@alpha-tools.com</a>
Ohio Valley	440-364-3759	<a href="mailto:Sales-OhioValley@alpha-tools.com">Sales-OhioValley@alpha-tools.com</a>
Pacific	800-648-7229	<a href="mailto:Sales-Pacific@alpha-tools.com">Sales-Pacific@alpha-tools.com</a>
South	713-252-9851	<a href="mailto:Sales-South@alpha-tools.com">Sales-South@alpha-tools.com</a>
Southeast	678-977-1147	<a href="mailto:Sales-Southeast@alpha-tools.com">Sales-Southeast@alpha-tools.com</a>
Southern CA	714-853-3476	<a href="mailto:Sales-SouthernCA@alpha-tools.com">Sales-SouthernCA@alpha-tools.com</a>
Visit us on the web at:		<a href="http://www.alpha-tools.com">www.alpha-tools.com</a>



*Alpha Professional Tools® product line and pricing is subject to change at any time.  
Alpha® is not responsible or liable for typographical errors.*

# TABLE OF CONTENTS

## TOOLS

### STONE CUTTER

• ESC-125, Wet/Dry Stone Cutter.....	6
• Countertop Trim Kit .....	8
• ECC-125, Virtually Dust-Free Cutting Solution .....	9
• ECC-KIT, Dry Porcelain Paver Tile Cutting System .....	10

### POLISHERS

• AIR-680 .....	11
• AIR-300 .....	12
• VSP-320, Variable Speed Wet Polisher .....	13
• VDP-700, Variable Speed Rotary Polisher.....	14
Wool Pads .....	16
Rotary Backer Pads .....	16

### POLISHING KITS

• Scratch Removal Kit.....	17
• Tile Bullnose Kit.....	17

## CUTTING

### DRY BLADES

• Plus .....	19
• Quad.....	19
• Eclipse II.....	20
• Eclipse Q .....	20
• Katana .....	21
• Ultracut GPM.....	21

### WET BLADES

• Q-Cut.....	22
• Porcellana .....	23
• Porcellana PRS.....	23
• Vetro .....	24
• Vetro PRS.....	24

### FLUSH CUTTING BLADES

• Vortex for Granite .....	25
• Vortex for Marble .....	25

### CURVE CUTTING BLADES

• Contour for Porcelain/Crystallized Glass.....	26
---	----

### DEMOLITION SAW BLADES

• PT Cutter .....	27
• Blade Master .....	28
• Rescue Blade .....	28

### BLADE ACCESSORIES

• Quad Adapters .....	29
• Flange Adapters .....	29
• Spike Ruler.....	29
• Dressing Stick .....	29

## PROFILING

### PROFILERS

• Profiler B-Series .....	31
• Profiler Z-Series .....	31
• Profiler V-Series .....	31

## DRILLING

### CORE DRILL BITS

• Wet Core Bits .....	34
• Dry Core Bits .....	34

### TRIMMER BITS

• Vacuum Brazed Trimmer Bit .....	35
-----------------------------------	----

### DRILL BITS

• Electroplated Drill Bits .....	35
----------------------------------	----

### DRILL BIT ACCESSORIES

• Drill Bit Guide .....	36
-------------------------	----

## POLISHING

### DIAMOND PADS

• Diamond Hand Pads .....	38
• Ceramica EX .....	39
• Sandpaper .....	39

## ACCESSORIES

### DUST-FREE GUARDS

• Ecoguard Type C .....	41
• Ecoguard Type W5 .....	41
• Ecoguard Type G .....	42
• Ecoguard Type CD .....	42
• Ecoguard D .....	42

### BACKER PADS

• Rigid Backer Pads .....	43
• Flexible Backer Pads .....	43
• GV Backer Pads .....	43

### MISCELLANEOUS

• Aprons .....	44
• Wet Blade Cutting Kit .....	45
• Safety Glasses .....	45
• Rust Inhibitor Oil .....	45
• Manifold System .....	46
• Hoses .....	47
• HEPA Vacuum .....	49
• Corner Ruler .....	50
• G-Tape .....	51
• EZ Click System .....	54

## TOOLS

High-performance tools,  
designed for use in the  
construction industry



## STONE CUTTER

Introducing A New and Improved  
Version of Our Popular **AWS-125...**


**ALPHA**<sup>®</sup>

# ESC-125

WET/DRY STONE CUTTER

**OSHA**<sup>®</sup>  
COMPATIBLE

DRY



Dust Cover For HEPA  
Vacuum Connection

- New Motor Design
- Kink Free Hybrid Water Supply Hose with Quick Change Connector

WET



Newly Designed  
Water Jet

Quick Change  
Connector

\*Blade not included



## ESC-125

## WET/DRY STONE CUTTER



- Precision Cuts Everytime
- Powerful Motor For Use On Porcelain Paver Tile, Granite, Quartz Surfaces, Marble, Limestone, Concrete and Sintered Slabs
- Water-Feed Supply Eliminates The Harmful Dust Particles
- Base Plate Allows Guides To Be Used in Multiple Ways
- Dust Cover for HEPA Vacuum Connection
- New Clamping System Ensures Cutting Stability
- Included Self-Stick Felt Strips Protects The Work Surface From Scratches
- Built-In GFCI (Ground Fault Circuit Interrupter)
- Great For Use With Curve Cutting Blades
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	ESC-125
Rating	110 Volts
Amperage	11.2A
Power	1200W
No Load Speed (min-1)	12,000 RPM
Weight	8.9 lbs (4.0 kgs)
Arbor	7/8" (22.23mm)
Cutting Disc Diameter	5" (125mm)
Plug Type	A (110V)
Cord	15ft (4.5m) Single-Phase
Max. Cutting Depth	1-5/8" (41mm)

ITEM	QUANTITY
Dust Cover	1
Knob Bolt	3
TT Ruler Guide	1
Water Hose Assembly	1
Quick Connect Adapter	1
Side Handle	1
Screw (M6x30-Left)	1
Flange 3	1
Carbon Brush Set	1
T-Handle Wrench	1
Open-End Wrench (22mm)	1
Self-stick Felt Strip Set	1
GFCI	1
EasyOn-EasyOff Sleeve	1
SS Flat Head Screw (M4x10)	3
Water Valve Assembly	1

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
ESC-125	5"	110V	7/8" (22.23mm)	Wet/Dry Stone Cutter

COUNTERTOP TRIM KIT

COMPLETE TRIM KIT  
FOR A CUSTOM-LOOK

Part number: 5480-4150

COUNTERTOP  
TRIM KIT



Complete  
Trim Kit for a  
Custom Look

INCLUDES:

- Wet/Dry Stone Cutter  
ESC-125
- 5" Eclipse Blade  
DEE005
- 5" Carriage Assembly  
for Stone Cutter  
ASC-5CSM
- 4' Guide Rail with Clamps  
ASC-GR04

- Recommended for Hard Surfaces
- Eclipse II Blade has 8mm Tall Diamond Layer for a Long Life
- Perfect for your Stone Tile Application
- High-End General Purpose Turbo Blade for Stone Fabricators
- Consistent Performance without Chipping
- Kit Contains: ESC-125 Stone Cutter, 5" Carriage Assembly, 5" Eclipse II Blade and 4' Guide Rail
- One Year Tool Warranty (*See manual for details*)

PART NO.	DESCRIPTION
5480-4150	Countertop Trim Kit (ESC-125)



ECC-125

ECOCUTTER



- Virtually Dust-Free
- Portable Cutting System
- Accurate Cutting Performance
- Eliminates Downtime
- Built-in In-line circuit breaker
- Great for Grout Removal, Crack Chasing & Concrete Profiling
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	ECC-125
Rating	110 Volts
Amperage	11.2A
Power	1200W
No Load Speed (min-1)	12,000 RPM
Weight	9.5 lbs (4.3 kgs)
Arbor	7/8" (22.23mm)
Cutting Diameter	5" (125mm)
Maximum Cutting Depth	1-1/8" (29mm) (Without Ecocutter Table)

ITEM	QUANTITY
Dust Hose	1
Dust Gate	1
Side Handle	1
Hexagon Ring Spanner	1
Wrench	1
Dust Bag	1
TT Ruler	1
Hook & Loop Strap	2

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
ECC-125	5"	110V	7/8" (22.23mm)	Ecocutter
133544	17" x 13-1/2" x 12"			Dust Bag w/strap
ECO-CARS		Steel		Dust Bag Carriage (includes Dust Bag)

DUST BAG CARRIAGE



ECC-KIT

DRY PORCELAIN PAVER  
TILE CUTTING SYSTEM



- Virtually Dust-Free
- Portable Cutting System
- Accurate Cutting Performance
- Eliminates Downtime and The Messy Cleanup
- Built-In Breaker Assembly
- Holds 3/4" Thick Porcelain Paver Tile
- One Year Tool Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	ECC-KIT (ECC-125)
Rating	110 Volts
Amperage	11.2
Power	1200W
No Load Speed (min-1)	12,000 RPM
Weight	9.5 lbs (4.3 kgs)
Arbor	7/8" (22.23mm)
Cutting Diameter	5"(125mm)
Maximum Cutting Depth	1-1/8" (29mm) (without Ecocutter Table)

EQUIPMENT INCLUDED	QUANTITY
ECC-125	1
Dust Hose	1
Dust Gate	1
Side Handle	1
Hexagon Ring Spanner	1
Wrench	1
Dust Bag	1
TT Ruler Guide	1
Hook & Loop Strap	2
Ecocutter Table	1
Ecocutter Stand	1
Alpha® Ultracut GPM Blade 5"	1
Basic Instructional DVD	1

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
ECC-KIT	5"	110V	7/8" (22.23mm)	Dry Cutting System
ECC-125	5"	110V	7/8" (22.23mm)	Ecocutter
133544	17"x13-1/2 x 12"			Dust Bag w/strap
ECC-STAND				Dry Cutting System Stand
ECC-TABLE				Dry Cutting System Table
170005				Ecocutter DVD
PART NO.	SIZE	THICKNESS	MAX RPM	ARBOR(S)
GPM0578	5"	1.5mm	12,200	7/8"

## AIR-680

## ULTIMATE PNEUMATIC POLISHER



- High-Performance, Pneumatic Polishing Tool with A Central Water-Feed System
- No-Load 4,000 RPMs
- 15ft. All-Weather Hoses with Flexibility Down To -40F (or +140F)
- Oil Port for Easy Lubrication
- Lightweight and Ergonomically Designed
- Consumes 15 CFM and Requires 85 PSI
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	AIR-680
Air Pressure	85 PSI
Air Consumption	15 CFM
No load Speed	4,000 RPM
Weight	2.64 lbs (1.2 kgs)
Air Inlet	1/4" BSPP
Water Inlet	1/8" BSPP
Spindle	5/8"-11



ITEM	QUANTITY
Air Lead Hose 15ft. (4.5m)	1
Water Hose 15ft. (4.5m)	1
Side Handle (reversible)	1
Double End Wrench 19mm (22mm)	1
Rust Inhibitor Oil (8oz / 237ml) (AIR-008)	1
Screw (w/ O-Ring Seal for Oil Port)	1
Exhaust Hose with Clamp	1



PART NO.	MAXIMUM RPM	RECOMMENDED FOR	DESCRIPTION
AIR-680	4,000	Wet Polishing, Drilling & Profiling	Pneumatic Polisher
AIR-008		Pneumatic Tools	Rust Inhibitor Oil 8oz (237ml)

AIR-300

MINI PNEUMATIC POLISHER



- High-Performance, Pneumatic Polishing Tool with A Central Water-Feed System
- No-Load 5,800 RPMs
- Lightweight and Ergonomically Design Reduces Fatigue
- Designed To Easily Maneuver in Small Areas Like Sink Rims and Bowls
- Consumes 10 CFM and Requires 87 PSI
- Only Requires 3HP Compressor
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	AIR-300
Air Pressure	87 PSI (0.6Mpa (6 bar))
Air Consumption	10 CFM (280L/Min)
No Load Speed	5,800 RPM
Weight	1.6 lbs / .731 kgs
Air Inlet	1/4" BSPT
Water Inlet	1/4" BSPP
Spindle	5/8"-11



ITEM	QUANTITY
Air Hose 10ft (3m)	1
Water Hose 10ft (3m)	1
Faucet/Garden Hose Adapter	1
Wrench (17mm)	1
Rust Inhibitor Oil (1oz / 30cc) (Replace with: AIR-008)	1



PART NO.	MAXIMUM RPM	RECOMMENDED FOR	DESCRIPTION
AIR-300	5,800	Wet Polishing	Mini Pneumatic Polisher
AIR-008		Pneumatic Tools	Rust Inhibitor Oil 8oz (237ml)

## VSP-320

## VARIABLE SPEED WET POLISHER



- Heavy-Duty Gear System with Step-Down Transmission
- 15ft. Flexible All-Weather Water Hose
- 15ft. Electrical Power Cord Has An Inline GFCI
- EasyOn-EasyOff Sleeve Improves Maneuverability
- Adjustable Splash Guard
- Center Water-Feed System
- Ventilation Cap Diverts Water from Getting Into Motor Housing
- C-Handle & Side Handle for User Convenience
- One Year Warranty (See manual for details)

SPECIFICATION	DATA
Model	VSP-320
Rating	120 Volts
Amperage	7.0A
Power	800W
No Load Speed (Variable)	700~2500 RPM
Weight	7.3 lbs (3.3 kgs)
Spindle	5/8"-11
Power Supply	Single-phase AC, 50/60Hz
Plug Type	A (120V)
Cord	15ft (4.5m)
Polishing Disc Size	4" (100mm)

PART NO.	TYPE	DESCRIPTION
VSP-320	120V	Variable Speed Wet Polisher



ITEM	QUANTITY
Ground Fault Circuit Interrupter*	1
Flexible Hose w/ Garden Hose Adapter*	1
Wrench	1
C-Handle w/ Mounting Screws*	1
Side Handle (Reversible)	1
Extra Carbon Brush Set	1
Ventilation Cap w/ Rubber Band*	1
Splash Guard w/ Clamp	1
EasyOn-EasyOff Sleeve*	1

\*Factory Attached



# VDP-700

## VARIABLE SPEED ROTARY POLISHER





## VDP-700

## WET/DRY VARIABLE SPEED ROTARY POLISHER



\*Backer and Pad Not Included

- Variable Speed 700-3500 RPM with Soft Start
- Designed For The Polishing Professional
- Heavy-Duty Precision Gear System
- Powerful 11.0 Amp (rated) Motor
- Built-in Speed Stabilizer for Constant Speed Output
- Configured with A Long-life Motor and Carbon Brushes
- 25ft. 14 AWG Electrical Power Cord
- Lightweight for Better Manueverability
- Industrial Quality Polisher
- C-Handle & Side Handle for User Convenience
- One Year Warranty (*See manual for details*)

SPECIFICATION	DATA
Model	VDP-700
Rating	120 Volts
Amperage	11.0A
Power	1250W (Rated), 1900W (Maximum)
No Load Speed (Variable)	700~3500 RPM
Weight	6.4 lbs (2.9 kgs)
Spindle	5/8"-11
Power Supply	Single-phase AC, 50/60Hz
Plug Type	A (120V)
Cord	25ft (7.6m) (14 AWG)
Backing Plate Size	7" (178mm) (Maximum)
Polishing Disc Size	9" (228mm) (Maximum)

ITEM	QUANTITY
Spanner Wrench	1
Hex Wrench	1
C-Handle w/Mounting Screws	1
Side Handle	1
Extra Carbon Brush Set	1



\*Backer and Pad Not Included

PART NO.	SIZE	MAXIMUM RPM	TYPE	DESCRIPTION
VDP-700	7"	700-3500	120V	Variable Speed Rotary Polisher

## WOOL PADS

**REMOVES DEEP  
SCRATCHES WITH EASE**



- Removes Deep Scratches, Overspray & Severe Swirl Marks With Ease
- Premium Performance and Heat-Resistant
- Smoother Handling and Reduced Vibration
- For Use on Rotary Polishers
- Great for Heavy Oxidation

PART NO.	SIZE	TYPE	RECOMMENDED FOR	MATERIAL	GRIT
WP003160	3"	Hook & Loop	Heavy Cutting	High-Nap Knitted Wool	T160
WP006160	6"	Hook & Loop	Heavy Cutting	High-Nap Knitted Wool	T160
WP007160	7"	Hook & Loop	Heavy Cutting	High-Nap Knitted Wool	T160

## ROTARY BACKER PAD

**FOR USE ON  
ROTARY POLISHERS**



- Soft Molded Urethane With Flexible Edge
- Urethane Backing Makes for Greater Flexibility and Excellent Polishing
- Ideal for Contour Polishing
- For Use with Foam, Wool & Microfiber Pads
- Hook & Loop Allows for Fast Pad Changes
- Well Balanced for Smooth Polishing
- Absorbs Vibrations and Has Great Rebound Performance



Hook & Loop



Adhesive

PART NO.	SIZE	TYPE	RECOMMENDED FOR	THREADS
MP358HL	3"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP558HL	5"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP658HL	6"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP758HL	7"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP858HL	8"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP858GL	8"	Adhesive	Foam, Wool & Microfiber Pads	5/8"-11

## SCRATCH REMOVAL KIT

## COMPLETE SCRATCH REMOVAL SYSTEM



- Designed for Scratch Removal and Seam Polishing in The Field
- Polishes Flat Surfaces Without The Wavy Finish
- Comes with a C-Handle Designed To Improve Stability
- Has Everything You Need For The Proper Scratch Removal Technique
- Great Tool for Adding A Post-Installation Service
- Kit Contains: VSP-320 Polisher, Turboshine Rigid System, Dual Adapter and Apron
- One Year Tool Warranty (See manual for details)



PART NO.	DESCRIPTION
5480-1570	Scratch Removal Kit (VSP-320)

## TILE BULLNOSE KIT

## CREATES A FACTORY FINISH EASILY



- Designed To Create A Bullnose Edge On Tile or Stone and Polish It To A Factory Quality Finish
- Goof-Proof Hand-Held Application
- Quality Finish Without The Factory
- Save Time and Money
- Has Everything You Need Including An Instructional DVD
- Kit Contains: VSP-320 Polisher, Profiler B, 4" Ceramica EX Polishing Discs, 4" Flexible Backer Pad, Apron and DVD
- One Year Tool Warranty (See manual for details)



PART NO.	DESCRIPTION
5480-1400	Tile Bullnose Kit (VSP-320)

## CUTTING

Premium blades for all your cutting needs.



## PLUS

## ULTIMATE DRY BLADE FOR STONE FABRICATORS



- Best Dry Cutting Turbo Blade on the Market
- Perfect for Granite, Engineered Stone and Blue Stone
- 8mm Tall Diamond Layer for a Long Life
- Recommended for Hard Concrete
- Chip-Free Cutting on Most Demanding Applications

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DA04A+	4"	2.1mm	14,500	20mm, 5/8"
DA05A+	4-1/2"	2.1mm	13,200	7/8", 20mm
DA05S	5"	2.1mm	12,200	7/8"
DA06A+	6"	2.1mm	10,100	7/8", 5/8", ⚡
DA07A+	7"	2.3mm	8,400	5/8", ⚡
DA08A+	8"	2.3mm	7,400	5/8", ⚡
DA09A+	9"	2.3mm	6,600	7/8", 5/8"
DA10A+	10"	2.5mm	5,900	1", 5/8"
DA11A+	10"	2.5mm	5,900	5/8"
DA12A+	12"	2.5mm	6,200	1", 20mm
DA13A+	12"	2.5mm	6,200	20mm

## QUAD

## ULTIMATE DRY FLUSH CUTTING BLADE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Fits most popular High-speed Angle Grinders
- Specially Designed for Flush Cutting
- Best Dry Cutting Turbo Blade on the Market
- Chip-Free Cutting on Most Demanding Applications



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	THREADS
DA04AH	4"	2.1mm	14,500	20mm Quad Drive	
DA05SH	5"	2.1mm	12,200	20mm Quad Drive	
DA06AH	6"	2.1mm	10,100	20mm Quad Drive	
DA07AH	7"	2.3mm	8,400	20mm Quad Drive	
DA08AH	8"	2.3mm	7,400	20mm Flange with 8 holes	
DA09AH	9"	2.5mm	6,600	20mm Flange with 8 holes	
DA11AH	10"	2.5mm	5,900	20mm Flange with 8 holes	
AAH-7/8		Aluminum Adapter		7/8"	5/8"-11
AAH-20		Aluminum Adapter		20mm	5/8"-11
BAH-5/8		Brass Adapter		20mm	5/8"-11

## ECLIPSE II

## HIGH PERFORMANCE DRY BLADE



- High-End General Purpose Turbo Blade for Stone Fabricators
- 8mm tall Diamond Layer for a Long Life
- Perfect for your Stone Tile Application
- Consistent Performance without Chipping
- Recommended for Hard Concrete

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DEE004	4"	2.1mm	14,500	20mm, 5/8"
DEE045	4-1/2"	2.1mm	13,200	7/8", 20mm
DEE005	5"	2.1mm	12,200	7/8"
DEE006	6"	2.1mm	10,100	7/8", 5/8",
DEE007	7"	2.3mm	8,400	5/8",
DEE008	8"	2.3mm	7,400	5/8",

## ECLIPSE Q

## HIGH PERFORMANCE DRY FLUSH CUTTING BLADE



- Requires Flange Adapter to fit High-Speed Angle Grinder
- 8mm tall Diamond Layer for a Long Life
- Specially Designed for Flush Cutting
- High-End General Purpose Turbo Blade for Stone Fabricators
- Consistent Performance without Chipping



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	THREADS
DEQ004	4"	2.1mm	14,500	20mm Quad Drive	
DEQ005	5"	2.1mm	12,200	20mm Quad Drive	
DEQ578	5"	2.1mm	12,200	7/8" Quad Drive	
DEQ006	6"	2.1mm	10,100	20mm Quad Drive	
DEQ678	6"	2.1mm	10,100	7/8" Quad Drive	
DEQ007	7"	2.3mm	8,400	20mm Quad Drive	
DEQ008	8"	2.3mm	7,400	20mm Flange with 8 holes	
AAH-7/8		Aluminum Adapter		7/8"	5/8"-11
AAH-20		Aluminum Adapter		20mm	5/8"-11
BAH-5/8		Brass Adapter		20mm	5/8"-11



KATANA

ULTIMATE DRY BLADE  
FOR ALL TILES



- Tile Installer's Choice for Dry Cutting
- Specially Designed for 3/8" Hard Porcelain Tile
- Best Dry Cutting Tile Blade with Minimal Chipping
- Hybrid Dry Saw Blade for All Tiles
- Can Be used Wet or Dry



5" Katana Blade

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DPT100	4"	1.4mm	14,500	20mm, 5/8"
DPT115	4-1/2"	1.4mm	13,200	7/8", 20mm
DPT125	5"	1.4mm	12,200	7/8"
DPT150	6"	1.4mm	10,100	7/8", 5/8", <img alt="diamond icon" data-bbox="778 511 804 521"/>

ULTRACUT GPM

VACUUM-BRAZED  
DIAMOND BLADE



- Perfect for 2cm Porcelain Paver Tile
- Cuts most materials without chipping or cracking
- Maintains excellent cutting performance at the maximum cutting depth
- Great for building contractors and fabricators who work with metal and composite materials
- Fits on most popular hand-held electric power tools

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
GPM0420	4"	1.5mm	14,500	20mm, 5/8"
GPM4578	4-1/2"	1.5mm	13,200	7/8", 20mm
GPM0578	5"	1.5mm	12,200	7/8"
GPM06UN	6"	1.9mm	10,100	7/8", 5/8", <img alt="diamond icon" data-bbox="824 841 850 851"/>
GPM07UN	7"	1.9mm	8,400	7/8", 5/8", <img alt="diamond icon" data-bbox="824 861 850 871"/>
GPM08UN	8"	1.9mm	7,400	7/8", 5/8", <img alt="diamond icon" data-bbox="824 881 850 891"/>
GPM0978	9"	2.2mm	6,600	7/8", 5/8"

Q-CUT

THE ULTIMATE WET BLADE  
FOR QUARTZITE/GRANITE TILE



- Perfect for 2cm Porcelain Paver Tile
- Formulated To Cut Hard Tiles Such As Quartzite/ Granite
- Tile Installer's Choice for Stone Tile
- Designed for Fast, Precision Chip-Free Cutting
- 4-1/2" and 5" Blades Can Be Used Wet or Dry



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
QZ4578	4-1/2"	1.6mm	13,200	7/8", 20mm
QZ0578	5"	1.6mm	12,200	7/8"
QZ0658	6"	1.4mm	10,100	7/8", 5/8", ⚡
QZ0758	7"	1.6mm	8,400	5/8"
QZ0858	8"	1.6mm	7,400	5/8"
QZ1058	10"	2.0mm	5,900	5/8"

## PORCELLANA

## ULTIMATE WET BLADE FOR PORCELAIN TILES



- 3/8" (10mm) Tall Diamond Layer for Long Life
- Tile Installer's Choice for Chip Free Wet Cutting
- Recommended for Granite, Marble, Porcelain, Engineered Stone, Travertine and Ceramic Tiles
- Best Wet Cutting Tile Blade on the Market
- Hybrid Wet Saw Blade for All Tiles

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
PT04A+	4-3/8"	1.4mm	13,200	7/8", 20mm
PT05S	5"	1.4mm	12,200	7/8"
PT07A+	7"	1.6mm	8,400	5/8"
PT08A+	8"	1.6mm	7,400	5/8"
PT10A+	10"	1.6mm	5,900	5/8"

## PORCELLANA for PRS

## ULTIMATE WET BLADE FOR PORTABLE RAIL SAWS



- 3/8" (10mm) Tall Diamond Layer for Long Life
- Tile Installer's Choice for Chip-Free Wet Cutting
- Recommended for Granite, Marble, Porcelain, Engineered Stone, Travertine and Ceramic Tiles
- Best Wet Cutting Tile Blade for Rail Saw on the Market
- Hybrid Wet Saw Blade for All Tiles



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
PT0801	8"	1.6mm	7,400	1", 7/8", 5/8"
PT1001	10"	1.6mm	5,900	1", 5/8"

VETRO

ULTIMATE WET BLADE  
FOR GLASS TILES



- Best Wet Cutting Glass Blade on the Market
- Designed for Chip-Free Cutting
- Tile Installer's Choice for Glass Tile
- Chip-Free Cutting on Most Demanding Applications
- Wet Use Only

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
WG0438	4-3/8"	1.0mm	13,200	7/8", 20mm
WG0700	7"	1.6mm	8,400	5/8"
WG0800	8"	1.6mm	7,400	5/8"
WG1000	10"	1.6mm	5,900	5/8"

VETRO for PRS

VETRO FOR PORTABLE  
RAIL SAW



- Wet Use Only
- Designed for Chip-Free Cutting
- Tile Installer's Choice for Glass Tile
- Best Wet Cutting Glass Blade for Rail Saw on the Market
- Chip-Free Cutting on Most Demanding Applications



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
WG1001	10"	1.6mm	5,900	1", 5/8"

# FLUSH CUTTING BLADE

## VORTEX

## INTRICATE & FLUSH CUTTING BLADE FOR GRANITE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Perfect for Granite and Engineered Stone
- Specially Designed for Flush Cutting
- Stone Fabricator's Choice
- Chip-Free Cutting on Most Demanding Applications
- Side Protection Segments Help Cutting Straight



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	THREADS
FCD40AH	4"	2.5mm	14,500	20mm Quad Drive	
FCD50AH	5"	2.5mm	12,200	20mm Quad Drive	
AAH-20		Aluminum Adapter		20mm	5/8"-11
BAH-5/8		Brass Adapter		20mm	5/8"-11

## VORTEX

## INTRICATE & FLUSH CUTTING BLADE FOR MARBLE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Specially Designed for Marble and Lime Stone
- Specially Designed for Flush Cutting
- Stone Fabricator's Choice
- Chip-Free Cutting on Most Demanding Application



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	THREADS
FCM50AH	5"	1.6mm	12,200	20mm Quad Drive	
AAH-20		Aluminum Adapter		20mm	5/8"-11
BAH-5/8		Brass Adapter		20mm	5/8"-11

CONTOUR

CURVE CUTTING BLADE FOR  
PORCELAIN/CRYST. GLASS

CONTOUR  
FOR PORCELAIN

Curve Cutting on Porcelain,  
Crystallized Glass and  
Sintered Slabs



- Perfect for 2cm Porcelain Paver Tile
- Designed Specifically for Cutting Porcelain and Sintered Slabs
- Fits On Wet/Dry Stone Cutters
- Cuts Curved Areas Cleanly, Accurately and Safely While Allowing A Wider Kerf
- Direct Sintered Diamond Segments On Steel Core Prevents Undercutting
- Can Be Used Either Wet or Dry

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	DEPTH OF CUT
CCP004	4"	4.0mm	14,500	7/8"	3/4"
CCP045	4-1/2"	4.0mm	13,200	7/8"	3/4"
CCP005	5"	4.0mm	12,200	7/8"	1-1/4"



PT CUTTER

ULTIMATE DRY BLADE FOR  
HARDSCAPE CONTRACTORS



- Best Dry Cutting Turbo Blade on the Market
- Perfect for Porcelain Paver Tile
- 6mm Tall Diamond Layer for a Long Life
- Recommended for Landscaping Tiles
- Fits Most Gas-Powered Demolition Saws
- Can Be Used Wet or Dry
- Special Turbo Rim Diamond Layer Sintered Directly to the Steel Core
- Can Be Used On Portable Rail Saws



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
LT09A+	9"	2.5mm	6,600	7/8", 5/8"
LT12A+	12"	2.6mm	6,200	1", 7/8", 20mm
LT14A+	14"	2.8mm	5,360	1", 7/8", 20mm

BLADEMASTER

HIGH-SPEED DIAMOND BLADE  
FOR DEMOLITION / CONCRETE



- High-Quality Laser-Welded Segmented Blades for High-Speed Demolition Saws
- Slices Through Materials with Ease
- Works On Concrete with Re-Bar, Steel, Stone, Metal, Wood, Glass and Rubberized Materials
- Fits Masonry Saws & Road Cutters
- Can Be Used Wet or Dry
- Available in 12", 14" and 16" Diameters with Pin Hole

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
BML1214	12"	2.9mm	6,200	1" w/pin hole
BML1414	14"	3.0mm	5,360	1" w/pin hole
BML1614	16"	3.1mm	4,700	1" w/pin hole

RESCUE

DEMOLITION BLADE  
CUTS IT ALL



- Slices Through Materials with Ease
- Works on Concrete with Re-Bar, Steel, Stone, Metal, Wood, Glass and Rubberized Materials
- Proven Winner for Firefighters, Police Officers and Construction Professionals
- Gas-Powered Cut-Off Saw
- Available in 9", 12" and 14" Diameters

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
RB09A+	9"	2.8mm	8,300	7/8"
RB12A+	12"	3.0mm	6,200	1", 7/8", 20mm w/Pin Hole
RB14A+	14"	3.2mm	5,360	1", 7/8", 20mm w/Pin Hole
DR14A+	14"	3.4mm	5,360	1", 7/8", 20mm



## QUAD ADAPTERS



- Designed for Flush Cutting Blades with Four Mounting Holes
- Made Of Durable High-Quality Brass or Aluminum
- Easily Mounted To Any Quad Drive Blade
- Available in Various Thread Sizes

PART NO.	TYPE	ARBOR(S)	THREADS
AAH-7/8	Aluminum	7/8"	5/8"-11
AAH-20	Aluminum	20mm	5/8"-11
BAH-5/8	Brass	20mm	5/8"-11
BAH-M10Q	Brass	20mm	M10 - 1.25
BAH-M14	Brass	20mm	M14-2

## FLANGE ADAPTERS



- Designed for Blades That Are Eight Inches or Larger with Eight Mounting Holes
- Made Of Durable High-Quality Steel
- Easily Mounted To Any Large Flush Cutting Blade
- Available in 5/8"-11 and M14-2 Thread Sizes

PART NO.	TYPE	THREADS
FAH-5/8	Adapter	5/8"-11
FAH-M14	Adapter	M14-2

## SPIKE RULER



- Designed As A Precision Ruler That Will Not Move On Thin Porcelain Tiles or Panels with Texturized Surfaces
- Secures Ruler To The Material
- Convenient and Easy To Use
- Made Of Aluminum with A Wood Base

PART NO.	SIZE
SPR100	3'4" (1m)

## DRESSING STICK




- Designed To Expose New Cutting Surfaces or Re-Open Glazed Diamond Blades and Grinding Wheels
- Removes Sinter Bond From Cutting Edge
- Can Be Used To Ease Sharp Corners
- Bond Type: Silicon Carbide

PART NO.	SIZE	GRIT
290006	8" x 1.5" x 1.5"	60

## PROFILING


Perfect round over edges



Demi-Bullnose



Full Bullnose



Straight Edge

## PROFILER B-SERIES

## CREATES PERFECT DEMI-BULLNOSE EDGE



- Perfect for 2cm Porcelain Paver Tile
- Use On Travertine, Granite, Engineered Stone, Marble, Concrete, Crystallized Glass and Porcelain Slabs
- Create A Perfect Demi-Bullnose/Roundover Edge Treatment
- Nylon Guide and Rotary Touchier Assures The Proper Depth Of Cut Is Achieved
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	THREADS
PFB051	3/16" (0.5cm)	3,500	5/8"-11
PFB101	3/8" (1.0cm)	3,500	5/8"-11
PFB131	1/2" (1.3cm)	3,500	5/8"-11
PFB201	3/4" (2.0cm)	3,500	5/8"-11
PFBNG01			Nylon Guide

## PROFILER Z-SERIES

## PERFECT 90-DEGREE EDGE GRINDING



- Perfect for 2cm Porcelain Paver Tile
- Vertical Grinding On All Types Of Materials
- Never Loses Shape for True Zero Tolerance
- Nylon Guide and Rotary Touchier Assures Uniformity
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	THREADS
PFZ301	1-1/4" (3cm)	3,500	5/8"-11
PFZ401	1-1/2" (4cm)	3,500	5/8"-11
PFBNG01			Nylon Guide

## PROFILER V-SERIES

**CREATES PERFECT  
BULLNOSE EDGE**



- Perfect for 2cm Porcelain Paver Tile, Pool Coping, Steps and Caps
- Create A Perfect Bullnose/Roundover Edge Treatment
- Use On Travertine, Granite, Engineered Stone, Marble, Limestone, Concrete, Crystallized Glass and Porcelain Slabs
- Eliminate The Time-Consuming Calibration Process for Seamed Pieces
- Nylon Guide and Rotary Touchier Assures The Edges Are Uniform
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	THREADS
PFV201	3/4" (2cm)	3,500	5/8"-11
PFV301	1-1/4" (3cm)	3,500	5/8"-11
PFV401	1-1/2" (4cm)	3,500	5/8"-11
PFV501	2" (5cm)	5,000	5/8"-11
PFV601	2-3/8" (6cm)	5,000	5/8"-11
PFBNG01	Nylon Guide		Fits up to 4cm Profilers
PFBNG02	Nylon Guide		Fits all Profilers



**PROFILER B**



**PROFILER V**



**PROFILER Z**

## DRILLING

Versatile and can be adapted for use in construction trades wherever holes are needed.





## WET CORE BITS

## ULTIMATE WET CORE DRILLING BIT



- Perfect for Porcelain Paver Tile
- Designed for Drilling The Faucet-Mounting Holes in Countertops and Vanities
- Very Fast Cutting On Granite and Engineered Stone
- Make Clean Rounded Corners for Square or Rectangular Sinkholes
- Versatile and Adaptable in Many Industries for Water, Gas and Electrical Piping
- Fits On Most Popular Water-Fed Polishers

PART NO.	DIAMETER	MAXIMUM RPM	THREADS
DCB00380	3/8"	3,500	5/8"-11
DCB00500	1/2"	3,500	5/8"-11
DCB00750	3/4"	3,500	5/8"-11
DCB01000	1"	3,500	5/8"-11
DCB01250	1-1/4"	3,500	5/8"-11
DCB01375	1-3/8"	3,500	5/8"-11
DCB01500	1-1/2"	3,500	5/8"-11
DCB02000	2"	3,500	5/8"-11
DCB02500	2-1/2"	3,500	5/8"-11

## DRY CORE BITS

## HIGH-SPEED DRY CORE BIT FOR GRANITE/ENG. STONE



- Perfect for Porcelain Paver Tile
- Designed for Jobsite Drilling Of Faucet-Mounting Holes in Countertops and Vanities
- Very Fast Cutting On Granite and Engineered Stone
- Convenient Dry Application
- Make Clean Rounded Corners for Square or Rectangular Sinkholes
- Versatile and Adaptable in Many Industries for Water, Gas and Electrical Piping
- Fits On Most Popular High-Speed Grinders

PART NO.	DIAMETER	MAXIMUM RPM	THREADS
DRB00500	1/2"	12,000	5/8"-11
DRB00750	3/4"	12,000	5/8"-11
DRB01000	1"	12,000	5/8"-11
DRB01250	1-1/4"	12,000	5/8"-11
DRB01375	1-3/8"	12,000	5/8"-11
DRB01500	1-1/2"	12,000	5/8"-11
DRB02000	2"	12,000	5/8"-11

## VACUUM BRAZED TRIMMER BIT

## DRY CUTTING OF LARGE HOLES OR CURVED LINES



- Great For Use In Construction Trades Wherever Non-Standard Shaped Cutouts As Needed
- Perfect For Electrical Receptacles, Water-Valve Holes, Drains, Shower Knobs, Etc.
- Vacuum Brazed Technology Provides Extended Life
- Use On Granites, Engineered And Natural Stones, Porcelain And Ceramic Tiles
- Can Be Used Wet Or Dry
- Fits On A High-Speed Trimmer Tools

PART NO.	DIAMETER	MAXIMUM RPM
DTB00250	1/4"	33,000

## ELECTROPLATED DRILL BITS

## PREMIUM DRILL BITS FOR ANCHOR HOLES



- Designed for Drilling Holes in Tile and Stone for Pre-Installation or Post-Installation Placement
- Works Great On Marble, Granite, Engineered Stone, Ceramic, Porcelain and Glass Tile and Panels
- Can Be Used On A Standard 3/8" or Larger Drill
- Can Fit On Water-Fed Polishers with 5/8"-11 Spindles Using The Drill Bit Adapter
- Ideal for Drilling Holes for Anchors for Bathroom Fixtures, Faucet and Plumbing Pipes
- Available in 3/16", 1/4", 5/16", 3/8", 1/2", 1-3/8" and 1-1/2" Sizes
- A Must-Have for The Tile Installer's Tool Box
- Wet Use Only

PART NO.	DIAMETER	MAXIMUM RPM	TYPE
CH7205	3/16"	3,500	3/8" Shank
CH7206	1/4"	3,500	3/8" Shank
CH7208	5/16"	3,500	3/8" Shank
CH7210	3/8"	3,500	3/8" Shank
CH7212	1/2"	3,500	3/8" Shank
CH7235	1-3/8"	3,500	3/8" Shank
CH7240	1-1/2"	3,500	3/8" Shank
CH1058			Adapter 10mm to 5/8"*

\*(for all polishers)

DRILL BIT GUIDE

WATER DELIVERY  
SYSTEM



- Prevents Wandering Drill Bits
- Delivers Sufficient Water While Providing A Secure Drilling Position
- Fits Up To 1-3/8" Diameter
- Use It with Electroplated Drill Bits
- Ideal When Drilling 1/4" Anchor Holes When Installing Towel Bars, Soap Dishes, Shelves, Cabinets and Shower Door Frames
- Suction Cup Creates A Vacuum That Secures The Guide During Application

HOW TO USE:



Soak the foam rubber on the back side with water.



Press the body to the tile and make sure it adheres properly.



Pour water up to the mark On the tank.



Slide the switch to the open position. Make sure the water drips.



Place tip of drill bit into the guide Position. Then start drilling.



Slide switch to the closed position. Pull the rubber to remove the water-feed system.



**NOTE:** working with mosaic tile or near grout lines use tape to secure.\*

PART NO.	DESCRIPTION
WDS138	Drill Bit Guide/Water Delivery System


## POLISHING

Full range of Superior Wet and Dry Diamond polishing pads



## HAND PADS

## HAND POLISHING PADS



- Convenient, On-Site Polishing
- Use On Travertine, Porcelain Paver Tile, Glass, Ceramics, Marble, Granite, Concrete, Terrazzo and Quartz Surfaces
- Two Bond Types To Provide The Best Possible Finish
- Available in Electroplated and Resin Grits



### ELECTROPLATED GRITS:

This type of pad uses nickel plating technology to hold each individual diamond in place and is available in 60, 150, 300 and 500 grits.



### RESIN GRITS:

This type has a finer diamond grit than electroplated pads. The resin bond is coated on a special backing material and is available in 1000, 2000 and 3000 grits best suited for honing to polishing.



PART NO.	GRIT	COLOR	BOND TYPE
DHP0060	60	Blue	Electroplated
DHP0150	150	Yellow	Electroplated
DHP0300	300	Orange	Electroplated
DHP0500	500	Red	Electroplated
DHP1000	1000	Dark Green	Resin
DHP2000	2000	Light Green	Resin
DHP3000	3000	Brown	Resin
DHPKIT			Set of 7

## CERAMICA EX

## WET POLISHING FOR ALL STONES



- Produces A High-Quality Shine
- Polishes On All Materials
- Ideal for Polishing Inside Corners and A Tight Radius
- Works Very Well On Tough Materials Including Tough To Polish Black and Green Marbles
- Extremely Flexible

HOOK AND LOOP		3"	4"	5"
GRIT	COLOR	PART NO.	PART NO	PART NO.
200	Yellow	EX30200R	EX40200R	EX50200R
500	Red	EX30500R	EX40500R	EX50500R
1000	Dark Green	EX31000R	EX41000R	EX51000R
2000	Light Green	EX32000R	EX42000R	EX52000R
3000	Brown	EX33000R	EX43000R	EX53000R
ALL	Assortment (1 each)		EX40KIT	

## SANDPAPER

## CONCRETE AND MARBLE POLISHING



- Waterproof Hook and Loop Backed Silicon Carbide Abrasive
- Use On Marbles and Softer Types of Natural Stone
- Can Also Be Used To Polish Glass, Metal and Wood
- Very Adaptable To Onsite Work and Easy To Use
- Resists Clogging When Used Wet
- Can Be Used Wet or Dry

HOOK AND LOOP		4"	5"
GRIT	QUANTITY	PART NO.	PART NO.
80	50	MP40080	MP50080
120	50	MP40120	MP50120
240	50	MP40240	MP50240
320	50	MP40320	MP50320
400	50	MP40400	MP50400
500	50	MP40500	MP50500
600	50	MP40600	MP50600
Assortment	50	MP40KIT	MP50KIT

## ACCESSORIES

Exclusively from Alpha® for the most popular tools





**ECOGUARD TYPE C****HYBRID DUST COLLECTION  
COVER FOR CUTTING**

- Designed for Collecting Dust When Using A High-Speed Angle Grinder
- Accepts Up To 5" Diameter Blades
- Can Be Used with or Without A Vacuum
- Rugged Construction for Heavy-Duty Applications
- Removes More Than 90% Of Dust
- Fits On Selected 4-1/2" - 5" High-Speed Angle Grinders
- Straight Precise Cuts Using Foot Plate
- Adjustable Cutting Depth

PART NO.	SIZE	DESCRIPTION
ECOGRDCT	5"	Dust Collection Cover Type C
201549		Dust Bag
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
500073	54"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")

**ECOGUARD TYPE W5****DUST COLLECTION COVER  
FOR WIDER KERF CUTTING**

Type C



Type W5

- Designed for Collecting Debris When Using A High-Speed Angle Grinder
- Perfect for Tuckpointing and Crack Chasing
- Accepts Up To 5" Diameter Blades
- Removes More Than 90% Of Dust
- Rugged Construction for Heavy-Duty Applications
- Straight Precise Cuts Using Support Base
- Easy Installation and Blade Changes
- Fits On Selected 4-1/2" and 5" High-Speed Angle Grinders
- Adjustable Cutting Depth
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRDW5	5"	Dust Collection Cover Type W5
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
500073	54"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOW5KIT	5"	Ecoguard W5 & 18" Connector Hose Kit

# DUST-FREE GUARDS

## ECOGUARD TYPE G

## DUST COLLECTION COVER FOR GRINDING



- Accepts Up To 5" Diameter Grinding Wheels
- Removable Cover Allows Grinding To The Edge
- Clear Cover for Better Visibility
- Easy Installation and Wheel Changes
- Fits On Selected 4-1/2" - 5" High-Speed Angle Grinders
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRDGR	5"	Dust Collection Cover Type G
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
500073	54"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOGKIT	5"	Ecoguard G & 18" Connector Hose Kit

## ECOGUARD TYPE D

## DUST & DEBRIS GUARDS FOR DRILLS/HAMMER DRILLS



- Collects Dust & Debris with Ease While Using Drills/Hammer Drills
- Eliminates Clean-Up and Downtime on the Jobsite
- Fits Most Popular Drills and Hammer Drills
- Made for: Makita® BHR202Z, Bosch RHH180, DeWalt DCH253, Milwaukee 2605-20, Hilti TE4-A18



Optional Universal Handle



Optional Vacuum Adapter Kit



Optional Exhaust Hose

PART NO.	SIZE	RECOMMENDED FOR	DESCRIPTION
ECOGRDDL	≥ 6"	Long Drill Bits	Dust Collection Cover Type DL
ECOGRDDS	≤ 6"	Short Drill Bits	Dust Collection Cover Type DS
803172		Ecoguard Type D	Universal Handle for Hammer Drills
ECOVAKIT		Use With Ecoguard D	Vacuum Adapter Kit
VH91100	12ft /3.6m	3/4" Hose Diameter	Exhaust Hose 1-1/4" O.D. threaded x 2-1/4" standard

## ECOGUARD TYPE CD


## DUST AND WATER GUARD FOR CORE DRILLING



- Fits Most Vacuum Dust Hoses
- Contains Dust and Water When Drilling with Up To A 2-1/2" Bit
- Can Be Secured On Horizontal and Vertical Surfaces with Vacuum During Application
- Prevents Splashing When Used with Water

PART NO.	RECOMMENDED FOR	DESCRIPTION
ECOGRDCD	Core Drilling	Dust Collection Cover Type CD

## RIGID BACKER PADS



- High-Quality Backer Pad Is Super Rigid and Flat
- Eliminates The Wavy Finish When Polishing
- Hook and Loop Backed
- The Rigidness Of The Pad Enables Work in Small Areas Such As Corners or Staircases
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREADS
GP35/8RG	3"	6,000	5/8"-11
GP45/8RG	4"	6,000	5/8"-11
GP55/8RG	5"	6,000	5/8"-11
RGSPACER			Spacer

## FLEXIBLE BACKER PADS



- High-Quality Backer Pad Is Extremely Flexible
- Ideal for Tough Contours and Inside Curves
- Hook and Loop Backed
- Highly Resistant To The Rigors Of Daily Use Provides A Long Life
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREADS
GP25/8PD	2"	6,000	5/8"-11
GP35/8PD	3"	6,000	5/8"-11
GP45/8PD	4"	6,000	5/8"-11
GP55/8PD	5"	6,000	5/8"-11

## GV BACKER PADS



- High-Quality Backer Pad Is Rigid and Flat, But Provides Just The Right Amount Of Flexibility
- Ideal for Bullnosed Edges and Flat Surfaces.
- Hook and Loop Backed
- Accepts Polishing Pads, Sandpaper and Felt Wheels
- Fits On Makita® GV5000 & GV5010 Sanders

PART NO.	SIZE	MAXIMUM RPM	DESCRIPTION
GV4MPPD	4"	4,500	M8-1.25 Male
GV5MPPD	5"	4,500	M8-1.25 Male

APRONS

MULTI-PURPOSE  
WATERPROOF APRONS

Rubber Cuffs

Customizable  
Cuff with Easy  
Cut Lines for a  
Perfect Fit

LONG SLEEVE

- Rubber Cuffs Provides Full Coverage
- Protects from Dust, Water and Other Chemicals
- D900 Oxford / PU Coated Material Makes It Waterproof

Dual-Adjustable  
Clips Makes for  
a Perfect Fit

Wet /Dry Use

BIB STYLE

- Bib Straps Hang the Apron on the Shoulders
- Protects from Dust, Water and Other Chemicals
- D900 Oxford / PU Coated Material Makes It Waterproof

Dual-Adjustable Clips  
Makes for a Perfect Fit

PART NO.	SIZE	DESCRIPTION
APRON2LSR	55"L x 58" W	Long Sleeve -Multi-Purpose Waterproof Apron (One Size Fits All)
APRON1000	48"L x 41"W	Bib Style - Multi-Purpose Waterproof Apron (One Size Fits All)

## WET BLADE CUTTING KIT

## CONVERT DRY GRINDER FOR WET CUTTING



- Designed To Convert A High-Speed Angle Grinder Into A Wet Tool
- Can Be Used On Most Grinders with Minimal Alterations
- Fits Most 4-1/2", 5" and 6" High-Speed Angle Grinders
- Kink-Free Water Hose for Easy Maneuverability and Reducing Operator Fatigue
- Save Money and Use Your Tool Wet or Dry!
- Kit includes: Safety Guard, Loc-Line Assembly, Plastic Tie, Stainless Steel Collar, Plastic Collar, Adapter (1/4 NPT>>>M10\*P.1.O), Water Hose Assembly, Memory Wrap (3ft. / 1M), Quick Connect Adapter, GFCI Plug (120V) & Hook & Loop Tie

PART NO.	DESCRIPTION
WBC5KIT	Wet Blade Cutting Kit 5"
WBC6KIT	Wet Blade Cutting Kit 6"

## SAFETY GLASSES



- Designed for Safety and Comfort
- A Lightweight Frame with Padded Temples
- Adjustable Side Arms
- Soft Rubber Nose Bridge
- Clear Anti-Scratch Lenses
- Available in a single pair or 12-pack
- Complies with standard # BS EN 166:2001

PART NO.	DESCRIPTION
173002	Safety Glasses (Box of 12)
173008	Safety Glasses (Single Pair)

## RUST INHIBITOR OIL




- Protects Your System From Rust
- Keeps Pneumatic Tools Lubricated


PART NO.	RECOMMENDED FOR	DESCRIPTION
AIR-008	Pneumatic Tools	Rust Inhibitor Oil 8oz (237ml)

# Filter/Regulator

# MANIFOLD SYSTEM



Can be easily **CUSTOMIZED** to your shop requirements!



## 1 Complete System for Multiple Tools

PART NO.	DESCRIPTION	ADAPTER BLOCK	CFM	PORT	PLUGS INCLUDED
1030-0021	3/8" Filter/Regulator Manifold	3/8" NPT	53	3 Couplers	(3) 1/4" Female NPT
1030-0022	3/8" Filter/Regulator Manifold	1/2" NPT	53	3 Couplers	(3) 1/4" Female NPT
1030-0023	1/2" Filter/Regulator Manifold	1/2" NPT	106	4 Couplers	(3) 1/4" Female NPT + (1) 3/8" Female NPT
1030-0024	1/2" Filter/Regulator Manifold	3/4" NPT	106	4 Couplers	(3) 1/4" Female NPT + (1) 3/8" Female NPT

## 2 Filter Regulator Kits for a Single Tool


PART NO.	SIZE	TYPE	THREADS	DESCRIPTION
1030-0070	53 CFM	3/8" Filter/Regulator Kit	1/2" IN-1/2" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0071	53 CFM	3/8" Filter/Regulator Kit	1/2" IN-1/2" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0072	53 CFM	3/8" Filter/Regulator Kit	1/2" IN-1/2" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0073	106 CFM	1/2" Filter/Regulator Kit	3/4" IN-3/4" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0074	106 CFM	1/2" Filter/Regulator Kit	3/4" IN-3/4" OUT	Filter/Regulator, Adapter Blocks & T-Clamps
1030-0075	106 CFM	1/2" Filter/Regulator Kit	3/4" IN-3/4" OUT	Filter/Regulator, Adapter Blocks & T-Clamps

## HOSES

- All-Weather Flexibility From -40°F to +200°F
- Kink-Free Under Pressure
- Lightweight and Abrasion Resistant
- Zero Memory Allowing It To Lay-Flat
- Made Of A Premium Hybrid Polymer Material
- Comes in Many Lengths
- Pneumatic and Water Hoses Available
- Many Connectors Available



### AIR HOSE (FOR AIR-680)




PART NO.	SIZE	DIAMETER	THREADS
1030-0002	15ft./4.5m	1/4"	1/4" NPSM x 1/4" NPT(Female Swivel)
1030-0010	20ft./6.0m	1/4"	1/4" NPSM x 1/4" NPT(Female Swivel)

Available Hose sizes: 25ft, 30ft, 35ft & 40ft. Call for Custom sizes or for more information.





## WATER HOSE (FOR AIR-680)



PART NO.	SIZE	DIAMETER	THREADS
1030-0003	15ft./4.5m	1/4"	1/8" NPSM x 3/4" 11GHT(GHT)
1030-0011	20ft./6.0m	1/4"	1/8" NPSM x 3/4" 11GHT(GHT)

Available Hose sizes: 25ft, 30ft, 35ft & 40ft. Call for Custom sizes or for more information.



## ADAPTER HOSE (FOR MANIFOLD SYSTEMS)

PART NO.	SIZE	DIAMETER	THREADS
1030-0025	1ft./0.3m	1/2"	1/2" NPT Swivel
1030-0026	2ft./0.6m	1/2"	1/2" NPT Swivel
1030-0027	3ft./0.9m	1/2"	1/2" NPT Swivel



## MOBILE HOSE (FOR MANIFOLD SYSTEMS)

PART NO.	SIZE	DIAMETER	THREADS
1030-0050	15ft./4.5m	1/2"	1/2" NPT Swivel w/Hose Protector
1030-0052	20ft./6.0m	1/2"	1/2" NPT Swivel w/Hose Protector

Available Hose sizes: 25ft, 30ft, 35ft & 40ft....Custom sizes also available. Call for more information.



## EXHAUST HOSE (SPECIALTY)

- Use with ECOVAKIT

PART NO.	SIZE	DIAMETER	THREADS
VH91100	12ft./3.6m	3/4"	1-1/4" O.D. threaded x 2-1/4" standard

HEPA WET/DRY VACUUM

HEAVY DUTY VACUUM FOR  
ELECTRIC & PNEUMATIC TOOLS

# HEAVY DUTY WORKHORSE

for all your needs!

- Triple Layer Filtering System
- Heavy Duty 15 Gal. Stainless Steel Tank
- Designed for Wet/Dry Cleanup
- 95 CFM Air Flow Rate
- 10' & 54" Crushproof Hoses Included
- 50' Power Cord



Floor Cleaning Accessories  
are included



On Board Electric  
On/Off Switch

On Board Air  
On/Off Switch

Cargo Basket For Tools  
and Consumables

Easy-Glide Cart

\*Air Couplers Sold Separately



\*Grinder not Included



PART NO.	SIZE	TYPE	DESCRIPTION
HWD2120	15-Gal	120V	HEPA Wet/Dry Vacuum
HWD2240	15-Gal	240V	HEPA Wet/Dry Vacuum

CORNER RULER

UNIQUE TOOLS FOR  
FABRICATING CORNERS



- Mark, Cut and Grind The Square Corners of Glass, Tile, Stone, Steel, Plastic and Wood
- Sets Comes with Either Two Radiuses or Two 45-Degree Straight Lines
- Makes for Quick and Easy Preparation Time
- Sets Come in A Stainless Steel Case for Organization



PART NO.	DESCRIPTION
CRR1075	Ruler Radius 3/8"+3"
CRR1570	Ruler Radius 5/8"+2-3/4"
CRR2065	Ruler Radius 3/4"+2-5/8"
CRR2560	Ruler Radius 1"+2-1/2"
CRR3055	Ruler Radius 1-1/4"+2-3/8"
CRR3550	Ruler Radius 1-3/8"+2"
CRR4045	Ruler Radius 1-1/2"+1-3/4"
CRRSET7	Ruler Radius Set w/Case
CRS1075	Ruler Straight 3/8"+3"
CRS1570	Ruler Straight 5/8"+2-3/4"
CRS2065	Ruler Straight 3/4"+2-5/8"
CRS2560	Ruler Straight 1"+2-1/2"
CRS3055	Ruler Straight 1-1/4"+2-3/8"
CRS3550	Ruler Straight 1-3/8"+2"
CRS4045	Ruler Straight 1-1/2"+1-3/4"
CRSSET7	Ruler Straight Set w/Case
CRSET14	Ruler Combo Set

**G-TAPE**

**ALL PURPOSE  
PROTECTION & REPAIR TAPE**



# G-Tape

INNOVATIVE  
SOLUTIONS

LDPE film \_\_\_\_\_  
HDPE cloth \_\_\_\_\_  
LDPE film \_\_\_\_\_  
Acrylic PSA layer \_\_\_\_\_



All G-Tape™ products feature a patented combination of solvent acrylic adhesive with an advanced backing substrate that results in unmatched performance.



**MULTI-PURPOSE APPLICATIONS**





## Multi-Purpose Tape

Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT1009GR	Green	2" x 164'	Multi-Purpose - All Surfaces
GT1009CL	Clear	2" x 164'	Multi-Purpose - All Surfaces



## Extra UV Protection

Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT1008SW	White	2" x 164'	Extra UV Protection



## HVAC Tape

Multi-Purpose Surface Protection and Repair Tape

- Perfect for Seaming and Splicing Tape for Insulation and HVAC
- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable Without Wrinkles
- Highly Weather/UV Resistant
- Safer tape as edge is not as sharp as aluminum foil
- Complies with ASTM E84 (UL723) : Class 1, Flame Spread Index 0, Smoke Developed Index 0

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT2010AL	Silver	2" x 82'	HVAC and Insulation



## Caution Area Tape

Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT1006TG	Black & Yellow	2" x 82'	Caution Areas



## Acrylic Flashing Tape

High Adhesion Acrylic Flashing Tape

- Perfect Flashing for Windows, Doors, & Deck Beams
- Hand Tearing-Straight and Easy
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Highly Weather/UV Resistant
- AAMA 7-11 Level 3 Class A Certified
- Great Performance and Ease of Use
- Cleanly Removes from Face-to-Face Adhesive Contact
- Available as a single roll or by the case

**\*Permanent Adhesion**

PART NO.	COLOR	SIZE	RECOMMENDED FOR
GT3040BK02	Black	2" x 65'	Acrylic/Flashing- All Surfaces
GT3040BK04	Black	4" x 65'	Acrylic/Flashing- All Surfaces
GT3040BK06	Black	6" x 65'	Acrylic/Flashing- All Surfaces
GT3040BK09	Black	9" x 65'	Acrylic/Flashing- All Surfaces
GT3040BK12	Black	12" x 65'	Acrylic/Flashing- All Surfaces



## Surface Protection

Repositionable Waterproof Surface Protection Tape

- Protects Surfaces from Scratches, Stains and Etching
- Applicable for All Stone Faces Including Marble and Limestone
- Can Be Used for Wet and Dry applications
- Easily Mark Tape with Ball Point Pen, Permanent Marker, China Marker, etc.



PART NO.	COLOR	SIZE	RECOMMENDED FOR
BAB0650	Black	6" x 164'	Large Surface Protection



## EZ CLICK SYSTEM

## NEXT-GENERATION SCREW-BASED TILE LEVELING SYSTEM




# EZClick



- Instant Screw Ejection Leveling System
- Supports Tile Thickness: 1/8" to 25/32" (3mm to 20mm)
- Level and Space at The Same Time
- Tightens by Hand (No Tools Required)
- Minimum joint calibration: 3/64" (1mm)
- Ideal for Both Floor and Wall Tiling
- Proprietary Scratch-Prevention Edge
- Built-in spacer calibration: 5/64" (2mm), 1/8" (3mm) & 5/32" (4mm)
- Can be used more than 500 times
- Compatible With Many Older-Generation Systems
- \*Patent Pending

**Tightens and Releases by Hand**  
(No Tools Required)

**The Quick and Reliable Leveling Cap**



PART NO.	SIZE	TYPE	COLOR	QTY
EZCLICKCP		Screw Cap		50
EZCLB10WH	3/64" (1.0mm)	Linear Joint Screw Base	White	200
EZCLB20YW	5/64" (2.0mm)	Linear Joint Screw Base	Yellow	200
EZCLB30RD	1/8" (3.0mm)	Linear Joint Screw Base	Red	200
EZCLB40BK	5/32" (4.0mm)	Linear Joint Screw Base	Black	200
EZCXB20BL	5/64" (2.0mm)	X Joint Screw Base	Blue	200
EZCXB30VI	1/8" (3.0mm)	X Joint Screw Base	Violet	200
EZCXB40GY	5/32" (4.0mm)	X Joint Screw Base	Gray	200
EZCTB20BR	5/64" (2.0mm)	T Joint Screw Base	Brown	200
EZCTB30OR	1/8" (3.0mm)	T Joint Screw Base	Orange	200
EZCTB40GR	5/32" (4.0mm)	T Joint Screw Base	Green	200



# Index

## **A**

Adapter Hose 48  
AIR-300 12  
AIR-680 11  
AIR Hose 47  
Apron 44

## **B**

Blademaster 28

## **C**

Ceramica EX 39  
Contour 26  
Corner Ruler 50  
Countertop Trim Kit 8

## **D**

Dressing Stick 29  
Drill Bit Guide 36  
Dry Core Bits 34

## **E**

ECC-125 9  
ECC-KIT 10  
Eclipse II 20  
Eclipse Q 20  
Ecoguard Type C 41  
Ecoguard Type CD 42  
Ecoguard Type D 42  
Ecoguard Type G 42  
Ecoguard Type W5 41  
Electroplated Drill Bits 35  
ESC-125 6  
Exhaust Hose 48  
EZ Click System 54

## **F**

Flexible Backer Pad 43  
Flange Adapters 29

## **G**

G-Tape 51  
GV Backer Pads 43

## **H**

Hand Pads 38  
Hepa Wet/Dry Vacuum 49  
Hoses 47

## **K**

Katana 21

## **M**

Manifold System 46  
Mobile Hose 48

## **P**

Plus 19  
Porcellana 23  
Porcellana For PRS 23  
Profilers  
    B-Series 31  
    V-Series 32  
    Z-Series 31  
PT Cutter 27

## **Q**

Q-Cut 22  
Quad 19  
Quad Adapters 29

## **R**

Rescue 28  
Rigid Backer Pad 43  
Rotary Backer Pad 16  
Rust Inhibitor Oil 45

## **S**

Sandpaper 39  
Scratch Removal Kit 17  
Spike Ruler 29

## **T**

Tile Bullnose Kit 17

## **U**

Ultracut GPM 21

## **V**

Vacuum Brazed Trimmer Bit 35  
VDP-700 14  
Vetro 24  
Vetro For PRS 24  
Vortex  
    For Granite 25  
    For Marble 25  
VSP-320 13

## **W**

Water Hose 48  
Wet Blade Cutting Kit 45  
Wet Core Bits 34  
Wool Pads 16

## Product Literature Catalogs

Alpha® provides product catalogs for all products to best serve the particular needs of our customers. Catalogs are available for applications such as Hand Tooling and Large Machine Tooling, as well as for specific industries such as stone, tile, construction, industrial, automotive, composites, glass and marine.

All of our catalogs are a convenient portable of size 5.5" x 8.5", and illustrate the tools and accessories needed for Cutting, Profiling, Grinding, Drilling, Polishing and Restoring all types of materials.

To request these catalogs, or for more information about our product line, visit our website at [www.alpha-tools.com](http://www.alpha-tools.com) or contact us at 800-648-7229.



## ALPHA® TOOL REPAIR

- Authorized repair centers available
- All tool repairs carry a 30-day warranty
- Quick turn-around time
- Technical support for repair and maintenance
- Order replacement tool parts directly from Alpha®
- Loaner program available

**Visit our website to find a local center**



## Let's get social...



**We are ready to connect with you on your favorite social media sites... Join Us Today!**

 **Alpha Professional Tools®**

103 Bauer Drive • Oakland, NJ 07436  
800-648-7229 • Fax: 800-286-0114

[www.alpha-tools.com](http://www.alpha-tools.com)

