


# WASHROOM ACCESSORIES



BUILDING VALUE SINCE 1906



# A SMARTER RESTROOM

The restroom can be a source of sustained value. With Bobrick, the right accessories can support your design vision and stand the test of time.



## **B-635**

### **Klutch Mobile Device Holder**

Holds devices safely and securely.

Page 47



## **B-830**

### **SureFlo® Soap Dispensing System**

Serve up to five sinks at once.

Page 20



## **B-167 & B-169 Series**

### **LED Mirrors**

Reflect quality, value and style.

Page 26



## **B-540**

### **Surface-Mounted Toilet Tissue Dispenser & Utility Self**

Multi-roll and multifunctional.

Page 34



## **Designer Series**

### **Soap Dispensers & Faucets**

Durability and aesthetics, with matching faucets.

Page 18



## **B-3091 & B-3092**

### **Horizontal Toilet Compartment Accessories**









Engineered for compliant grab bar placement.

Page 36

# RESTROOM AMENITIES

2	Design Integrated Accessory Series
4	<b>Restroom Accessories</b>
6	Combination Towel/Waste Units
10	Paper Towel Dispensers
14	Waste Receptacles
16	Soap Dispensers
23	Sanitary Napkin/Tampon Vendors
24	Hand Dryers
26	Mirrors
30	<b>Toilet Compartment Accessories</b>
32	Toilet Tissue Dispensers
34	Cubicle Collection
35	Seat Cover Dispensers
36	Toilet Compartment Accessories
38	Sanitary Napkin Disposals
40	Grab Bars
42	<b>Specialty Accessories</b>
44	Bathroom Accessories
46	Shower/Tub Accessories
47	Hooks/Shelves/Custodial Accessories
49	<b>NEW</b> Healthcare Accessories
50	Koala Kare Childcare Accessories
52	<b>Why Bobrick?</b>

## LEGEND

<b>NEW</b>	Introduced in 2017 or later
<b>IMPROVED</b>	Operational improvement(s) or new feature(s)
	<b>QuickShip:</b> U.S & Canada
	<b>QuickShip:</b> U.S only
	ADA compliant
	Sustainable operation by reducing waste and/or consumable usage
	TowelMate® paper towel-saving accessory available
	LinerMate® retainer accessory available
	Cost Savings Calculator available at <a href="http://bobrick.com">bobrick.com</a>
	Additional configurations available at <a href="http://bobrick.com">bobrick.com</a>

# INDEX

Product.....Pages			
204-1.....46	B-35139.....38	B-543.....34	
204-2.....46	B-35303.....39	B-544.....34	
251-4.....40	B-354.....39	B-545.....45	
367-60.....8	B-35633.....14	B-546.....34	
368-60.....8	B-35639.....14	B-547.....34	
3944-52.....8	B-357.....37	B-548.....34	
3961-50.....8	B-35745.....37	B-549.....34	
*3974-250.....8	B-3579.....37	B-5806 Series.....40	
B-1556 Series.....28	B-3588.....32	B-58616 Series.....41	
B-165 Series.....27	B-35883.....32	B-5898.....41	
B-166 Series.....28	B-359.....12	B-635.....47	
B-167 Series.....26	B-35903.....11	B-667.....33	
B-169 Series.....26	B-359033.....11	B-673.....45	
B-2012.....22	B-359039.....11	B-674.....44	
B-2013.....22	B-3644.....14	B-676.....44	
B-207.....46	B-369.....9	B-6806 Series.....40	
B-2111.....21	B-36903.....7	B-6827.....48	
B-2112.....21	*B-37063.....23	B-683.....44	
B-221.....35	*B-3725.....24	B-685.....33	
B-221216.....15	B-3803.....7	B-68616 Series.....41	
B-224.....48	B-38034.....7	B-687.....45	
B-2250.....15	B-380349.....7	B-6898.99.....41	
B-239.....48	B-386.....33	B-699.....33	
B-254.....39	*B-3888.....32	B-7125.....24	
B-262.....12	B-39003.....7	B-7128.....25	
B-2620.....12	B-3942.....9	B-7188.....25	
B-26627.....22	B-3944.....9	B-750.....25	
B-268.....15	*B-3961.....8	B-770.....25	
B-270.....38	*B-3974.....8	B-778.....25	
*B-2706.....23	B-398.....44	B-7816.....49	
B-279.....14	B-4063.....21	*B-81212.....20	
B-2840.....32	B-4112.....21	*B-81312.....20	
B-2860.....13	B-4207.....45	*B-81412.....20	
B-287.....48	B-4221.....35	B-822.....19	
*B-2888.....32	*B-4262.....11	*B-823.....19	
B-2890.....33	B-4288.....32	*B-824.....17	
B-2892.....33	B-4353.....38	*B-82512.....20	
*B-290 Series.....27	B-4354.....38	*B-830.....20	
B-292 Series.....28	*B-43644.....14	B-8397.....44	
*B-293.....29	*B-4369.....6	*B-850.....18	
B-294.....29	B-4388.....32	*B-852.....18	
B-297.....44	B-4390.....45	*B-855.....18	
*B-2974.....13	*B-43944.....6	*B-856.....18	
*B-29744.....13	*B-4706.....23	*B-858.....18	
B-301.....35	*B-4998.....40	*B-8870.....18	
B-3013.....35	B-505.....49	*B-8872.....18	
B-306.....22	B-50517.....49	*B-8875.....18	
*B-3091.....36	B-517.....46	*B-8876.....18	
*B-30919.....36	B-518.....46	*B-8878.....18	
*B-3092.....36	B-5181.....46	B-918116 Series.....46	
*B-30929.....36	B-5191.....46	B-942.....28	
B-318.....13	B-526.....12	KB101-00.....51	
B-347.....37	B-529.....15	KB110-SSRE.....50	
B-3474.....37	B-530.....45	KB110-SSWM.....50	
B-3479.....37	B-532.....15	KB111-SSRE.....50	
B-35016.....49	B-540.....34	*KB200-00.....51	
B-3513.....39	B-541.....34	*KB200-SS.....51	
	B-542.....34	*TowelMate.....6	

\*Patented or patent pending. For patent information, please visit [bobrick.com/patents](http://bobrick.com/patents).

## For Additional Products, Tools & Documentation

For Technical Data Sheets, Guide Specifications, CAD Files, BIM Objects, Installation Instructions and more, visit Bobrick online at [bobrick.com](http://bobrick.com)



# DESIGN INTEGRATED ACCESSORY SERIES

To support harmonized, integrated design concepts, Bobrick offers three design integrated accessory series. Products within each series share signature design elements to enable a cohesive aesthetic and ease of specification.

---



## ConturaSeries®

ConturaSeries accessories feature gentle 27° curvilinear design and consistent styling with flush tumbler locks. Choose from recessed and surface-mounted models. For towel and maintenance labor savings, ConturaSeries accessories are exclusively available with Bobrick's TowelMate and LinerMate accessories. Specify ConturaSeries for corporate headquarters, Class-A commercial buildings, civic icons and performing arts centers.



Monoform draws result in seamless design.





Rectangular design for Bauhaus architecture.

## TrimLineSeries™

Designed for integration throughout the restroom, TrimLineSeries accessories achieve minimalistic design for clean, flush lines with concealed flanges. Specify these accessories for contemporary environments, from prestige buildings and hospitality environments to healthcare and retail properties.

### DESIGNER'S NOTE

TrimLineSeries and other accessories are available in **colored stainless steel** in a range of visually exciting colors and textures. Ask your Bobrick representative for more information, including available products.



"Classic" beveled flange for installation ease.

## ClassicSeries®

Ideal for budget-sensitive projects, ClassicSeries is the standard of value and offers the largest selection of models for all Type-304 restroom accessories. The series includes Bobrick's improved Automatic, Universal Roll Paper Towel Dispenser series, performance engineered with signal lights for ease of operation and maintenance. Specify ClassicSeries for standard-use buildings, including commercial offices, as well as institutional and industrial environments.



## RESTROOM ACCESSORIES



**B-290**  
**Welded-Frame Mirror**  
*Page 27*



**B-824**  
**SureFlo Automatic**  
**Counter-Mounted**  
**Liquid Soap Dispenser**  
*Page 17*



**B-8878**  
**Designer Series**  
**Polished Chrome**  
**Automatic Faucet**  
*Page 18*



**B-43944**  
**ConturaSeries**  
**Recessed Paper**  
**Towel Dispenser/**  
**Waste Receptacle**  
*Page 6*





**B-3725**  
**TrimLineSeries ADA**  
**Recessed Hand Dryer**  
*Page 24*



**Corporate Office**

Products: B-290 Mirror, B-38031 Combination Unit,  
B-858 Soap Dispenser, B-8878 Faucet




**Healthcare Facility**

Products: B-29744 Roll Paper Towel Dispenser, B-275 Waste  
Receptacle, B-290 Mirror, B-824 Soap Dispenser




## COMBINATION TOWEL/WASTE UNITS



### **B-43944 ConturaSeries** Recessed Paper Towel Dispenser/Waste Receptacle (Standard with TowelMate & LinerMate)

Satin-finish stainless steel. Flush tumbler lock. Dispenses 600 C-fold or 800 multifold towels. Removable front panel for easy cleaning. Includes TowelMate and LinerMate accessories. Receptacle has 15-gal capacity. Patented.



### **B-4369 ConturaSeries** Recessed Paper Towel Dispenser/Waste Receptacle (Standard with TowelMate & LinerMate)

Satin-finish stainless steel. Flush tumbler lock. Dispenses 350 C-fold or 475 multifold towels. Waste receptacle has 3-gal capacity. Removable front panel for cleaning. Patented.

## DESIGNER'S NOTE

B-43944, B-4369 and other ConturaSeries accessories come standard with the TowelMate paper towel-saving accessory to help **reduce towel usage by up to 20%**. TowelMate dispenses one towel at a time, every time, and is also available as a standalone accessory to complement other Bobrick folded Paper Towel Dispensers.



ConturaSeries B-43944 Recessed Paper Towel Dispenser/Waste Receptacle





### **B-38034 TrimLineSeries** Recessed Paper Towel Dispenser/Waste Receptacle


Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single-fold towels. Removable, leak-proof, 3.8-gal waste container.

**B-3803** Similar to B-38034, but with 6.3-gal waste container and requires 5 5/8" min. depth.




### **B-380349 TrimLineSeries** Surface-Mounted Paper Towel Dispenser/Waste Receptacle

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single-fold towels. Removable, leak-proof, 3.8-gal waste container. Skirt for surface-mounting.



### **B-39003 TrimLineSeries** Recessed Paper Towel Dispenser/Waste Receptacle

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single-fold towels. Removable, leak-proof, 12-gal waste container.




### **B-36903 TrimLineSeries** Recessed Paper Towel Dispenser/Waste Receptacle

Satin-finish stainless steel. Door has 90° return. Dispenses 300 C-fold or 400 multifold towels. Removable, leak-proof, 1.6-gal waste container.




## COMBINATION TOWEL/WASTE UNITS



### **B-3974 ClassicSeries** Recessed Convertible Automatic Roll Towel Dispenser/Waste Receptacle

Intuitive, patron-friendly light clearly directs users to towel activation zone, eliminating hand waving. Convertible automatic universal, roll paper towel dispenser and removable 12-gal waste receptacle module. Satin-finish stainless steel. Seamless beveled flange. Waste receptacle is locked into cabinet. Requires 4 D-cell batteries (not included). Patented.



### **B-3961 ClassicSeries** Recessed Convertible Roll Paper Towel Dispenser/Waste Receptacle

Unit includes convertible universal, roll paper towel module and removable 12-gal waste receptacle module. Satin-finish stainless steel. Seamless beveled flange. Touch-free, pull-towel mechanism dispenses 12" length per pull. Accommodates 8" wide, up to 8" diameter rolls, 800 feet long, plus 3 1/2" diameter stub roll with automatic transfer. Waste receptacle is locked into cabinet. Patented.

## Interchangeable Modules for B-3944, B-3961 & B-3974

Modules convert from and to automatic and touch-free roll towels and folded towels.

Modules dispense universal, economically-priced products compared to proprietary contracts.

Conversions are made without replacing existing cabinets in the wall.



**3944-52** folded towel dispenser module.



**3961-50** touch-free, pull-towel dispenser module.



**3974-250** automatic dispenser module. Patented.



**367-60** 12-gal




**368-60** 18-gal

### Interchangeable Receptacles:

Choose from 12- and 18-gal waste receptacles. Fit **B-3944, B-3961, B-3974 Series**.

## DESIGNER'S NOTE

Restrooms may serve various patron and traffic types over their life cycles. Convertible cabinets enable switching between folded, mechanical roll and automatic roll towels without compromising design integrity, inconvenience or additional cost.




### B-3944 ClassicSeries Recessed Convertible Paper Towel Dispenser/Waste Receptacle

Unit includes convertible paper towel module and 12-gal waste receptacle module. Satin-finish stainless steel. Seamless beveled flange. Dispenses 600 C-fold or 800 multifold towels. Removable waste receptacle locked into cabinet. Receptacle has 12-gal capacity.

**Compatible with interchangeable modules. See page 8.**

**B-3942** Similar to B-3944, but with skirt for semi-recessing in 2" walls.



### B-369 ClassicSeries Recessed Paper Towel Dispenser/Waste Receptacle

Satin-finish stainless steel. Seamless beveled flange. Dispenses 350 C-fold or 475 multifold towels. Knob-latch retains door. Removable waste container has 2-gal capacity.



### Reduce Towel Usage by Up to 20%

**TowelMate** dispenses one towel at a time, every time, to reduce towel usage by up to 20%. When selecting folded towel dispensers, use the model number of your choice and add the appropriate TowelMate model number to complete your specification. Accessories can also be ordered for similar models of like description. Patented.

Part No.	Model No.
3803-130	B-3803, B-38032
369-130	B-35903, B-36903 B-359, B-369, B-3699
3944-130	B-3804, B-380349 B-3942, B-3944, B-3947, B-3949
262-130	B-262, B-2620, B-2621, B-26212
39003-130	B-39003





## ROLL OR FOLD?



**Roll Paper Towels**

### Benefits

- More sustainable than folded paper towels in most buildings
- Automatic feature adjustable towel lengths.
- Stub roll utilization feature provides complete consumable usage with less replacement time

### Ideal Applications

- Buildings where sustainable operation is important
- High-traffic facilities
- Projects with stringent operating budgets



**Folded Paper Towels**

### Benefits

- When TowelMate is installed, units dispense one towel at a time, reducing consumption and waste
- Faster dispensing of towels
- Dispensers may be concealed, countertop mounted or have minimal wall protrusion


### Ideal Applications

- Restrooms where low-profile design is desired, but recessed roll dispensers are not viable
- Prestige buildings with low-to-medium traffic where a minimalistic design theme is preferred



## **B-4262 ConturaSeries** Surface-Mounted Paper Towel Dispenser with TowelMate

Satin-finish stainless steel. Tumbler lock on top of cabinet. Door swings down for loading towels. Dispenses 400 C-fold or 525 multifold towels. Cabinet slots indicate refill time. Unit 10  $\frac{13}{16}$ " W, 13  $\frac{1}{4}$ " H, 4  $\frac{7}{8}$ " D. Patented.



## **B-35903 TrimLineSeries** Recessed Paper Towel Dispenser

Satin-finish stainless steel. Door has 90° return. Dispenses 300 C-fold or 400 multifold towels.



## **NEW B-359039 TrimLineSeries** Surface-Mounted Paper Towel Dispenser

Satin-finish stainless steel. Dispenses 300 C-fold or 400 multifold towels. Door equipped with tumbler lock and full-length stainless steel piano hinge. Skirt is removable in the field for optional recessed mounting. Unit 12  $\frac{13}{16}$ " W, 17  $\frac{15}{16}$ " H, 4  $\frac{1}{2}$ " D.



**B-359033** Similar to B-359039, but for recessed installation in 3  $\frac{3}{4}$ " walls.


## DESIGNER'S NOTE

In a typical office building with 40 folded towel dispensers, TowelMates helped reduce usage by 21% for at least \$1,700 in annual savings. Visit [bobrick.com](http://bobrick.com) for an interactive Cost Savings Calculator.





## PAPER TOWEL DISPENSERS



### **B-526 TrimLineSeries** Countertop-Mounted Paper Towel Dispenser


Satin-finish stainless steel. Flange has 90° return. Towels load into top of dispenser. Dispenses 300 C-fold or multifold towels. Unit 12 3/4" W, 6" front to back depth; 17" minimum clearance below mounting surface is required. Housing below countertop to conceal dispenser is not included.



### **B-262 ClassicSeries** Surface-Mounted Paper Towel Dispenser

Satin-finish stainless steel. Dispenses 400 C-fold or 525 multifold towels. Door has tumbler lock and piano-hinge. Hemmed towel tray opening. Unit 10 3/4" W, 14" H, 4" D.

**B-2620** Similar to B-262, but with knob-latch.




### **B-359 ClassicSeries** Recessed Paper Towel Dispenser

Satin-finish stainless steel. Seamless beveled flange. Dispenses 350 C-fold or 475 multifold towels. Door equipped with full-length stainless steel piano-hinge at bottom; swings down for easy filling.


## DESIGNER'S NOTE

From reduction of towel usage to elimination of plastic waste to multi-feed soap dispensing systems, the right accessories can enable long-term sustainability. **Learn more by registering for our AIA/HSW CEU course, "Designing Restrooms for Sustainable Operation."**



## **B-318** Concealed Paper Towel Dispenser

Satin-finish stainless steel. Dispenses 600 C-fold or 800 multifold towels. Towels load into bottom of cabinet concealed behind wall or mirror; only the towel tray is visible.



## **B-29744** Automatic, Universal Semi-Recessed Roll Paper Towel Dispenser

Intuitive, patron-friendly light clearly directs users to towel activation zone, eliminating hand waving. Patented.



## **B-2974** Automatic, Universal Surface-Mounted Roll Paper Towel Dispenser

Intuitive, patron-friendly light clearly directs users to towel activation zone, eliminating hand waving. Satin-finish stainless steel. Door has tumbler lock and piano-hinge. Unit 15 3/8" W, 18 1/4" H, 9" D. Requires 4 D-cell batteries (not included). Patented.




## **B-2860** Surface-Mounted Roll Paper Towel Dispenser

Satin-finish stainless steel. Touch-free, pull-towel mechanism dispenses 12" length per pull (1.8 lbs) of universal towels. Accommodates 8" wide, up to 8" diameter rolls, 800 feet long, plus 3 1/2" diameter stub roll with automatic transfer. Door has tumbler lock and piano-hinge. Unit 11 3/4" W, 15" H, 9" D.




## WASTE RECEPTACLES



### **B-43644 ConturaSeries** Recessed Waste Receptacle with LinerMate


Satin-finish stainless steel. Removable front panel for easy cleaning. Capacity: 12.8-gal. Patented.



### **NEW B-35633 TrimLineSeries** Recessed Waste Receptacle with Disposal Door

Satin-finish stainless steel. Removable stainless steel waste container. Capacity: 3-gal.

**B-35639** Similar to B-35633, but surface-mounted.



### **B-3644 ClassicSeries** Recessed Waste Receptacle

Satin-finish stainless steel. Seamless beveled flange. Removable receptacle locks into cabinet. Capacity: 12-gal.



### **B-279** Surface-Mounted Waste Receptacle

Satin-finish stainless steel. Bottom edges hemmed for safety. Hooks hold furnished reusable vinyl liner; removable for servicing. Capacity: 6.4-gal. Unit 14" W, 18" H, 6" D.



### **B-529** Countertop-Mounted Waste Chute

Rolled flange and exposed surfaces are bright-polished stainless steel. Outside diameter 6  $\frac{15}{16}$ ", inside diameter 5  $\frac{1}{2}$ ", chute depth 5". Provides access to under-counter waste receptacle (not included).

**B-532** Similar to B-529, but with flat flange and exposed satin-finish stainless steel surfaces. Outside diameter 6  $\frac{3}{16}$ ", inside diameter 5  $\frac{3}{16}$ ", chute depth 3  $\frac{7}{8}$ ".



### **NEW B-268** Surface-Mounted Corner Waste Receptacle

Ideal for installation near exits where patrons use paper towels to assist door opening. Satin-finish stainless steel. Top and bottom edges hemmed for safety. Hooks hold furnished reusable vinyl liner. Capacity: 49.2 L. Unit 20  $\frac{1}{2}$ " W, 23" H, 12  $\frac{5}{8}$ " D.



### **NEW B-221216** Foot-Operated Waste Receptacle

Satin-finish stainless steel with pedal for foot operation. Integrated liner clamp. Capacity 12-gal. Unit 13  $\frac{3}{16}$ " W, 23  $\frac{1}{2}$ " H, 14" D.



### **B-2250** Floor-Standing Waste Receptacle with Top

Satin-finish stainless steel. Top with self-closing doors. Vinyl wall bumper, rubber feet. Liner hooks. Capacity: 13-gal. Unit 13  $\frac{3}{16}$ " W, 13  $\frac{3}{16}$ " D at top, 29  $\frac{1}{2}$ " H.



## AUTOMATIC OR MANUAL?

Although the no-touch restroom is quickly becoming industry standard, automatic soap dispensers are not a universal solution. Some projects may benefit from manual operation.



**Automatic Operation**

### Benefits

- Enhances hygiene, reduces cross-contamination
- Controls soap usage with portion control
- Creates a seamless, modern experience

### Ideal Applications

- Prestige or high-end buildings
- Low to medium traffic facilities
- Washrooms with other touch-free accessories, especially faucets



**Manual Operation**

### Benefits

- No batteries or power source required
- Foam soap offers greater hand coverage, discouraging excessive usage
- More mounting options

### Ideal Applications

- Buildings with limited janitorial staff or resources
- High-traffic facilities
- Projects with stringent capital budgets





## IMPROVED

# B-824 SUREFLO<sup>®</sup> AUTOMATIC LIQUID SOAP DISPENSER

### Features & Benefits

- **Labor Savings:** Top filling saves labor; oversized fill port designed for economical bulk jug soap. No more under-counter servicing of screw-on cartridges.
- **Soap Savings:** Liquid bulk jug soap saves more than 80% compared to proprietary cartridges at locked-in prices; SureFlo ROI averages one year.
- **Design Continuity:** Polished chrome finish reflects design continuity with other restroom accessories compared to the plastic retrofit hodgepodge.
- **Reliable Operation:** Electronic activation system defines the “dispense zone,” eliminating hand waving and false dispensing. Adjustable portion control.
- **Responsible:** Five 800ml soap cartridges hold approximately the same amount as a one-gal. bulk jug, resulting in a 57% reduction of post-consumer waste.



Patented.



### B-824 SureFlo Automatic, Counter-Mounted Liquid Soap Dispenser

#### How Much Will You Save?

Estimates based on one dispenser, comparing bulk-fill SureFlo to under-counter proprietary cartridges.\*

- Cartridge soap approximate annual cost **\$223.24**
- Annual soap savings **82%**
- Post-consumer waste reduction **57%**

There are additional labor-saving factors such as top-filling compared to frequent under-counter cartridge changeovers. Plus, the time consuming convenience of bulk jug soap.

\*Based on 35 people per sink at 4 hand washes per day, equating to 112ml of soap per day or 29.5L per year per sink. Bulk soap approximate annual cost \$41.01.

### DESIGNER'S NOTE

The B-824 is powered through an AC Adapter, supporting sustainable, economical operation. It requires no batteries, which ultimately end up in landfills.




# DESIGNER SERIES SOAP DISPENSERS & FAUCETS

DURABLE CONSTRUCTION.  
ELEGANT DESIGN.



## **Designer Series** Automatic, Counter-Mounted Liquid Soap Dispensers & Faucets

Bobrick's Designer Series Automatic Soap Dispensers feature durable construction and designer finishes. All the benefits of the SureFlo B-824, but with the added durability of die-cast zinc body construction. Available in five designer finishes; available with an automatic faucet in a matching finish.



Patented.




**B-858 Polished Chrome**

Matching Faucet: B-8878



**B-856 Polished Nickel**

Matching Faucet: B-8876



**B-850 Polished Brass**

Matching Faucet: B-8870



**B-855 Brushed Nickel**

Matching Faucet: B-8875



**B-852 Matte Black**

Matching Faucet: B-8872



## **Automatic Faucet**

Available in matching finishes. Adjustable time-out durations, line purging, adaptable sensor range, LEED flow-rate options.

**3974-57** AC Adapter comes standard with each dispenser.

**824-201** Optional AC Multi-Adapter kit available.

Polished Chrome, Polished Nickel and Brushed Nickel are available on a standard order basis. Polished Brass and Matte Black have minimum quantity requirements and longer lead times. Please contact customer service for more information.



# B-823 & B-822 MANUAL SOAP DISPENSERS

## ENABLE SIGNIFICANT SOAP & LABOR SAVINGS



### Features & Benefits

- **Labor Savings:** Top-fill convenience facilitates ease of maintenance. Saves 25% labor costs with no more bending under the counter to change cartridges.
- **Cost Savings:** Non-proprietary dispenser delivers substantial savings versus proprietary cartridges.
- **Sustainable:** Reduces post-consumer waste by 57%.
- **Design Continuity:** Chrome finish for fixture and accessory integration.
- **Secure:** Vandal-resistant locking cover and spout.



B-823



B-822



### B-823 Series Manual Foam Soap Dispensers

Features ease of maintenance and labor savings. Vandal-resistant locking cover; corrosion-resistant, bright-polished stainless steel spout and cover; chrome-plated escutcheon; high-impact-resistant ABS body and shank; shatter-resistant polyethylene container.

Model No.	Capacity (fl. oz.)	Spout Length	Max. Mounting Thickness
B-823	34	4"	3"
B-8231	20	4"	3"
B-8236	34	6"	3"
B-82316	20	6"	3"



Patented.



### B-822 Series Manual Liquid Soap Dispensers

Features ease of maintenance and labor savings. Vandal-resistant locking cover and free-turning spout; corrosion-resistant, bright-polished spout, cover and escutcheon; high-impact-resistant ABS body and shank; shatter-resistant polyethylene container.

Model No.	Capacity (fl. oz.)	Spout Length	Max. Mounting Thickness
B-822	34	4"	4"
B-8221	20	4"	1"
B-8226	34	6"	4"
B-82216	20	6"	1"







NEW

# B-830 SUREFLO® SOAP DISPENSING SYSTEM

## SERVICE FIVE DISPENSERS WITH ONE CARTRIDGE

### Features & Benefits

- **Engineered for Busy Restrooms:** Designed for medium to heavy traffic restrooms. Serves up to 5 sinks with manual soap dispensers.
- **Sustainable:** 30% post-consumer waste reduction. Built-in reservoir eliminates soap waste and outages.
- **Easy Maintenance:** Front-access cabinet for one-minute changeovers. 13,000 liquid soap handwashes or 25,000 foam handwashes per single cartridge. Low soap indicator.
- **Durable Construction:** Under-counter cabinet Type-304 satin-finish stainless steel. Cabinet door secured to cabinet with a full-length stainless steel piano-hinge. Dispensers have internal swiveling design, rotate 360° without losing air-tight seal. 10" W, 15 1/4" H in front, 16 1/2" H in rear, 18 5/8" D. Lifetime hardware warranty with exclusive use of Bobrick SureFlo soap.



Patented.

**NOTE:** Maximum countertop mounting thickness 1 3/4"; for thicker countertops up to 4 3/4" order Bobrick Part Number 822-402. One kit required for every counter-mounted soap dispenser.

### Compatible with Liquid & Foam Soap Dispensers

One B-830 cabinet per restroom services up to five B-822 or B-823 soap dispensers.

### DESIGNER'S NOTE

How do you service 60,000 visitors per weekend without running out of soap—all while saving time and money and reducing waste? An iconic, high-traffic entertainment center in Seattle estimates five-figure future cost savings with the SureFlo Dispensing System. **Get the full story at [bobrick.com](http://bobrick.com).**

### Foam System Cartridge



**B-82512**

12-liter Cartridge of Green Foam Soap

### Liquid System Cartridges



**B-81412**

12-liter Cartridge of Green Lotion Soap



**B-81312**

12-liter Cartridge of Premium Gold Soap




**B-81212**

12-liter Cartridge of Pink Lotion Soap



### **B-4112 ConturaSeries** Surface-Mounted Soap Dispenser

Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Container is satin-finish stainless steel. Capacity: 40-fl oz. Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal-resistant. Unit 7" W, 6 1/8" H; wall to push-button, 3 5/16".



### **B-4063 ConturaSeries** Recessed Soap Dispenser

Dispenses all-purpose soaps. Drawn, 20-gauge, one-piece front, satin-finish stainless steel with vessel attached to back. Capacity: 50-fl oz. Pulls out for filling. Concealed locking device.



### **B-2111 ClassicSeries** Surface-Mounted Soap Dispenser

Vertical tank is satin-finish stainless steel. Valve dispenses all-purpose hand soaps. Capacity: 40-fl oz. Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal-resistant. Unit 4 3/4" W, 8 1/8" H; wall to push-button, 3 1/2".



### **B-2112 ClassicSeries** Surface-Mounted Soap Dispenser

Horizontal tank is satin-finish stainless steel. Valve dispenses all-purpose hand soaps. Capacity: 40-fl oz. Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal-resistant. Unit 8 1/8" W, 4 3/4" H; wall to push-button, 3 1/2".





## SOAP DISPENSERS WALL-MOUNTED




### **B-2013** Automatic Wall-Mounted Foam Soap Dispenser

Satin-finish stainless steel. Corrosion-resistant valve dispenses a variety of foaming soaps. Sensor-activated valve. Lockable housing. Capacity: 27-fl oz. Unit 4 1/4" W, 9 9/16" H, 4 7/32" D.



### **B-2012** Automatic Wall-Mounted Soap Dispenser

Stainless steel with satin-finish. Corrosion-resistant valve dispenses a variety of liquid soaps and disinfectants. Valve is sensor-activated. Soap refill-indicator window. Housing is hinged for refilling and maintenance. Capacity: 30-fl oz. (850 ml). CE Certified. Unit 4 3/16" W, 9 9/16" H, 4 7/32" D.



### **B-306 TrimLineSeries** Recessed Soap Dispenser

Satin-finish stainless steel. Door has 90° return, conceals flange. Door swings open for filling vessel on back. Hinge and tumbler lock secure door to cabinet. Capacity: 45-fl oz. Valve dispenses all-purpose soaps. Soap refill window.



### **B-26627 TrimLineSeries** Surface-Mounted Foam Soap Dispenser

Satin-finish stainless steel. Accepts foam soap cartridges or bulk-fill soaps. Push activated with less than 5 lbs of force. Capacity: 17-fl oz. Concealed wall fastening. Hinged housing with key lock and soap refill window. Vandal-resistant. Unit 3 3/4" W, 11 3/4" H, 6" D.



# SANITARY NAPKIN/TAMPON VENDORS

## THE INDUSTRY'S LARGEST SELECTION

Bobrick offers the only fully ADA-compliant napkin/tampon vendors on the market, as well as a range of payment options to satisfy evolving expectations and legislation concerning access to free feminine hygiene products. **Are there laws in your area? Find out at [bobrickacademy.com/freevend](http://bobrickacademy.com/freevend).**

### Features & Benefits

- **Streamlined Maintenance:** Easy refilling; larger capacity can accommodate 30 tampons, 20 napkins.
- **Secure:** Two tumbler door locks keyed like other Bobrick accessories. Separately-keyed coin box lock for management access.
- **Green:** No battery or electricity required. Fabricated from 50-70% recycled stainless steel. Contributes to LEED credits.
- **Flexible:** Free, 25-cent and token-vend conversion kits are available.




Patented.

### DESIGNER'S NOTE

**Only Bobrick offers indisputably ADA compliant sanitary napkin/tampon vendors.** They operate easily with less than 5 lbs force, without tight grasping, pinching or twisting of the wrist; recessed and semi-recessed models also satisfy the ADA 4" protruding objects requirement.


### Coin Operation Options

For 25¢, add 25 to model number (e.g., B-4706 25.) For no-charge operation, add C to model number. For Token operation, add T to model number. Easy coinage conversion in the field.



### ConturaSeries

B-4706 Recessed  
B-47064 Semi-Recessed  
B-47069 Surface-Mounted



### TrimLineSeries

B-37063 Recessed  
B-370634 Semi-Recessed  
B-370639 Surface-Mounted



### ClassicSeries

B-2706 Surface-Mounted  
B-3706 Recessed or Semi-Recessed

Explore Bobrick's extensive range of Sanitary Napkin/Tampon Vendors at [bobrick.com](http://bobrick.com).




## HAND DRYER INNOVATIONS

### LOW-WATTAGE & LOW-PROFILE OPTIONS



#### **B-3725 TrimLineSeries** **ADA Recessed Hand Dryer**

Type-304 satin-finish, stainless steel recessed hand dryer with an extra deep alcove and low-profile contemporary design. Dryer operates at a mere 70 dBA and sustainable 1000 Watts of power. 115V AC, 8.5 Amp, 50/60 Hz, 1000 Watts, Single Phase, cULus Listed, or 208-240V AC, 4.0-4.4 Amp, 50/60 Hz, 1000 Watts, Single Phase, cULus Listed and CE marked. Patented.



#### **B-7125 InstaDry Hand Dryer** **Surface-Mounted Automatic Hand Dryer**

Contemporary design, ADA compliant satin-finish, stainless steel high-speed hand dryer. Delivers a less than 12-second dry time. Dryer is universal, 110V- 240V AC, 0.88-1.76 Amp, 50/60 Hz, 200 Watts, Single Phase, cULus Listed and CE marked.

## DESIGNER'S NOTE

While the highly sustainable InstaDry hand dryer is ideal for high-traffic applications, such as transportation centers and stadiums, the Recessed Hand Dryer may be more appropriate for prestige facilities where design and noise are priorities.



**B-7188 TerraDry™ ADA Surface-Mounted Hand Dryer**

Bright-polished chrome-plated cast aluminum cover. Operates at a mere 70 dBA. Slim 100mm depth is compliant with accessibility standards. 115V AC, 8.5 Amp, 50/60 Hz, 1000 Watts, Single Phase, cULus Listed. 208-240V AC, 4.0-4.4 Amp, 50/60 Hz, 1000 Watts, Single Phase, cULus Listed and CE marked.



**B-7180** Similar to B-7188, but with white gloss cover.



**B-778 DuraDry™ Surface-Mounted Hand Dryer**

Bright-polished, chrome-plated cast aluminum cover. Operates with high-velocity output at a mere 72 dBA. 115V AC, 12 Amp, 50/60 Hz, 1380 Watts, Single Phase, cULus Listed. 208-240V AC, 5.5-6.3 Amp, 50/60 Hz, 1380 Watts, Single Phase, cULus Listed and CE marked.



**B-770** Similar to B-778, but with white epoxy cover.




**B-7128 TrimDry™ ADA Surface-Mounted Hand Dryer**

Durable, 22-gauge Type-304 satin-finish stainless steel cover with black plastic trim. Automatic operation at 72 dBA with dual air outlets. 115V AC, 15 Amp, 1725 Watts, 50/60 Hz, cULus Listed, or 208-240V AC, 6.8-7.8 Amp, 1400-1900 Watts, 50/60 Hz, cULus Listed, VDE approved and CE marked.



**B-750 AirCraft® ADA Recessed Hand Dryer**

Durable, cast-iron with white vitreous enamel finish, automatic sensor, 115V AC, 20 Amp, 2300 Watts, 50/60 Hz, cULus Listed, or 208-240V AC, 9-10 Amp, 1900-2400 Watts, 50/60 Hz, cULus Listed, VDE approved and CE marked.



**Sound Level Comparison of Bobrick's QuietDry™ Series with Brands X and D:**

Brand	Bobrick QuietDry Series	Brand X	Brand D
Measured in Decibels (dBA)*	72 dBA	83 dBA   	85 dBA       

\*TEST METHODOLOGY: Noise levels declared for all products are measured in a semi-reverberant laboratory settings with dryer mounted at the manufacturer's recommended height. Visit [bobrick.com](http://bobrick.com) for additional test results.

**NEW**

## B-167 & B-169 SERIES LED MIRRORS

### REFLECT QUALITY, VALUE & STYLE

Bobrick's LED Mirror Collection combines high quality LEDs with commercial grade mirror construction to provide a product that reflects quality, value and style.

#### Features & Benefits

- 50,000 hours of estimated life
- Improved illumination and reduced shadowing with integrated dimming option
- Lead-free silver backing exceeds ISO 9227:2012, 120 hour corrosion testing
- Mirror and backside mounting frame are IP44 rated for damp applications
- Safety PVC membrane on back prevents small pieces from falling off in the event of a mirror breakage
- Includes hardware required for mounting
- Environmentally suitable and energy efficient



#### B-167 Backlit Series Standard Mirror Sizes

Mirrors can be installed vertically or horizontally.

Model No.	Width	Height	Lumens
B-167 2436	23 $\frac{5}{8}$ "	35 $\frac{3}{8}$ "	2,195
B-167 2448	23 $\frac{5}{8}$ "	47 $\frac{5}{8}$ "	2,655
B-167 6642	64 $\frac{15}{16}$ "	41 $\frac{5}{16}$ "	4,045

#### B-169 Sidelit Series Standard Mirror Sizes

Model No.	Width	Height	Lumens
B-169 2436	24"	36"	1,155
B-169 3040	30"	40"	1,340





Patented.

### B-290 Series Welded-Frame Mirrors

One-piece, roll-formed  $\frac{3}{4}$ " x  $\frac{3}{4}$ " angle-frame. Type-304 stainless steel angle with satin finish. Corners heliarc welded, ground and polished smooth. Beveled frame edge at mirror. No. 1 quality,  $\frac{1}{4}$ " glass mirror; warranted against silver spoilage for 15 years. Galvanized steel back. Secured to concealed wall hanger with theft-resistant mounting.

Model No.	Width	Height
⚡ B-290 1830	18"	30"
⚡ B-290 1836	18"	36"
B-290 2430	24"	30"
⚡ B-290 2436	24"	36"
B-290 2448	24"	48"
B-290 2460	24"	60"
B-290 2472	24"	72"

**Special Order Custom Sizes:** Maximum size of one-piece mirror: 144" x 72" or 72" x 144". Maximum frame size available: 180" x 72" or 72" x 180" with two pieces of glass. To specify special sizes, use Series Number followed by width and height.



### B-165 Series Channel-Frame Mirrors

One-piece,  $\frac{1}{2}$ " x  $\frac{1}{2}$ " x  $\frac{3}{8}$ " channel-frame. Type-430 stainless steel with bright-polished finish. Mitered corners. No. 1 quality,  $\frac{1}{4}$ " glass mirror; warranted against silver spoilage for 15 years. Galvanized steel back. Secured to concealed wall hanger with theft-resistant mounting.

Model No.	Width	Height
⚡ B-165 1824	18"	24"
⚡ B-165 1830	18"	30"
⚡ B-165 1836	18"	36"
⚡ B-165 2430	24"	30"
⚡ B-165 2436	24"	36"
B-165 2448	24"	48"
B-165 2460	24"	60"
B-165 4836	48"	36"

**Special Order Custom Sizes:** Maximum size mirror: 96" x 72" or 72" x 96". To specify special sizes, use Series Number followed by width and height.



## MIRRORS



### B-292 Series Welded-Frame Mirror/Shelf Combination

Same mirror as B-290 Series. Type-304 satin-finish stainless steel shelf. Shelf projects an additional 5" from the mirror, with a  $\frac{3}{4}$ " return on front and sides; front return edge hemmed for rigidity and safety. Shelf corners heliarc welded, ground and polished smooth.

Model No.	Width	Height
B-292 1836	18"	36"

**Special-Order Custom Sizes:** Maximum frame size available: 96" x 72" or 72" x 96" with one piece of glass. Maximum size of shelf: 96" furnished as one piece. To specify special sizes, use Series Number followed by width and height.



### B-166 Series Channel-Frame Mirror/Shelf Combination

Same mirror as B-165 Series. Type-304 satin-finish stainless steel shelf. Shelf projects 4" with  $\frac{3}{8}$ " return on front and sides; front return edge hemmed for rigidity and safety.

Model No.	Width	Height
B-166 1824	18"	24"
B-166 1830	18"	30"
B-166 1836	18"	36"
B-166 2436	24"	36"

**Special-Order Custom Sizes:** Maximum size mirror: 60" x 48" or 48" x 60". Maximum shelf length: 60". To specify special sizes, use Series Number followed by width and height.



### B-1556 Series Frameless Mirrors

Bright-polished #8 finish, Type-304 stainless steel. Mirror has  $\frac{1}{4}$ " return concealing  $\frac{1}{4}$ " tempered masonite backing. Furnished with four mounting screws.

Model No.	Width	Height
B-1556 1824	17 $\frac{1}{2}$ "	23 $\frac{1}{2}$ "
B-1556 1830	17 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "
B-1556 2436	23 $\frac{1}{2}$ "	35 $\frac{1}{2}$ "



### B-942 Frameless Mirror (Front Secured)

Mirror is 11  $\frac{1}{4}$ " x 17  $\frac{1}{4}$ " overall,  $\frac{1}{4}$ " deep. 18-gauge, Type-430 stainless steel with bright-polished finish.



### B-293 Series Fixed-Position Tilt Mirrors

Provides visibility for wheelchair users. Frame is Type-304 satin-finish stainless steel. Beveled edges of frame hug mirror, providing gapless fit. No. 1 quality, 1/4" glass mirror; warranted against silver spoilage for 15 years. Mirror projects 4" from wall at top and tapers to 1" at bottom. Patented.

Model No.	Width	Height
⚡ B-293 1830	18"	30"
⚡ B-293 1836	18"	36"
⚡ B-293 2436	24"	36"

**Special Order Custom Sizes:** Maximum size mirror: 48" x 36" or 40" x 40". To specify special sizes, use Series Number followed by width and height.

## DESIGNER'S NOTE

Framed mirrors are manufactured to overall dimensions, as shown in all tables. Framed mirrors must be installed with width and height dimensions as ordered. Mirror back and wall hanger cannot be installed sideways to reverse width and height dimensions. Provide minimum 3/4" clearance at top of mirror for mounting on wall hanger and 1" clearance on each side.



### B-294 Series Angle-Frame Two-Position Tilt Mirror

Tilt forward to provide full visibility for wheelchair users or return to upright position. Frame is 3/4" x 3/4", Type-304 satin-finish stainless steel angle. Beveled edges of frame hug mirror, providing gapless fit. No. 1 quality, 1/4" glass mirror; warranted against silver spoilage for 15 years. Top of mirror tilts 7" from wall with self-locking mechanisms; bottom of mirror mounts to wall with full-length stainless steel hinge.

Model No.	Width	Height
B-294 1830	18"	30"

**Special Order Custom Sizes:** Maximum size mirror: 24" x 36" or 36" x 24". To specify special sizes, use Series Number followed by width and height.

## Special-Order Reflective Surfaces

Polished stainless steel, tempered and laminated glass mirrors resist breakage and provide safety from broken glass, but differ in color and reflective quality from standard glass mirrors. Modest distortion is normal and not a returnable condition. Available on special order.

### POLISHED STAINLESS STEEL

B-1656 Series Mirrors (up to 60" x 36" or 36" x 60")  
B-2906 Series Mirrors (up to 60" x 36" or 36" x 60")

### TEMPERED GLASS

B-1658 Series Mirrors (up to 96" x 48" or 48" x 96")  
B-2908 Series Mirrors (up to 115" x 48" or 48" x 115")

### LAMINATED GLASS

B-1659 Series Mirrors (up to 84" x 48" or 48" x 84")  
B-2909 Series Mirrors (up to 84" x 48" or 48" x 84")



## TOILET COMPARTMENT ACCESSORIES



**B-6806 Straight Grab Bar**

*Page 40*



**B-3013  
ClassicSeries Recessed  
Seat Cover Dispenser**

*Page 35*



**B-544  
Cubicle Collection  
Toilet Brush**

*Page 34*



**B-3588  
TrimLineSeries Surface-  
Mounted Multi-Roll  
Toilet Tissue Dispenser**

*Page 32*





**B-35303**  
**TrimLineSeries**  
**Recessed Sanitary**  
**Napkin Disposal**  
*Page 39*




Products: B-542 Hook, B-544 Toilet Brush Holder,  
 B-541 Spare Roll Holder, B-546 Toilet Tissue  
 Dispenser, B-3013 Sanitary Waste Receptacle,  
 B-3541 Sanitary Waste Bag Dispenser



**Commercial Office**  
 Products: B-3092 Toilet Cubicle  
 Accessory, B-5806 Grab Bar



## TOILET TISSUE DISPENSERS



### **B-4388 ConturaSeries** Recessed Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit and dispensing mechanism. Flush tumbler lock. Holds two rolls up to 5 1/4" diameter (1800 sheets). Extra roll drops when bottom roll is depleted. Theft-resistant, heavy-duty spindles.



### **NEW B-3588 TrimLineSeries** Surface-Mounted Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit and dispensing mechanism. Theft resistant. Holds two rolls up to 5 1/8" diameter (1500 sheets). Removable skirt for optional recessed mounting. Unit 13 1/16" W, 8 1/2" H, 4 5/8" D.



### **B-2888 ClassicSeries** Surface-Mounted Multi-Roll Toilet Tissue Dispenser


Satin-finish stainless steel unit and dispensing mechanism. Tumbler lock. Holds two rolls up to 5 1/4" diameter (1800 sheets). Extra roll drops when bottom roll is depleted. Theft-resistant, heavy-duty spindles. Unit 6 1/8" W, 11" H, 5 15/16" D. Patented.

**B-3888** Similar to B-2888, but for recessed installation.



### **B-4288 ConturaSeries** Surface-Mounted Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit and dispensing mechanism. Flush tumbler lock. Holds two rolls up to 5 1/4" diameter (1800 sheets). Extra roll drops when bottom roll is depleted. Theft-resistant, heavy-duty spindles. Unit 6 1/8" W, 11" H, 5 15/16" D.



### **NEW B-35883 TrimLineSeries** Recessed Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit and dispensing mechanism. Unit is theft resistant and equipped with a tumbler lock. Holds two rolls up to 5 1/8" diameter (1500 sheets).



### **B-2840** Surface-Mounted Toilet Tissue Dispenser with Utility Shelf


Satin-finish stainless steel. Shelf has 1/2" returns, hemmed front edge. Chrome-plated plastic spindles hold rolls up to 5 1/2" diameter (1800 sheets). Unit 16" W, 4" H, 5" D. Theft-Resistant Spindle (Part No. 283-604) available as an option.





### B-2890 Single Jumbo-Roll Surface Mounted Toilet Tissue Dispenser

Satin-finish Type-304 stainless steel. Equipped with tumbler lock. Spindle holds one 10" diameter roll with 1 5/8" diameter core. Convertible for 2 1/8" and 1 5/8" diameter core rolls. Powder-coated mounting plate. Slot reveals tissue supply. Unit 10 5/8" W, 10 5/8" H, 4 1/2" D.



### B-386 Partition-Mounted Multi-Roll Toilet Tissue Dispenser (Serves 2 Compartments)

Satin-finish stainless steel. Mounts centered through toilet partitions, 1/2" - 2" thick; used from both sides. Holds four standard core toilet tissue rolls up to 5 1/4" diameter; two for each side. Theft-Resistant Spindle (Part No. 283-604) available as an option.




### B-685 Surface-Mounted Toilet Tissue Dispenser for Single Roll

Bright-polished stainless steel. Support-arm flanges lock to concealed stainless steel wall plates. Chrome-plated plastic spindle holds rolls up to 5 1/2" diameter (1800 sheets). Unit 7 1/4" W, 2" H; projects 3 1/8" from wall.




### B-2892 Surface-Mounted Twin Jumbo-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with tumbler lock. Holds two 10" diameter rolls with 2 1/4" diameter core; convertible for 3" diameter core rolls. Sliding panel exposes one roll at a time, allows easy roll changeover. Wide viewing slot in door. Quick reloading. Unit 20 13/16" W, 11 3/8" H, 5 5/16" D.



### B-667 Recessed Toilet Tissue Dispenser

Bright-polished stainless steel. Chrome-plated plastic spindle holds roll up to 5 1/8" diameter (1500 sheets).



### B-699 Recessed Toilet Tissue Dispensers

Bright-polished stainless steel. Hoods protect paper. Chrome-plated plastic spindles hold rolls up to 5 1/8" diameter (1500 sheets).



# CUBICLE COLLECTION

## ADD COORDINATED ELEGANCE TO ANY CUBICLE

### Convenience & Style for Cubicle Interiors


Featuring contemporary styling, all Cubicle Collection models share common elements such as satin-finish stainless steel threaded escutcheons and post diameters.



**NEW B-540**  
Surface-Mounted  
Toilet Tissue  
Dispenser &  
Utility Shelf



**B-541**  
Spare Toilet  
Roll Holder



**B-542**  
Coat Hook



**B-543**  
Surface-Mounted  
Toilet Tissue  
Dispenser for  
Single Roll



**B-544**  
Toilet Brush Holder



**NEW B-546**  
Toilet Tissue  
Dispenser with Hood



**NEW B-547**  
Double Toilet Tissue  
Dispenser



**NEW B-548**  
Double Toilet Tissue  
Dispenser with Hoods




**NEW B-549**  
Double Coat Hook



### **B-4221 ConturaSeries** Surface-Mounted Seat Cover Dispenser

Satin-finish stainless steel. Dispenses 250 single- or half-fold toilet seat covers. Allow 5" minimum clearance from bottom of dispenser to top of any horizontal projection for filling dispenser from bottom of unit. Unit 15 3/4" W, 11 1/4" H, 2 1/6" D.




### **B-3013 TrimLineSeries** Recessed Seat Cover Dispenser

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 500 toilet seat covers. Tumbler lock for theft-resistance.



### **B-221 ClassicSeries** Surface-Mounted Seat Cover Dispenser

Satin-finish stainless steel. Dispenses 250 single- or half-fold toilet seat covers. Allow 5" minimum clearance from bottom of dispenser to top of any horizontal projection for filling dispenser from bottom of unit. Unit 15 3/4" W, 11" H, 2" D.




### **B-301 ClassicSeries** Recessed Seat Cover Dispenser

Satin-finish stainless steel. Seamless beveled flange. Dispenses 500 toilet seat covers. Tumbler lock for theft-resistance.




## TOILET COMPARTMENT ACCESSORIES



### **NEW B-3091 ClassicSeries** Recessed Toilet Tissue, Seat Cover Dispenser and Waste Disposal

Satin-finish stainless steel. Mounts flush against side wall in accessible toilet compartment to allow clearance for grab bar above unit with toilet tissue dispenser on left side. Holds 500 toilet seat covers and two rolls of tissue. Capacity: 0.4-gal. Patent pending.

**B-30919** Similar to B-3091, but with stainless steel skirt for surface-mounting.





### **NEW B-3092 ClassicSeries** Recessed Toilet Tissue, Seat Cover Dispenser and Waste Disposal

Satin-finish stainless steel. Mounts flush against side wall in accessible toilet compartment to allow clearance for grab bar above unit with toilet tissue dispenser on right side. Holds 500 toilet seat covers and two rolls of tissue. Capacity: 0.4-gal. Patent pending.

**B-30929** Similar to B-3092, but with stainless steel skirt for surface-mounting.

## DESIGNER'S NOTE

These new recessed combination units are designed to be installed 1 1/2" minimum below a horizontal side grab bar in Wheelchair Accessible and Ambulatory Accessible Toilet Compartments. The units do not reduce the required 1 1/2" grab bar wall spacing. This complies with 2010 ADA as well as 2009 and 2017 ICC A117.1 standards. Additionally, providing a disposal on the side wall adjacent to the toilet tissue dispenser and in front of the rear wall of compartment/room complies with 2019 California Building Code, Section 11B-604.7.




#### **B-347 ClassicSeries** Partition-Mounted Seat Cover Dispenser and Toilet Tissue Dispenser

Mounts centered through toilet partition. Used from both sides, serviced from one side. Holds 250 toilet seat covers and two rolls of tissue for each compartment. Theft-resistant spindles.

**B-3474** Similar to B-347, but for recessed installation in side wall of single compartment. Unit mounts on left side of toilet (when seated) with tissue dispensers on right side. Holds 250 toilet seat covers and two rolls of tissue.

**B-34745** Similar to B-3474. Unit mounts on right side of toilet (when seated) with tissue dispensers on the left side.

**B-3479** Similar to B-3474, but with stainless steel skirt for surface-mounting.



#### **B-357 ClassicSeries** Partition-Mounted Seat Cover Dispenser, Sanitary Napkin Disposal and Toilet Tissue Dispenser

Mounts centered through toilet partition. Used from both sides, serviced from one side. Capacity: 0.8-gal. Holds 250 toilet seat covers and two rolls of tissue for each compartment. Theft-resistant spindles.

**B-3574** Similar to B-357, but for recessed installation in side wall of single compartment. Unit mounts on left side of toilet (when seated) with tissue dispensers on right side.

**B-35745** Similar to B-357, but recessed installation in side wall of single compartment. Unit mounts on right side of toilet (when seated) with tissue dispensers on the left side.

**B-3579** Similar to B-357, but with stainless steel skirt for surface mounting. Unit mounts on left side of toilet (when seated) with tissue dispenser on the right side.

## DESIGNER'S NOTE

Partition-mounted models B-347, B-3471, B-34715, B-357, B-3571 and B-35715 mount through partitions 1/2" to 2" thick, serving two compartments. Toilet tissue dispensers hold 5 1/4" diameter, 1800-sheet rolls. Theft-resistant spindles included. In an Accessible Toilet Compartment, the unit's location in the adjoining toilet compartment must permit the unit's complete operation, allowing its door to swing clear of toilet when servicing.






## SANITARY NAPKIN DISPOSALS




### **B-270 ConturaSeries** Surface-Mounted Sanitary Napkin Disposal

Satin-finish stainless steel. Cover is drawn, one-piece construction; secured to cabinet with full-length stainless steel piano-hinge. Capacity: 1-gal. Unit 7 1/2" W, 10" H, 3 1/16" D.



### **B-4354 ConturaSeries** Partition-Mounted Sanitary Napkin Disposal

Satin-finish stainless steel. Mounts in toilet partition 1/2 - 1 1/4" thick. Self-closing doors pull down with less than 5 lbs of force for access to disposal. Removable, leak-proof, 0.7-gal plastic receptacle.




### **B-4353 ConturaSeries** Recessed Sanitary Napkin Disposal

Satin-finish stainless steel. Self-closing door pulls down for access to disposal. Furnished with removable, leak-proof, 1.2-gal plastic receptacle.




### **NEW B-35139 TrimLineSeries** Surface-Mounted Sanitary Napkin Disposal

Satin-finish stainless steel. Door secures to cabinet with a magnet catch and cable door-swing limiter. Removable, 0.6-gal waste receptacle. Skirt is removable in the field for optional recessed mounting. Unit 8 1/16" W, 14 1/8" H, 4 1/2" D.



### NEW B-3513 TrimLineSeries Recessed Sanitary Napkin Disposal

Satin-finish stainless steel. Door secures to cabinet with a magnet catch and cable door-swing limiter. Removable, 0.6-gal waste receptacle.



### B-35303 TrimLineSeries Recessed Sanitary Napkin Disposal

Satin-finish stainless steel. Door has 90° return, conceals flange. Self-closing panel covers disposal opening. Removable, leak-proof, 1.2-gal plastic receptacle.



### B-254 ClassicSeries Surface-Mounted Sanitary Napkin Disposal

Satin-finish stainless steel. Door has tumbler lock. Self-closing panel covers disposal opening. Removable, leak-proof, 1.2-gal plastic receptacle. Unit 10 1/16" W, 15 1/8" H, 4 1/16" D.



### B-354 ClassicSeries Partition-Mounted Sanitary Napkin Disposal

Satin-finish stainless steel. Mounts in partitions 1/2" – 1 1/4" thick. Self-closing panels cover openings. Removable, leak-proof, 1.2-gal plastic receptacle.



## GRAB BARS



### B-5806 Series & B-6806 Series

#### Straight Grab Bars


Constructed of 18-gauge, Type-304 satin-finish stainless steel with slip-resistant surface. Cover snaps over mounting flange to conceal screws. For a complete list of standard grab bar sizes, visit [bobrick.com](http://bobrick.com)

Standard Length	1 ¼" Diameter	1 ½" Diameter
12"	N/A	B-6806 x 12
18"	B-5806 x 18	B-6806 x 18
24"	B-5806 x 24	B-6806 x 24
30"	B-5806 x 30	B-6806 x 30
36"	B-5806 x 36	B-6806 x 36
42"	B-5806 x 42	B-6806 x 42
48"	B-5806 x 48	B-6806 x 48



### B-4998 1 ¼" Diameter Swing Up Grab Bar

29" L, 1 ¼" diameter. Patented.

 **B-4998** Satin-Finish slip-resistant surface.



### 251-4 WingIt™ Grab Bar Fastener

For 2 ½" and 3 ½" or deeper hollow walls with finished wall surfaces ¼" to 1 ½" thick. One fastener required for each flange. Corrosion-resistant stainless steel. Install grab bars without backing. The fastener will support 300 lbs load.

WingIt™ is a trademark of WingIt Innovations, LLC.

## DESIGNER'S NOTE

New research shows that satin-finish grab bar surfaces can provide 10% more traction than peened-finish grab bars when grabbed with wet hands. While previously, the National Building Code of Canada (NBC) required "peened" or "knurled finishes" in "wet" areas in healthcare facilities, the code has been revised to require "slip-resistant" finishes in such applications. For peened finish on any Bobrick grab bar, add .99 to the model number (e.g., B-5806.99 x 18).



### B-5898 & B-6898

#### 90-Degree Grab Bars

30" W x 30" H. 18-gauge, Type-304 satin-finish stainless steel.

Model No.	Diameter	Finish
B-5898	1 ¼"	Slip-Resistant
B-6898.99	1 ½"	Peened

### Safety Warnings

Grab bars are no stronger than the anchors and walls to which they are attached and, therefore, must be firmly secured to support intended loads. To avoid potential injury, the building owner or maintenance personnel should remove the grab bar if it is not adequately secured to wall or if there is any observed damage to welds.



### B-58616 & B-68616 Two-Wall Tub/Shower Compartment Grab Bars

24" W x 36" D. 18-gauge, Type-304 stainless steel with satin-finish, slip-resistant surface.

Model No.	Diameter
B-58616	1 ¼"
B-68616	1 ½"

### DESIGNER'S NOTE

Bobrick offers a range of educational resources related to ADA compliance, from videos to our Planning Guide for Accessible Restrooms and Continuing Education course. **Visit the ADA Compliance Education section of [bobrick.com](http://bobrick.com) for more information.**



## SPECIALTY ACCESSORIES



### **B-398 Recessed Medicine Cabinet**

*Page 44*



### **B-4112 ConturaSeries Surface-Mounted Soap Dispenser**

*Page 21*



### **B-221216 Foot- Operated Waste Receptacle**

*Page 15*



### **B-4998 1 1/4" Diameter Swing Up Grab Bar**


*Page 40*





**B-918116R  
Bariatric Folding  
Shower Seats  
with Legs** .....

*Page 46*



**Assisted Living Room**

Products: B-398 Medicine Cabinet, B-49916 Grab Bar, B-5116 Hook, B-580616 Grab Bar, B-2716 Toilet Paper Dispenser





**Medical Office**

Products: B-221216 Trash Can, B-26212 Paper Towel Dispenser, B-165 Mirror, B-2111 Soap Dispenser, B-7816 Charting Shelf



## BATHROOM ACCESSORIES



### B-398 Recessed Medicine Cabinet

Type-304 satin-finish stainless steel. Mirror: No. 1 quality, 1/4" glass electrolytically copper-plated. 15-year warranted against silver spoilage. Door has full-length stainless steel piano-hinge, magnetic catch and cable doorstop. Four adjustable stainless steel shelves. Cabinet may be inverted for right- or left-hand door swing.



### B-8397 Surface-Mounted Tissue Dispenser

Dispenses one pack of 100 two-ply facial tissues. Cabinet Type-304 satin-finish stainless steel. Equipped with concealed locking device; opens with key provided. Concealed wall plate is 22-gauge, Type-304 stainless steel. Unit 10 1/4" W, 5 3/16" H, 2 1/4" D.



### B-683 Surface-Mounted Toiletry Shelf

Bright-polished stainless steel. 24" length. Shelf 4 3/4" wide, projects 5 3/4" from wall. Edges are roll-formed for safety.



### B-297 Surface-Mounted Medicine Cabinet

All-steel cabinet and two fixed shelves with baked white enamel finish. Mirror: No. 1 quality, 1/8" glass electrolytically copper-plated. 15-year warranted against silver spoilage. Door has enameled steel piano-hinge and magnetic catch. Door is 14 1/8" W, 20 1/4" H. Unit 3 3/4" D.



### B-676 Surface-Mounted Towel Shelf/Towel Bar

Bright-polished stainless steel. Shelf 6 1/4" wide, four 5/16" square tubes. 5/16" square towel bar below shelf. 24" length. Projects 8 1/2" from wall.



### B-674 Surface-Mounted Towel Bar

Bright-polished stainless steel. Round 3/4" diameter towel bar. Available in 18" and 24" lengths. Projects 3 1/4" from wall.



### **B-530** Extra-Heavy-Duty Surface-Mounted Towel Bar

Satin-finish stainless steel, 18-gauge, 1" diameter bar with snap-flange mounting. Withstands 900 lbs downward pull when properly installed. Available in 18" and 24" lengths.



### **B-545** Surface-Mounted Towel Bar

Satin-finish stainless steel. Threaded escutcheon conceals mounting plate, provides snug fit to the wall. Available in 18" and 24" lengths. Projects 3 3/4" from wall.



### **B-673** Surface-Mounted Towel Bar

Bright-polished stainless steel. 3/4" square towel bar. Available in 18" and 24" lengths. Projects 3 1/4" from wall.




### **NEW B-4207** Curved Shower Rod

1" diameter rod is 20-gauge satin-finish stainless steel. Swivel brackets are chrome-plated zinc die cast construction with exposed surfaces in architectural satin finish. Maximum 55° swivel rotation. Available in 60" or 72" lengths.



### **B-687** Surface-Mounted Door Bumper

Bright-polished stainless steel. Flange is 2" x 2". Black nylon post with black neoprene bumper. Projects 2 1/8" from wall.



### **B-4390** Recessed Heavy-Duty Soap Dish & Bar

Type-304 stainless steel, matte polished finish. Mounting clamp for stud walls. Unit 7 3/16" W, 5" H.

**B-4380** Similar to B-4390, but without bar.



## SHOWER/TUB ACCESSORIES



### **B-207** Shower Curtain Rod with Concealed Mounting

1" diameter rod is 20-gauge, Type-304 satin-finish stainless steel. 1 3/8" diameter flanges are chrome-plated plastic, bright-polished finish; mount on concealed wall brackets. Available in 36", 48", 60", 72" lengths.



### **B-5181** Reversible Folding Shower Seat

ADA-compliant reversible wall-mounted solid phenolic seat. When properly installed supports up to maximum static load of 360 lbs. Total weight on seat must not exceed 360 lbs. Seat available in other colors on special order. See Bobrick Compact Laminate Color Guide. Frame and mounting bracket are Type-304 stainless steel. Seat 33" W, projects 22 5/16" from wall. Left-hand seat shown.



### **B-517** Folding Shower Seat

Complies with ADA Accessible Design Guidelines. Foam-padded, white, water-resistant Naugahyde seat 1 1/2" thick, with enclosed 1/2" plywood base. Seat 32 7/8" W, projects 22 13/16" from wall. Left-hand seat shown. When properly installed supports up to maximum static load of 360 lbs. Total weight on seat must not exceed 360 lbs.

**B-518** Similar to B-517, with right-hand seat.



### **204-2** Vinyl Shower Curtain

Opaque, matte white vinyl, 0.008" thick, contains antibacterial and flame-retardant agents. Nickel-plated brass grommets along top, one every 6". Bottom and sides are hemmed. Curtain 42" W, 72" H. Requires 7 hooks (not included).

**204-1** Shower Curtain Hook Type-304 stainless steel for use on 1" and 1 1/4" diameter shower curtain rods.



### **B-5191** Folding Shower/Dressing Area Seat

Complies with ADA Accessible Design Guidelines. Compact design. Seat is constructed of durable, water-resistant, ivory-colored, 5/16" thick solid phenolic. Frame and mounting bracket are Type-304 stainless steel and feature self-locking mechanism. Seat 18" W, projects 15 13/16" from wall. When properly installed supports up to maximum static load of 500 lbs. Total weight on seat must not exceed 500 lbs.



### **NEW B-918116L & B-918116R Series** **Bariatric Folding Shower Seats with Legs**

ADA-compliant wall-mounted solid phenolic, foot-supported. When properly installed supports up to maximum static load of 1102 lbs. Total weight on seat must not exceed 1102 lbs. Seat 31 1/2" W, projects 22 5/8" from wall. Frame and swing-down legs are 1 1/4" zinc-plated vinyl-coated tubing.



NEW

## B-635 KLUTCH MOBILE DEVICE HOLDER

KEEPS MOBILE DEVICES  
SAFE & SECURE



Klutch provides  
a safe place to store  
smartphones, tablets,  
laptops and more.

### Convenience Throughout the Restroom

Bobrick's new B-635 Klutch is a modern, unique and practical solution for storing mobile devices anywhere in the restroom, including inside toilet partitions and cubicles.

### Features & Benefits

- **Convenient Design:** Sleek, compact design "klutches" mobile devices for safety and fits with any décor.
- **Easy Installation:** Easily installed in toilet compartments, common spaces or private areas where storage is desired.
- **Versatile:** Integrated bag hook holds up to 300 lbs and can accommodate multiple items.
- **ADA Compliant:** Requires no grasping or twisting to use.

### Grand Prize Winner

Product Innovations 2019  
Presented by **BUILDINGS**



### Winner

Product Innovation Awards 2019  
Presented by **Architectural Products**



### See it in Action!

Scan the QR code below to watch the product video.







### **B-6827** Hat and Coat Hook

Satin-finish stainless steel. Flange is 2" x 2". Hook 1" W, 6 1/2" H; projects 3 1/8" from wall. Concealed wall plate.



### **B-287** Folding Utility Shelf

Easily installed on toilet partition or wall. Type-304 satin-finish stainless steel. Pull-down shelf returns to upright position when not in use. Supports 100 lbs when properly installed. Shelf 14 1/2" L, 5 3/4" W.




### **B-239** Shelf with Mop/Broom Holders & Hook

Shelf is 18-gauge, Type-304 satin-finish stainless steel; 34" L, 13" H, 8" D. Three anti-slip mop holders have spring-loaded rubber cams that grip handles 7/8" to 1 1/4" diameter. Four stainless steel hooks.




### **B-224** Shelf with Mop/Broom Holders & Rag Hooks

Shelf is 18 gauge, Type-304 satin-finish stainless steel; 36" L, 6" H, 8" D. Four anti-slip mop holders have spring-loaded rubber cams that grip handles 7/8" to 1 1/4" diameter. Holds mops 8" from wall. Three stainless steel rag hooks. Rod for wet rags below shelf.




### NEW B-35016 Recessed Sharp Disposal

Satin-finish stainless steel. Door equipped with full-length stainless steel piano-hinge at bottom; swings down for easy replacement of sharps container. Holds BD brand Sharps Collector, 5.4 Qt, part number 305443.



### B-505 Recessed Specimen Pass-Through Cabinet

Satin-finish stainless steel. Provides convenient passage for specimen from patient area to laboratory. Self-closing doors. Interlocking mechanism prevents both doors from being open at the same time; provides sight barrier. Removable stainless steel tray.





### NEW B-50517 Recessed Heavy Duty Specimen Pass-Through Cabinet

Satin-finish stainless steel. Provides convenient passage for specimen from patient area to laboratory. Self-closing doors. Interlocking mechanism prevents both doors from being open at the same time; provides sight barrier. Removable stainless steel tray.



### NEW B-7816 Charting Station/Shelf

Satin-finish stainless steel. Pull-down shelf/charting station 22" W, 15" D in extended position;  $1 \frac{3}{8}"$  D in retracted position.



### KB110-SSRE

#### Horizontal, Recessed-Mounted Baby Changing Station



18-gauge, Type-304 satin-finish stainless steel exterior with molded gray color polyethylene interior. Unit 37" W, 23" H. Depth (closed) 1/4". Extension (open) 15".



### KB110-SSWM

#### Horizontal, Wall-Mounted Baby Changing Station

18-gauge, Type-304 satin-finish stainless steel exterior with molded gray color polyethylene interior. Unit 35 1/4" W, 20" H. Depth (closed) 4". Extension (open) 19".



### KB111-SSRE Vertical, Recessed-Mounted Baby Changing Station

18-gauge, Type-304 satin-finish stainless steel exterior with molded gray color polyethylene interior. Unit 24 1/4" W, 39 1/2". Depth (closed) 1 1/2". Extension (open) 31 1/4".

## DESIGNER'S NOTE


According to third-party research, 73% of parents are more likely to visit businesses with baby changing stations. **For additional insights on generating loyalty through family friendly accommodation, visit [koalabear.com/loyalty](http://koalabear.com/loyalty).**



### KB200-00

#### Horizontal, Wall-Mounted Baby Changing Station

Cream color polypropylene cabinet and bed. Unit 35  $\frac{3}{16}$ " W, 22  $\frac{1}{4}$ " H. Depth (closed) 4". Extension (open) 23  $\frac{3}{16}$ ".



### KB200-SS

#### Horizontal, Wall-Mounted Baby Changing Station with Stainless Steel Veneer

Polypropylene cabinet and bed with 22-gauge, Type-304 brushed stainless steel veneer. Unit 35  $\frac{3}{16}$ " W, 22  $\frac{1}{4}$ " H. Depth (closed) 4". Extension (open) 23  $\frac{3}{16}$ ".



### KB101-00

#### Vertical, Wall-Mounted Baby Changing Station

Cream color polyethylene cabinet and bed. Unit 22" W, 35  $\frac{1}{2}$ " H. Depth (closed) 5  $\frac{1}{4}$ ". Extension (open) 35".

## DESIGNER'S NOTES

- All Baby Changing Station models equipped with built-in Sanitary Bed Liner Dispensers (liners sold separately, Part No. KB150-99).
- Microban® antibacterial product protection, a Koala Baby Changing Station exclusive, helps keep stations cleaner between cleanings.



# WHY BOBRICK?

## PORTFOLIO OF VALUES

### BOBRICK

Architects, developers and facility managers have selected Bobrick's performance-engineered restroom accessories with confidence for over a century. As the market leader, we deliver building owner value through design excellence compliance, sustainability and economical cost-in-use.

### DESIGN

Three design-integrated series of accessories include ConturaSeries® for prestige properties, TrimLineSeries™ for upscale buildings and ClassicSeries® for standard use and heavy-traffic projects. From Class-A to education and healthcare, recessed and surface-mounted, we have your design.

### COMPLIANT

Our products are engineered to meet the latest accessibility requirements including wall protrusion, mounting heights, reach and operation. Bobrick also provides detailed consultation on compliant product selection and installation. Bobrick/Koala meets ADA-ABA, ICC/ANSI, ASTM, EN.

### HYGIENIC

Bobrick is at the forefront of the touch-free commercial restroom with automatic models to limit cross contamination. Our stainless products are easy to maintain and sanitize through regular cleaning. Microban® Antimicrobial protection is a Koala® baby changing station exclusive.

### SUSTAINABLE

Accessories fabricated of 50%-70% post-industrial stainless steel contribute toward LEED certification. Soap and towel dispensers are engineered to reduce consumables usage, eliminating the need for proprietary towels and soap cartridges, thereby reducing the operating footprint of a given building.

### DURABLE

Robust engineering and built-in maintainability are the standards for Bobrick restroom accessories and Koala products, providing life-of-the-building functionality with appropriate maintenance. Reduced repair and replacement costs also deliver a positive impact on the operating budget.

### ECONOMICAL

Cost-in-use savings are also trademarks of Bobrick restroom accessories. Products are designed to control soap and paper towel usage, reduce labor and maintenance expense, and to be vandal-resistant. Savings calculators, available online, confirm the substantial savings and return on investment.

### FREEDOM

Non-proprietary dispensing of universal paper towels and bulk soap help building owners escape the high prices of consumables contracts common to closed system products. This facilitates open-market procurement and the ability to take advantage of a large variety of soap and towel options.

# THE BOBRICK ADVANTAGE

## THE PRODUCTS, SUPPORT & EXPERTISE YOU NEED

### INDISPENSIBLE INSIGHT

Your Bobrick architectural representative is your source for indispensable restroom design and compliance expertise, as well as logistics support. [Find your region's representative at \*\*bobrick.com\*\*.](#)

### ADA COMPLIANCE SUPPORT

Bobrick is proud to serve as an agnostic provider of accurate, up-to-date compliance information. Resources include the Planning Guide for Accessible Restrooms (PDF) guide and accredited AIA/HSW Continuing Education course.



### AUTHENTICALLY SUSTAINABLE

Sustainable operation is closely associated with economical operation, providing design professionals with opportunities to support their clients' long-term business goals. [To learn more, register for our AIA/HSW Continuing Education course, "Designing Restrooms for Sustainable Operation."](#)

### GLOBAL SPECIFICATIONS PROGRAM

Bobrick empowers its architectural representatives to assist architects specifying global projects through job-site support, international shipping, customs clearance and final installation. [Learn more at \*\*bobrick.com\*\*.](#)

### A LEADER IN PARTITIONS & CUBICLES

Bobrick has expanded its selection to include a full line of both toilet partitions and cubicles. Explore traditional partition systems and options at [bobrick.com](#). For a high-end design solution, explore PRIVADA® Cubicles at [privadacubicles.com](#) and Thrislington Cubicles at [thrislingtoncubicles.com](#).







BUILDING VALUE SINCE 1906

[Bobrick.com](http://Bobrick.com)

<b>U.S. Corporate Office</b>	818.982.9600	<a href="mailto:customerservice@bobrick.com">customerservice@bobrick.com</a>
<b>Canadian Offices</b>	877.423.6555 Eastern Canada	<a href="mailto:customerservice@bobrick.com">customerservice@bobrick.com</a>
	877.423.6444 Western Canada	
<b>International Customer Service</b>	+1.818.764.1000	<a href="mailto:international@bobrick.com">international@bobrick.com</a>
<b>UK &amp; Europe</b>	+44 (0)20 8366 1771	<a href="mailto:uksales@bobrick.com">uksales@bobrick.com</a>
<b>GAMCO Commercial Restroom Accessories</b> A Division of Bobrick	818.982.9600	<a href="mailto:customerservice@bobrick.com">customerservice@bobrick.com</a>
<b>Koala Kare Products</b> A Division of Bobrick	888.733.3456	<a href="mailto:customerservice@koalabear.com">customerservice@koalabear.com</a>
<b>Thrislington Cubicles</b> A Division of Bobrick	+44 (0)12 4452 0677	<a href="mailto:sales@thrislington-us.com">sales@thrislington-us.com</a>

Illustrations and descriptions herein are applicable to production as of the date of this catalog. The manufacturer reserves the right to, and does from time to time, make changes and improvements in designs and dimensions.

**For product warranty information, including warranty conditions and limitations for Bobrick Washroom Accessories, Koala Kare Products Baby Changing Stations and other products, please visit [bobrick.com](http://bobrick.com).**

**Bobrick, Koala Kare and MICROBAN and other brand names are registered with the United States Patent and Trademark Offices and as trademarks in several countries throughout the world. For patent information, please visit [bobrick.com/patents](http://bobrick.com/patents).**